



1200 USt



551 ft

354 ft +
374 ft

551 kip



286 kip

992 kip
B

30 ft

Stays strong when things get tight.

LR 11000

Crawler Crane
Grue sur chenilles

LIEBHERR

Mobile and Crawler Cranes

Technical Data

Caractéristiques technique

Equipment	
Equipment	4-5
Dimensions	
Encombrement	6-10
Crane data	
Dates de la grue	11
Transportation plan	
Plan de transport	12-13
Boom/jib combinations	
Configurations de flèche	14-21
SL	22-23
S2	24-25
SDB/SDBV/SDBW	26-27
SL2DB/SL2DB2/SL2DBW	28-30
S2DB/S2DB2/S2DBW	31-32
PDB/PDBW	33-34
SW1	35-39
SDWB/SDWBV/SDWBW	40-65
PDW3B/PDW3BW	66-86
SL8F2	87-91
SL10DF2B/BV	92-95
SL9	96-97
SL11DB/BV	98-99
Description of symbols	
Explication des symboles	100
Remarks	
Remarques	101
Customer Service	102



Equipment

Max. capacity	2205 kip at 36 ft radius SDBW – System with S 138 ft and D 118 ft.
Max. load moment	112,000,000 lb-ft – 1038 kip at 105 ft radius. SL2DBW – System with S 217 ft and D 138 ft.

Crawler travel gear

Crawler chassis	Liebherr crawler chassis consisting of one centre section and two crawler carriers with crawler plates 6.5 ft (optional 7.9 ft) and quadruple drive.
Central ballast	2 brackets 11,025 lb each. 8 ballast plates 22,050 lb each. Total central ballast 198.4 kip (optional 286,6 kip).

Crane superstructure

Superstructure frame	Liebherr slewing platform frame, consisting of the slewing platform with winch IV and removable SA frame and roller turning connection.
Crane engine	8-cylinder diesel engine, make Liebherr, watercooled, rated power 500 kW (680 h.p.), max torque 2335 lb-ft. Fuel tank approx. 396 gallons, exhaust emission according to directive 97/68/EG and EPA/CARB.
Winch I	Standard hoist drum, hydraulically driven by axial-piston swivel pumps with integrated planetary gear.
Winch IV	Boom hoist.
Reeving winch	Auxiliary winch for the reeving of ropes.
Slewing gear	2 slewing gears, hydraulically powered by axial-piston swivel pump, with integrated planetary gear.
Crane cabin	Air conditioned crane cabin tiltable to the rear with safety glazing, heat insulating glass, roof window with bullet proof glass, standardized control units ergonomically positioned. Additional thermostatically controlled hot water heating.
Crane control	All crane movements are initiated by means of two 4-way joystick hand levers and two 2-way hand/foot levers. All working movements are independently controllable.
Safety devices	Hoist limit switch. Safety valves against hose and pipe rupture. Drum switch limit at 3 rest layers. Wind speed gauge. Electronic inclination indicator. Aircraft warning control light.
Camera observation	2 colour-screens, 3 cameras for winches and rear area.
Counterweight	2 brackets 11,025 lb each. Total counterweight at superstructure 551.15 kip. 24 ballast plates 22,050 lb each (option).

Boom system

Main boom S	System S3228 with head section for max. 2205 kip load capacity. Boom length SDB 138 ft – 354 ft with derrick system.
Main boom S2	System S3228 with head section for max. 1433 kip load capacity. Boom length S2 59 ft – 335 ft. Boom length S2DB 138 ft – 512 ft with derrick system.
Main boom P	System L2722/S3228 with head section for max. 2205 kip load capacity. Boom length PDB 157 ft – 453 ft. Boom length PDB/BW 157 ft – 512 ft.
Main boom SL	System S3228/L2722 with head section for max. 1433 kip load capacity. Boom length SDB 59 ft – 374 ft.
Main boom SL2	System S3228/L2722 with head section for max. 1433 kip load capacity. Boom length SL2DB 138 ft – 512 ft.
Main boom SL8	System S3228/L2722 with fixed lattice jib F2, boom length SL8 276 ft – 354 ft, boom length SL8 335 ft – 433 ft.
Main boom SL9	System S3228/L2722 with head section for maximum lifting capacity of 1433 kip. Boom length of SL9 256 ft – 335 ft boom length of SL9D 315 ft – 413 ft.
Main boom SL10	System S3228/L2722 with fixed lattice jib F2, boom length SL10 236 ft – 551 ft
Main boom SL11	System S3228/L2722 with head section for maximum lifting capacity of 1433 kip. Boom length of SL11D 217 ft – 532 ft.
Fixed lattice fly jib F2	For maximum lifting capacity of 557 kip and integral runner, can be attached at angles of 10°, 15° and 20°, boom length F 39 ft – F 128 ft.
Lattice type luffing fly jib W	System S3228/L2722 with head section for max. 1433 kip load capacity. Luffing jib lengths 98 ft – 374 ft.
Derrick system D	System 2825 including guy rods.
Counterweight frame B	For max. derrick counterweight of 992 kip, for infinitely variable radius from 39 ft – 66 ft. Max. radius of 98 ft only with guiding frame (B2).
V-frame® BV	For max. derrick ballast of 992 kip and infinitely variable radii from 43 ft – 98 ft.
Counterweight trailer BW	For maximum derrick ballast of 992 kip with a maximum radius of 98 ft, for infinitely variable radii of 43 ft – 59 ft, 56 ft – 72 ft, 69 ft – 85 ft, 82 ft – 98 ft.
Derrick-Counterweight	Ballast pallet with VarioTray (option). 22,050 lb counterweight slabs for a total weight of 992 kip.
Winch II	Second hoist winch.
Winch III	Reeving main boom / Derrick operation.
Winch V	Luffing for W-jib configuration.
Winch VI	Auxiliary hoist gear.
Whip line 70,550 lb	For attaching to the S or L head.

Additional equipment

Mechanical outriggers	For erecting long boom combinations without derrick system.
Hydraulic assembly jacks	Lifting of the basic machine for assembly/disassembly. Consisting of 4 lifting cylinders with supporting plates, installed on the centre part.
Hydraulic assembly cylinder	For assembly/disassembly of the crawler carrier by the crane itself.
Pin pulling device	Including mobile hydraulic aggregate. For assembly/disassembly of the pins at the crawler chassis and centre part as well as the boom sections.

Other items of equipment available on request. Standard equipment and options according to effective price list.



Equipment

Capacité max.	2205 kip pour une portée de 36 ft. Système SDBW avec S 138 ft et D 118 ft.
Couple de charge max.	112,000,000 lb-ft – 1038 kip pour une portée de 105 ft. Système SL2DBW avec S 217 ft et D 138 ft.

Train de chenilles

Mécanisme de translation	Le train de chenilles Liebherr est composé d'une partie centrale et de deux longerons avec patins de chenilles 6.5 ft (en option 7.9 ft) et un entraînement à 4 positions.
Contrepoids central	2 consoles de 11,025 lb. 8 plaques de lest de 22,050 lb. Contrepoids central total 198.4 kip (en option 286.6 kip).



Partie tournante

Cadre de la partie tournante	Châssis de plate-forme tournante Liebherr, composé d'une plate-forme tournante avec treuil IV, chevalet SA amovible et couronne d'orientation à rouleaux.
Moteur de la grue	Diesel Liebherr 8 cylindres, refroidissement par eau, puissance 500 kW (680 ch), couple de rotation max. 2335 lb-ft. Réservoir de carburant: env. 396 gallons. Emissions polluantes conformes aux normes 97/68/EG et EPA/CARB.
Treuil I	Treuil de levage standard, il est entraîné hydrauliquement par des pompes à débit variable à pistons axiaux avec réducteur planétaire intégré.
Treuil IV	Mécanisme de relevage.
Treuil de mouflage	Treuil auxiliaire pour le mouflage des câbles.
Mécanisme d'orientation	Deux mécanismes d'orientation, il est entraîné hydrauliquement par des pompes à débit variable à pistons axiaux avec réducteur planétaire intégré.
Cabine du grutier	La cabine du grutier est climatisée, inclinable vers l'arrière, possède un vitrage de sécurité, un vitrage isolant thermiquement, une fenêtre de toit en verre blindé, des unités de commande normalisées disposées de façon ergonomique. Chauffage d'appoint et chauffage de l'eau régulé thermostatiquement.
Commande de la grue	Tous les mouvements de la grue sont commandés par deux manipulateurs à 4 voies et deux pédale/levier à 2 voies. Tous les mouvements de travail peuvent être commandés indépendamment.
Dispositifs de sécurité	Interrupteur de fin de course. Clapets de sécurité contre les ruptures de tuyaux et de flexibles. Coupure de fin de course du tambour avec 3 enroulements de sécurité. Anémomètre de sécurité. Inclinomètre électronique. Balise aérienne.
Contrôle vidéo	2 écrans couleur, 3 caméras pour la zone de treuils et la partie arrière.
Contrepoids	2 consoles de 11,025 lb chacune. Contrepoids total 551.15 kip. 24 plaques de lest à 22,050 lb (option).



Système de flèche

Flèche principale S	Système S3228 avec élément de tête pour une capacité max. de 2205 kip. Longueur de la flèche SDB 138 ft – 354 ft avec système derrick.
Flèche principale S2	Système S3228 avec élément de tête pour une capacité max. de 1433 kip. Longueur de la flèche S2 59 ft – 335 ft. Longueur de la flèche S2DB 138 ft – 512 ft avec système derrick.
Flèche principale P	Système L2722/S3228 avec élément de tête pour une capacité max. de 2205 kip. Longueur de la flèche PDB 157 ft – 453 ft. Longueur de la flèche PDB2/BW 157 ft – 512 ft.
Flèche principale SL	Système S3228/L2722 avec élément de tête pour une capacité max. de 1433 kip. Longueur de la flèche SL 59 ft – 374 ft.
Flèche principale SL2	Système S3228/L2722 avec élément de tête pour une capacité max. de 1433 kip. Longueur de la flèche SL2DB 138 ft – 512 ft.
Flèche principale SL8	Système S3228/L2722 avec pointe de flèche en treillis fixe F2. Longueur de flèche SL8 276 ft – 354 ft, longueur de flèche SL8 335 ft – 433 ft.
Flèche principale SL9	Système S3228/L2722 avec élément de tête pour une capacité de charge de 1433 kip. Longueur de flèche SL9 256 ft – 335 ft. Longueur de flèche SL9D 315 ft – 413 ft.
Flèche principale SL10	Système S3228/L2722 avec pointe de flèche en treillis fixe F2. Longueur de flèche SL10 236 ft – 551 ft.
Flèche principale SL11	Système S3228/L2722 avec élément de tête pour une capacité de charge de 1433 kip. Longueur de flèche SL11D 217 ft – 532 ft.
Fléchette treillis fixe F2	Pour capacité de charge maximale de 557 kip et extrémité de mât intégrée, montage possible sous 10°, 15°, 20°, longueur de flèche F 39 ft – F 128 ft.
Fléchette treillis à volée variable W	Système S3228/L2722 avec élément de tête pour une capacité max. de 1433 kip. Longueurs de flèche treillis 98 ft – 374 ft.
Système derrick D	Le système 2825 comprend des tirants.
Palette de lest B	Pour un contrepoids derrick max. de 992 kip et rayons variables progressivement de 39 ft – 66 ft. Rayon max. de 98 ft uniquement avec cadre de guidage (B2).
V-frame® BV	Pour un contrepoids derrick de 992 kip max. et des rayons variables progressivement de 43 ft – 98 ft.
Remorque à contrepoids BW	Pour un contrepoids derrick de 992 kip avec un rayon de 98 ft, pour des rayons variables progressivement de 43 ft – 59 ft, 56 ft – 72 ft, 69 ft – 85 ft, 82 ft – 98 ft.
Contrepoids derrick	Plaque lest avec VarioTray (Option). 22,050 lb de plaques de contrepoids pour un poids total de 992 kip.
Treuil II	2. treuil de levage.
Treuil III	Réglage flèche principale/mode derrick.
Treuil V	Réglage fléchette treillis à volée variable.
Treuil VI	Treuil de levage auxiliaire.
Poulies en extrémité de mât 70,550 lb	Pour le montage sur la tête S ou L.

Equipment additionnel


Stab. additionnel mécanique	Pour le relevage de longues combinaisons de flèches sans système de derrick.
Stabilisateurs hydrauliques de montage	Ils soulèvent l'engin de base pour le montage/démontage. Ils sont constitués de 4 vérins de calage dont les patins de calage montés sur l'élément central.
Vérin hydraulique de montage	Pour le montage autonome/démontage du train de chenilles.
Dispositif d'extraction des axes	Il est constitué du composant hydraulique mobile. Pour le montage/démontage des goujons au niveau des chenilles et de l'élément central ainsi que pour celui des pièces intermédiaires de la flèche.

D'autres équipements additionnels sont disponibles sur demande. Les équipements de série et les options correspondent à la liste de prix actuelle.



Dimensions


Encombremment



US235-0001-00

Dimensions


Encombrement



US235-0001-00

Dimensions


Encombrement




S235-0017-00



39 ft - 66 ft



43 ft - 98 ft



66 ft, 82 ft, 98 ft



43 ft - 98 ft



Winches · Treuils

	V _{ft/min}	 F	 θ	
1	0 - 394 ft/min	51,750 lb	1.2"	4757 ft
2	0 - 394 ft/min	51,750 lb	1.2"	4757 ft
3	0 - 377 ft/min	-	-	-
4	0 - 2 x 197 ft/min	-	-	-
5	0 - 345 ft/min	-	-	-
6	0 - 387 ft/min	36,000 lb	1.1"	1969 ft

Working speeds · Vitesses

	Slewing speeds · Vitesses d'orientation	0 - 0.89 rpm
	Travel speeds · Vitesses de translation	0 - 0.88 mph

Hook blocks · Moufles à crochet

	 max				
2205 / 1212 kip [M]	2205 kip	1.2"	2 x 13	2 x 25	62,600 / 47,400 lb
2094 / 1058 kip	2205 kip	1.2"	2 x 11	2 x 23	56,225 - 65,050 lb / 43,000 - 51,800 lb
1763 / 881 kip	1763 kip	1.2"	2 x 9	2 x 19	35,300 - 57,320 lb / 26,500 - 48,500 lb
1433 / 716 kip	1433 kip	1.2"	2 x 7	2 x 15	30,900 - 48,500 lb / 22,050 - 39,700 lb
683 / 341 kip	705 kip	1.2"	2 x 3	2 x 7	10,350 - 28,000 lb / 7,500 - 25,125 lb
529 kip	551 kip	1.2"	5	11	6,600 - 24,250 lb
352 kip	352 kip	1.2"	3	7	5,500 - 18,750 lb
149 kip	176 kip	1.2"	1	3	5,500 - 9,920 lb
50 kip	55 kip	1.2"	-	1	3,300 lb


[M] = Module block · Moufle modulaire

Transportation plan


Plan de transport

Crawler middle section with rotating (3 slewing gears), width 11'6"
Partie centrale des chenilles avec système de rotation (3 mécanismes d'orientation), largeur 11'6"


59.96 kip*



132.3 kip [146.6 kip*]



88.2 kip*




* Optional with quick connection - en option avec quick connection


Crawler incl. 2 driving gears
Longeron avec 2 mécanismes de translation

2 x 132.3 kip [2 x 147.7 kip]

6.5 ft (7.9 ft) Width · largeur




2 x 68.4 kip




Winch 1/2
Treuil 1/2

30.87 kip



30.87 kip




6'11" Width · largeur

Transportation plan

Plan de transport

Superstructure with SA-frame, winch 4, width
Partie tournante avec chevalet SA, treuil 4, largeur

171.96 kip




11'6" Width · largeur

* + 2000 lb Transport support · t pour le support de transport

Superstructure without SA-frame
Partie tournante sans chevalet SA

101.4 kip




11'6" Width · largeur

* + 2000 lb Transport support · t pour le support de transport

SA-frame, winch 4 incl. rope and pulley block
Chevalet SA, treuil 4 incl. câble et bloc de poulies

72.75 kip






10'2" Width · largeur

* + 2000 lb Transport support · t pour le support de transport

Standard boom system Systèmes de flèche standards

315 + 276



Standard boom system


Systèmes de flèche standards

315 + 276

- S** Main boom, heavy
Flèche principale, lourde
- S** Main boom, heavy/light
Flèche principale, lourde/légère

- D** Derrick
Flèche derrick
- W** Luffing fly jib, heavy
Fléchette, lourde




- B/B2** Suspended ballast
Lest suspendu
- P** PowerBoom



US2799.01

Extended boom system Systèmes de flèche étendus

354 + 374



SDWB/BV/BW

S 138 ft - 354 ft
W 59 ft - 374 ft
D 118 ft - 138 ft

SDWVB/BV/BW

S 138 ft - 354 ft
W 59 ft - 79 ft
D 118 ft - 138 ft

SL2DB/BV/BW

SL2 138 ft - 512 ft
D 118 ft - 138 ft

S2DB/BW

S2 138 ft - 512 ft
D 118 ft - 138 ft

Extended boom system




Systèmes de flèche étendus

354 + 374

S 19.85 kip - 37.5 kip


L 15.5 kip - 19.85 kip

S + L 32.25 kip - 57.3 kip




PowerBoom system

Systèmes de flèche PowerBoom




+



=

P

PowerBoom



PDW3B/BW

P 157 ft - 394 ft
W3 59 ft - 315 ft
D 118 ft - 138 ft

PDWV3B/BW

P 157 ft - 394 ft
W3 59 ft - 79 ft
D 118 ft - 138 ft


PDB/BW

P 157 ft - 492 ft
D 118 ft - 138 ft

US2801.01

PowerBoom system






Systèmes de flèche PowerBoom



S2802.01

Boom system – Wind power

Systèmes de flèche – L'énergie éolienne




SL8F2
SL8 276 ft - 354 ft
F2 39 ft - 118 ft

SL8DF2B
SL8 335 ft - 433 ft
F2 39 ft - 128 ft
D 118 ft

SL10DF2B/BV
SL10 236 ft - 551 ft
F2 39 ft - 128 ft
D 138 ft

Boom system – Wind power


Systèmes de flèche – L'énergie éolienne



US3414

SL

SL 59 – 374




	SL 59 – 374 ft																	
	59 ft	79 ft	98 ft	118 ft	138 ft	158 ft	177 ft	197 ft	217 ft	235 ft	256 ft	276 ft	295 ft	315 ft	335 ft	354 ft	374 ft	
18	0.3 1 2	1432																
19	0.3 1 2	1432	1432															
20	0.3 1 2	1432 1432	1432															
22	0.3 1 2	1432 1432 1275	1432 1432	1431														
24	0.3 1 2	1432 1430 1314	1432 1432	1432	1425													
26	0.3 1 2	1432 1406 1322	1432 1384 1281	1432 1339	1430	1404												
28	0.3 1 2	1412 1356 1279	1421 1325 1210	1411 1288 1100	1395 1259	1391	1351	907										
30	0.3 1 2	1369 1289 1208	1357 1255 1147	1346 1223 1070	1345 1190	1343 1100	1273	1203	956									
32	0.3 1 2	1287 1216 1145	1282 1185 1088	1280 1160 1033	1279 1108 951	1243 1027	1176 956	1115	1059	844								
34	0.3 1 2	1213 1150 1088	1210 1123 1038	1212 1102 979	1207 1035 896	1152 963 822	1094 899	1038	989	943	619							
36	0.3 1 2	1145 1090 1036	1141 1065 981	1143 1040 922	1132 971 847	1074 906 779	1022 848	973 795	927	885	849	474						
38	0.3 1 2	1084 1035 960	1082 1013 911	1085 977 866	1056 914 802	1005 856 741	958 802 685	913 753	873 709	834	800	767	385					
40	0.3 1 2	1030 971 891	1028 950 847	1030 919 809	990 863 762	944 810 705	900 760 653	859 714 613	821 673	787 636	758	725	699					
50	0.3 1 2	734 691 652	741 680 626	747 671 605	745 655 582	718 634 558	689 600 528	661 567 493	635 537 462	610 509 432	590 487 384	568 462	548 441	532	515	503	484	446
60	0.3 1 2		559 524 492	565 520 480	565 510 463	563 500 446	552 487 429	531 465 411	511 442 387	492 420 363	477 403 344	460 383 318	445 366 255	433 353 196	420	411	397	388
70	0.3 1 2		444 423 403	451 421 395	451 414 382	448 406 368	445 396 355	439 385 341	423 372 328	407 353 309	395 339 294	381 322 276	369 309 254	360 298 196	349	343	331	324
80	0.3 1 2			371 352 334	371 346 323	368 338 312	365 330 300	361 322 288	357 314 277	343 302 266	334 290 254	321 275 238	311 264 225	304 255 196	295	291	280	275
90	0.3 1 2			313 295 279	313 288 269	311 281 258	307 273 247	302 267 238	299 260 229	294 251 222	286 251 207	274 238 207	266 227 196	260 220 187	252	249	239	235
100	0.3 1 2			269 257 245	266 250 235	262 243 225	258 235 215	254 229 207	250 222 198	247 219 192	237 207 181	229 197 171	224 191 163	217	215	206	202	
110	0.3 1 2				232 219 208	227 212 198	223 205 189	219 199 181	215 193 173	214 189 168	206 181 159	199 173 150	194 167 143	188	186	178	175	
120	0.3 1 2				204 194 186	199 187 176	194 180 167	191 175 160	186 168 152	185 165 147	180 159 138	174 151 132	169 146 126	163	162	155	152	
130	0.3 1 2					176 167 158	171 160 149	168 154 142	163 147 134	162 144 129	157 138 122	152 133 116	148 128 110	142	142	135	132	
140	0.3 1 2					157 143 150	152 137 134	148 137 127	143 130 119	141 127 115	136 121 107	133 117 99.4	130 112 96	125	124	117	115	
150	0.3 1 2						136 128 122	132 123 114	126 116 106	124 113 102	119 106 91.7	116 101 87	114 98.8 84.2	109	109	102	99.9	
160	0.3 1 2						122	118 110 103	112 102 92	110 97.8 88.2	105 91.3 81.3	101 87.2 76.8	99.8 85.2 74.1	95.1	94.9	88.6	86.7	
170	0.3 1 2							105 97.6	97.5 89.4 82.9	94.4 86.4 79	89.4 80.4 72.1	86.8 76.8 67.8	85.7 74.9 65.2	83	82.8	76.6	74.9	
180	0.3 1 2								86.2 80.4 74.9	84.2 77.3 70.9	79.1 71.3 64.1	76.3 67.6 59.8	75.2 66 57	72.2	72	66	64.3	
190	0.3 1 2								77.4	75.2 69.3 63.9	69.9 63.2 56.7	67.1 59.4 51.7	66 57.6 48.5	62.6	62.4	56.4	54.8	
200	0.3 1 2									67.3 62.2 57.3	61.8 55.5 48.3	58.7 51.2 44	57.7 49.2 41.6	54	53.7	47.8	46.2	
220	0.3 1 2										45.9 41.8	42.9 37.8 32.7	41.6 35.8 30.1	39	38.8	32.9	31.3	
240	0.3 1 2											31	29.5 24.7 20.2	26.6	26.4	20.6	19	
260	0.3 1 2												19.2	16				



Lifting heights

Hauteurs de levage

SL



S2

S2 59 – 335




 ft	S2 59 – 335															 ft
	59 ft	79 ft	98 ft	118 ft	138 ft	158 ft	177 ft	197 ft	217 ft	236 ft	256 ft	276 ft	295 ft	315 ft	335 ft	
18	1432															18
19	1432	1432														19
20	1432	1432														20
22	1432	1432	1432													22
24	1432	1432	1432	1432												24
26	1432	1432	1432	1432	1411											26
28	1412	1421	1411	1391	1388	1364	1156									28
30	1369	1357	1342	1336	1334	1263	1195	1067								30
32	1287	1282	1273	1268	1235	1166	1107	1050	944							32
34	1213	1210	1204	1196	1143	1084	1030	979	935	842						34
36	1145	1141	1136	1122	1065	1012	965	917	876	838	664					36
38	1084	1082	1079	1048	996	947	904	862	825	788	753					38
40	1030	1028	1026	982	934	889	850	810	778	745	711	685				40
50	734	741	742	738	707	677	651	623	600	576	553	533	513	491	478	50
60		559	560	558	555	540	520	498	482	463	444	429	413	396	385	60
70		444	445	443	440	436	428	410	397	381	365	352	340	325	316	70
80			366	364	359	355	353	344	333	319	305	294	283	270	263	80
90			307	305	301	297	294	289	283	271	258	249	239	226	221	90
100				261	257	252	249	244	242	232	220	212	203	191	186	100
110					222	217	214	209	207	200	189	181	173	162	158	110
120					194	189	185	180	178	173	163	156	148	137	134	120
130						166	162	157	154	148	141	134	126	116	113	130
140							147	143	137	133	128	122	115	108	97.9	140
150								126	120	117	112	104	98.6	91.8	82.1	150
160								112	106	100	95.9	88.4	84.5	77.7	68.2	160
170									91	87.4	82.1	76.4	72	65.4	56	170
180										77.1	71.7	65.6	60.9	54.5	45.2	180
190										67.7	61.7	55.3	51	44.7	35.5	190
200											52.7	46.2	41.9	35.8	26.8	200
220												30.8	26.2	20.9	24.1	220



Lifting heights

Hauteurs de levage

S2



SDB/SDBV/SDBW

S 138 - 354



138 - 354 ft
S



118 - 138 ft
D



198,400 lb



551,150 lb



B BV BW


771,600 lb - 992,100 lb
441,000 lb - 769,400 lb
110,200 lb - 438,700 lb
0 lb

ft	S 138 - 354 ft												
	138 ft	158 ft	177 ft	197 ft	217 ft	236 ft	256 ft	276 ft	295 ft	315 ft	335 ft	354 ft	
28	D 118 ft				D 138 ft								
	2204												
	2204												
30	2197	2202											
	2204	2204											
	2146	2159	2089										
32	2204	2204	2185										
	2114	2098	2039	1959									
	2204	2204	2149	2060									
34	2087	2044	1988	1916									
	2204	2188	2114	2027									
	2032	1990	1939	1874	1770								
36	2189	2142	2074	1995	1848								
	1976	1936	1891	1832	1736	1587							
	2147	2096	2032	1962	1838	1654							
50	1639	1642	1617	1602	1569	1497	1394	1257	1125	1008	901		
	1913	1886	1839	1791	1701	1613	1461	1302	1153	1028			
	1336	1371	1356	1351	1718	1616	1458	1305	1158	1029	914		
60					1398	1355	1300	1229	1110	998	891	805	
	1653	1648	1638	1606	1551	1487	1412	1307	1158	1033	917	819	
	1097	1150	1159	1153	1585	1514	1434	1305	1161	1033	919	820	
70					1207	1195	1174	1139	1071	976	881	796	
					1415	1370	1316	1255	1161	1037	920	820	
	1398	1420	1406	1398	1456	1408	1344	1270	1161	1027	920	819	
80	919	959	999	1002	1051	1045	1029	1021	1000	946	858	772	
					1234	1242	1222	1177	1121	1038	919	812	
	1169	1233	1226	1220	1280	1280	1256	1208	1141	1025	916	811	
90	781	815	852	875	931	922	914	907	893	873	821	750	
					1138	1108	1092	1091	1058	1008	907	796	
	994	1064	1084	1078	1183	1157	1133	1119	1083	1015	910	803	
100	663	711	732	761	828	824	816	810	803	793	763	713	
					1052	1029	1005	980	969	951	887	771	
	845	918	956	964	1074	1065	1042	1017	998	970	900	802	
110	575	612	649	673	745	740	733	730	723	715	701	671	
					972	955	936	918	894	867	839	746	
	728	795	836	868	973	964	957	943	922	899	861	790	
120	501	545	574	592	671	670	664	660	656	650	640	626	
					887	880	870	858	839	817	786	730	
	635	698	739	771	885	879	870	866	856	839	817	764	
130		477	507	527	607	610	605	601	597	593	585	578	
					814	806	800	796	783	768	744	700	
		610	656	687	810	804	798	794	786	779	763	731	
140		414	446	467	548	552	553	549	546	542	535	530	
					749	743	735	733	726	718	700	665	
		540	588	617	743	741	733	731	724	718	709	692	
150			397	416	492	500	497	499	502	498	491	486	
					687	687	681	676	671	666	655	631	
			525	559	677	683	677	674	669	664	655	646	
160			352	379	443	453	454	459	462	459	452	448	
					623	634	631	629	622	618	609	597	
			466	498	613	628	626	623	620	616	607	597	
170				334	405	417	418	421	428	424	417	415	
					566	582	584	585	579	574	567	560	
				443	557	574	575	579	574	573	563	557	
180					369	381	381	382	394	390	386	384	
					516	535	544	543	540	535	528	523	
					509	527	532	538	534	532	524	519	
190					331	344	345	351	361	360	359	356	
					470	493	506	507	503	500	492	487	
					466	487	491	498	499	496	490	484	
200						316	320	326	331	335	333	331	
						450	465	473	469	467	459	455	
						444	451	459	465	464	458	453	
220							275	282	285	284	279	284	
							396	411	411	410	403	400	
							386	396	403	403	400	399	
240								232	237	241	242	243	
								347	355	362	356	353	
								335	343	350	354	352	
260									206	210	211	212	
									310	319	317	313	
									301	308	311	311	
280											174	173	
											275	278	
											265	267	
300												149	
												246	
												235	



Lifting heights Hauteurs de levage

SDB/SDBV/SDBW



SL2DB/SL2DBV/SL2DBW

SL2 138 – 512



138 - 512 ft



118 - 138 ft



198,400 lb



551,150 lb



B BV BW

771,600 lb - 992,100 lb
441,000 lb - 769,400 lb
110,200 lb - 438,700 lb
0 lb

		SL2 138 – 512 ft																			
		138 ft	158 ft	177 ft	197 ft	217 ft	236 ft	256 ft	276 ft	295 ft	315 ft	335 ft	354 ft	374 ft	394 ft	413 ft	433 ft	453 ft	472 ft	492 ft	512 ft
		D 118 ft				D 138 ft															
ft	B	1380																			
	BV																				
	BW	1381																			
30	B	1385	1370																		
	BV																				
	BW	1386	1369																		
32	B	1390	1377	1368																	
	BV																				
	BW	1391	1374	1369																	
34	B	1395	1378	1372	1325																
	BV																				
	BW	1396	1379	1372	1326																
36	B	1400	1382	1374	1329	1281															
	BV																				
	BW	1401	1386	1375	1331	1290															
38	B	1404	1387	1373	1333	1286	1237														
	BV																				
	BW	1407	1394	1375	1337	1293	1245														
40	B	1407	1392	1381	1336	1291	1240	1187													
	BV																				
	BW	1413	1392	1381	1337	1297	1249	1194													
50	B	1432	1423	1406	1326	1291	1255	1198	1133	1068	977	879	792								
	BV						1270	1217	1152	1071	979										
	BW	1432	1423	1412	1366	1314	1268	1215	1154	1070	979	885	799								
60	B	1323	1367	1356	1317	1289	1241	1190	1133	1064	972	875	790	703	614	535	499	437			
	BV					1342	1293	1237	1172	1071	979	885	802	711	617						
	BW	1432	1432	1423	1395	1337	1291	1236	1172	1071	979	885	802	711	617	514	495				
70	B	1100	1162	1182	1175	1224	1195	1173	1119	1049	957	866	786	700	607	533	498	436	381	336	294
	BV					1337	1319	1260	1191	1071	979	885	804	713	618	514	493	413	368	328	
	BW	1390	1399	1369	1369	1335	1317	1245	1188	1071	979	885	804	713	617	514	493	414	369	328	272
80	B	911	972	1010	1025	1075	1068	1050	1035	1014	946	854	776	685	597	531	494	432	377	333	292
	BV					1259	1258	1236	1187	1071	978	885	786	714	620	516	492	411	366	325	268
	BW	1168	1250	1254	1243	1284	1259	1222	1185	1070	977	885	804	711	617	514	491	410	367	326	269
90	B	776	824	869	886	956	946	933	925	909	884	814	760	669	584	520	485	424	373	326	286
	BV					1164	1134	1106	1099	1063	959	885	777	707	612	517	488	407	364	324	265
	BW	996	1071	1110	1101	1193	1167	1138	1123	1058	972	885	801	705	610	514	488	407	365	325	267
100	B	668	724	755	779	852	846	836	827	819	809	771	722	638	566	508	479	417	367	320	280
	BV					1077	1052	1024	995	977	921	883	767	692	599	518	483	404	362	322	264
	BW	848	929	976	988	1098	1081	1060	1029	997	952	880	793	691	598	514	483	403	363	322	265
110	B	582	632	662	686	768	763	755	749	741	733	715	682	620	551	494	465	408	360	311	274
	BV					997	979	956	932	907	879	849	758	676	584	518	478	401	361	320	263
	BW	734	806	858	891	998	988	978	960	935	905	859	780	675	585	512	478	399	361	319	265
120	B	508	557	585	603	683	694	686	680	674	668	659	643	589	526	481	450	400	352	306	271
	BV					911	904	890	874	853	831	805	747	653	567	508	473	398	360	313	262
	BW	631	704	751	794	908	903	893	884	873	853	826	769	651	565	508	473	398	359	315	264
130	B		487	519	537	619	634	626	621	615	610	605	595	564	494	460	439	392	344	301	267
	BV					838	830	822	813	801	783	764	717	629	542	490	467	397	358	306	262
	BW		613	674	710	834	827	820	812	804	796	779	743	627	542	489	465	397	356	308	264
140	B		424	458	478	561	569	574	569	565	560	554	549	532	472	439	426	380	335	295	261
	BV					767	767	757	751	745	736	721	683	611	522	469	456	396	349	299	262
	BW		546	602	637	758	764	755	748	743	734	727	707	608	521	470	455	395	349	300	263
150	B			410	427	506	519	527	524	520	517	510	505	499	452	413	410	369	323	286	253
	BV					700	710	703	695	690	685	676	650	594	506	454	445	393	338	289	261
	BW			535	570	689	702	700	692	687	682	674	663	590	505	454	444	393	338	290	260



SL2DB/SL2DBV/SL2DBW

SL2 138 – 512



138 - 512 ft



118 - 138 ft



198,400 lb



551,150 lb





B BV BW

771,600 lb - 992,100 lb
441,000 lb - 769,400 lb
110,200 lb - 438,700 lb
0 lb

		SL2 138 – 512 ft																										
		138 ft	158 ft	177 ft	197 ft	217 ft	236 ft	256 ft	276 ft	295 ft	315 ft	335 ft	354 ft	374 ft	394 ft	413 ft	433 ft	453 ft	472 ft	492 ft	512 ft							
160	B					D 138 ft																						
	BV				372	391	455	476	482	483	481	477	472	466	463	437	398	391	356	312	275	245						
	BW				476	512	626	642	648	643	638	633	628	617	573	489	440	435	387	327	280	253						
170	B																											
	BV					346	419	435	439	446	447	443	438	433	430	421	382	375	344	301	264	241						
	BW					467	576	598	606	603	597	593	588	585	575	552	474	427	426	379	318	268	245					
180	B																											
	BV							382	394	400	413	413	409	407	402	400	397	372	358	334	291	249	234					
	BW							526	550	564	560	558	554	549	543	533	460	414	417	371	310	261	239					
190	B																											
	BV							521	540	556	555	553	550	544	536	526	458	413	415	370	310	262	240					
	BW							344	357	365	379	379	379	378	374	372	370	355	341	321	280	242	223					
200	B																											
	BV							480	508	522	523	521	518	513	507	505	445	401	407	363	302	253	233					
	BW							477	500	514	517	517	514	509	502	498	443	400	405	362	302	254	234					
220	B																											
	BV								331	339	346	350	354	352	349	347	346	335	324	306	273	235	217					
	BW								462	480	487	487	485	480	475	473	432	389	398	355	294	246	227					
240	B																											
	BV								457	472	481	484	482	476	471	467	429	387	396	354	294	246	228					
	BW																											
260	B																											
	BV								292	299	302	303	307	302	303	299	290	286	271	254	218	204						
	BW								413	424	428	428	424	420	417	407	365	381	339	279	231	215						
280	B																											
	BV								404	418	424	421	420	416	414	403	364	378	337	279	232	217						
	BW																											
300	B																											
	BV								248	254	259	259	260	262	262	258	252	244	236	202	189							
	BW								360	369	378	376	372	370	372	344	358	325	264	217	203							
320	B																											
	BV								355	363	370	372	369	368	367	342	354	322	264	219	204							
	BW																											
340	B																											
	BV								222	227	228	229	231	233	231	221	219	214	190	178								
	BW								324	333	335	331	331	331	322	327	309	251	205	193								
360	B																											
	BV								318	327	330	328	328	328	319	321	307	250	207	193								
	BW																											
380	B																											
	BV								199	201	200	206	202	189	191	191	176	167										
	BW								287	290	295	297	296	292	287	281	238	194	182									
400	B																											
	BV								283	285	292	292	292	292	287	281	238	194	184									
	BW																											
420	B																											
	BV								167	167	176	171	168	166	166	159	155											
	BW								258	262	266	266	263	259	228	185	173											
440	B																											
	BV								253	258	260	262	260	255	227	185	174											
	BW																											
460	B																											
	BV								146	151	150	150	147	147	143	140												
	BW								233	238	240	237	233	218	176	165												
480	B																											
	BV								229	233	236	235	231	217	177	167												
	BW																											
500	B																											
	BV								132	133	133	132	131	129	126													
	BW								212	215	213	207	208	168	158													
520	B																											
	BV								209	210	211	204	208	170	159													
	BW																											
540	B																											
	BV								118	118	117	117	115	113														
	BW								186	183	182	185	162	152														
560	B																											
	BV								182	180	178	182	163	152														
	BW																											
580	B																											
	BV																											
	BW																											
600	B																											
	BV																											
	BW																											
620	B																											
	BV																											
	BW																											
640	B																											
	BV																											
	BW																											
660	B																											
	BV																											
	BW																											
680	B																											
	BV																											
	BW																											
700	B																											
	BV																											
	BW																											
720	B																											
	BV																											
	BW																											
740	B																											
	BV																											
	BW																											
760	B																											
	BV																											
	BW																											
780	B																											
	BV																											
	BW																											
800	B																											
	BV																											
	BW																											
820	B																											
	BV																											
	BW																											
840	B																											
	BV																											
	BW																											
860	B																											
	BV																											
	BW																											
880	B																											
	BV																											
	BW																</											








 ft	S2 138 – 512 ft																					
	138 ft	158 ft	177 ft	197 ft	217 ft	236 ft	256 ft	276 ft	295 ft	315 ft	335 ft	354 ft	374 ft	394 ft	413 ft	433 ft	453 ft	472 ft	492 ft	512 ft		
	D 118 ft				D 138 ft																	
28	B	1432																				
	BW	1432																				
30	B	1432	1432																			
	BW	1432	1432																			
32	B	1432	1432	1432																		
	BW	1432	1432	1432																		
34	B	1432	1432	1432	1432																	
	BW	1432	1432	1432	1432																	
36	B	1428	1432	1432	1432	1432																
	BW	1432	1432	1432	1432	1432																
38	B	1428	1432	1432	1432	1432	1432															
	BW	1432	1432	1432	1432	1432	1432															
40	B	1428	1427	1432	1432	1432	1432	1427														
	BW	1432	1432	1432	1432	1432	1432	1432														
50	B	1428	1427	1421	1415	1420	1425	1402	1265	1137	1018	911	815									
	BW	1432	1432	1432	1432	1432	1432	1431	1314	1162	1039	925	823									
60	B	1321	1365	1371	1339	1393	1353	1306	1242	1123	1004	902	811		725	650	574	502	450			
	BW	1432	1432	1432	1432	1432	1432	1410	1307	1162	1043	929	827		736	656	582	502				
70	B	1093	1149	1175	1166	1216	1203	1182	1147	1082	984	889	804		714	641	573	502	451	405	361	320
	BW	1389	1402	1391	1373	1406	1392	1351	1275	1153	1044	931	825		728	660	581	502	448	410	360	318
80	B	906	960	1004	1014	1062	1053	1038	1026	1007	951	868	782		702	635	571	502	448	401	357	316
	BW	1165	1239	1243	1233	1281	1279	1259	1210	1141	1038	926	814		713	660	579	502	443	409	357	314
90	B	769	816	853	878	942	932	920	913	900	877	827	761		690	623	557	496	442	397	354	311
	BW	991	1064	1099	1091	1188	1162	1134	1119	1089	1022	913	800		695	657	575	502	438	407	353	309
100	B	662	715	747	762	839	832	823	815	810	798	769	720		662	606	550	491	438	390	348	307
	BW	842	922	957	976	1083	1073	1050	1022	1002	973	889	785		674	652	569	502	434	405	350	305
110	B	575	615	653	676	756	748	741	736	731	720	708	677		629	581	530	479	431	386	344	304
	BW	727	797	849	874	984	974	965	949	929	902	856	772		654	646	563	500	429	402	348	300
120	B	504	549	577	595	675	680	672	666	663	656	648	634		596	557	513	466	420	377	339	300
	BW	625	697	743	782	896	889	878	872	862	844	817	761		653	635	558	498	426	397	345	296
130	B		480	510	529	613	619	613	607	603	598	593	586		563	533	491	451	412	370	333	294
	BW		609	658	701	821	813	805	799	792	784	769	735		652	619	554	493	422	391	343	293
140	B		416	450	470	553	557	560	556	553	546	542	538		525	505	470	435	398	360	329	291
	BW		541	592	627	749	749	739	735	731	722	717	699		646	602	552	487	422	383	341	290
150	B			402	419	497	505	516	511	509	503	498	495		487	472	445	418	383	350	320	286
	BW			527	562	681	690	685	679	676	669	662	655		624	587	538	479	422	373	338	288
160	B		355	381	446	458	473	470	470	464	461	456	452		440	422	395	367	339	311	278	
	BW		467	501	618	633	635	629	627	621	615	607	593		568	522	470	422	364	334	288	
170	B			337	410	421	430	430	436	429	426	422	419		408	397	374	350	327	300	272	
	BW			446	562	579	587	584	582	577	571	565	557		543	504	459	415	356	329	288	
180	B				373	385	391	392	402	397	395	391	389		381	371	354	333	313	288	262	
	BW				514	531	545	542	542	537	532	526	520		512	486	447	406	348	324	288	
190	B				336	348	354	361	370	369	368	364	361		356	349	334	318	299	275	252	
	BW				469	491	504	505	506	501	497	492	485		480	464	434	394	341	318	285	
200	B					322	330	336	342	345	341	339	336		332	326	311	301	283	263	242	
	BW					448	462	470	473	469	465	461	454		450	441	419	381	333	313	280	
220	B						282	290	294	293	289	294	287		287	279	272	265	254	240	223	
	BW						396	406	414	411	408	406	402		397	390	383	357	319	299	272	
240	B							239	246	250	252	254	253		252	246	243	236	229	216	197	
	BW							344	356	361	362	360	356		345	348	344	331	304	284	258	
260	B								213	217	222	220	224		220	219	212	210	200	186	175	
	BW								310	318	323	319	316		293	311	308	297	285	267	244	
280	B											183	180		193	183	190	179	181	171	166	157
	BW											278	278		281	251	278	276	268	254	247	229
300	B												159		160	158	160	157	156	151	149	140
	BW												245		249	221	248	247	241	213	226	212
320	B														139	138	140	139	137	134	131	124
	BW														221	197	223	217	217	178	203	191
340	B															121	122	122	121	119	115	109
	BW															178	191	187	192	145	179	172
360	B																105	104	106	103	99.4	93.3
	BW																166	166	166	124	154	156
380	B																		90	89.1	85.6	79.1
	BW																		147	103	127	139
400	B																			76.8	73.1	66
	BW																			86.6	106	122
420	B																				61.9	54.9
	BW																				89.4	100
440	B																					45
	BW																					82.9

Lifting heights Hauteurs de levage

S2DB/S2DBW



PDB/PDBW

P 158 – 492



158 - 492 ft
P



118 - 138 ft
D



198,400 lb



551,150 lb





B BW

771,600 lb - 992,100 lb
441,000 lb - 769,400 lb
110,200 lb - 438,700 lb
0 lb

		P 158 - 492 ft																	
		158 ft	177 ft	197 ft	217 ft	236 ft	256 ft	276 ft	295 ft	315 ft	335 ft	354 ft	374 ft	394 ft	413 ft	433 ft	453 ft	472 ft	492 ft
		D 118 ft			D 138 ft														
30	B	2201																	
	BW	2204																	
32	B	2143	2087																
	BW	2204	2203																
34	B	2083	2034	1977															
	BW	2204	2166	2096															
36	B	2026	1980	1929															
	BW	2174	2118	2055															
38	B	1970	1928	1881	1744														
	BW	2123	2071	2014	1781														
40	B	1914	1879	1835	1735	1629													
	BW	2075	2026	1973	1785	1662													
50	B	1625	1600	1592	1578	1533	1478	1424	1323	1267	1189								
	BW	1863	1823	1785	1741	1654	1603	1538	1450	1345	1233								
60	B	1354	1341	1332	1386	1359	1326	1293	1227	1181	1134	1053	995	913	831	755			
	BW	1632	1623	1593	1588	1538	1487	1431	1378	1317	1229	1128	1032	940	851	741			
70	B	1130	1142	1135	1186	1182	1167	1145	1120	1089	1061	989	954	897	821	749	674		
	BW	1403	1389	1382	1446	1412	1371	1325	1285	1237	1181	1086	1000	925	849	723	694	621	551
80	B	950	984	984	1029	1027	1016	1007	995	979	955	898	879	851	795	735	663		
	BW	1214	1211	1202	1266	1274	1267	1233	1197	1159	1106	1016	947	874	823	712	688	616	545
90	B	804	842	865	911	902	897	887	876	871	852	824	803	774	734	701	647		
	BW	1042	1068	1059	1168	1143	1134	1129	1116	1077	1028	943	891	824	785	698	678	607	537
100	B	699	722	754	807	804	797	786	781	773	754	742	729	710	682	650	605		
	BW	909	946	946	1054	1046	1031	1015	1010	994	952	880	839	777	742	677	658	596	527
110	B	599	638	651	725	719	714	707	698	692	683	666	650	641	622	602	568		
	BW	786	827	849	953	945	938	927	916	910	886	822	788	734	701	652	636	587	520
120	B	521	561	581	653	651	645	636	631	626	618	610	596	580	560	548	527		
	BW	689	728	759	864	860	852	843	836	830	820	773	742	695	662	622	605	571	511
130	B	465	495	517	587	590	586	576	571	566	561	557	548	536	517	501	484		
	BW	601	645	676	790	783	778	769	763	757	751	724	700	663	633	594	572	548	503
140	B	403	436	457	532	539	533	525	520	515	510	508	501	494	478	465	448		
	BW	533	569	606	721	721	713	706	699	693	687	674	655	629	606	569	546	525	495
150	B		386	406	481	490	489	480	475	471	465	463	458	451	439	430	415		
	BW		507	546	658	666	659	649	641	639	631	623	610	592	572	545	521	503	477
160	B		341	369	432	442	451	442	435	432	427	424	419	412	403	396	385		
	BW		449	489	604	613	610	601	584	587	584	568	565	555	537	519	497	482	457
170	B			324	395	399	416	409	402	398	392	390	385	378	369	364	355		
	BW			434	548	563	562	557	532	538	540	502	524	513	501	490	472	461	439
180	B				359	362	379	377	372	367	361	359	354	348	339	334	327		
	BW				498	516	521	516	488	487	500	441	487	478	465	458	446	438	421
190	B				321	333	342	349	344	339	334	331	326	320	313	307	301		
	BW				455	467	481	480	451	444	456	390	453	445	433	425	417	414	401
200	B					307	316	323	316	311	309	307	301	295	288	284	277		
	BW					431	446	447	420	409	419	351	422	415	404	398	388	386	379
220	B						257	263	261	265	267	265	259	252	244	242	237		
	BW						373	383	374	354	349	290	370	363	352	347	339	338	331
240	B							224	224	229	231	226	223	218	209	206	201		
	BW							329	331	319	304	244	325	319	309	304	296	296	289
260	B								192	191	189	186	191	187	179	176	171		
	BW								281	285	276	213	287	280	272	269	247	260	254
280	B											157	162	162	161	153	149		
	BW											249	191	253	247	239	236	204	224
300	B												139	140	139	129	128		
	BW												180	222	218	211	208	165	198
320	B													121	120	110	108		
	BW													186	193	186	184	134	174
340	B														103	93.3	90.6	85.8	
	BW														168	165	162	109	156
360	B															78.9	75.6	70	
	BW															145	142	88	138
380	B																56.9		
	BW																73.2		121
400	B																		106
	BW																		88.7
420	B																		
	BW																		72








	S 79 ft																								
	W1 59 ft		W1 79 ft		W1 98 ft		W1 118 ft		W1 138 ft		W1 158 ft		W1 177 ft		W1 197 ft		W1 217 ft		W1 236 ft		W1 256 ft		W1 276 ft		
	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	
34	1130.0	1130.0																							34
36	1059.0	1060.0 ^[1]																							36
38	997.0	997.0																							38
40	941.0	941.0	895.0	895.0																					40
50	733.0	733.0	702.0	702.0	670.0	670.0	643.0	643.0																	50
60	600.0	600.0	575.0	575.0	550.0	550.0	529.0	529.0	510.0	510.0	494.0	494.0													60
70	487.0	487.0	485.0	485.0	464.0	464.0	447.0	447.0	432.0	432.0	419.0	419.0	403.0	403.0	392.0	392.0									70
80		392.0 ^[11]	405.0	405.0	400.0	400.0	385.0	385.0	372.0	372.0	362.0	362.0	348.0	348.0	339.0	339.0	326.0	326.0	298.0	298.0					80
90		320.0 ^[9]	344.0	344.0	341.0	341.0	337.0	337.0	325.0	325.0	316.0	316.0	304.0	304.0	297.0	297.0	285.0	285.0	278.0	278.0	267.0	267.0	210.0	210.0	90
100		266.0 ^[9]		286.0 ^[11]	295.0	295.0	293.0	293.0	288.0	288.0	280.0	280.0	269.0	269.0	262.0	262.0	252.0	252.0	245.0	245.0	235.0	235.0	230.0	230.0	100
110		222.0 ^[7]		240.0 ^[10]	257.0	257.0	257.0	257.0	254.0	254.0	250.0	250.0	240.0	240.0	234.0	234.0	224.0	224.0	219.0	219.0	209.0	209.0	204.0	204.0	110
120				204.0 ^[10]		217.0 ^[11]	227.0	227.0	225.0	225.0	224.0	224.0	215.0	215.0	210.0	210.0	201.0	201.0	196.0	196.0	187.0	187.0	182.0	182.0	120
130				172.0 ^[8]		185.0 ^[10]	202.0	202.0	200.0	200.0	200.0	200.0	195.0	195.0	189.0	189.0	181.0	181.0	176.0	176.0	168.0	168.0	163.0	163.0	130
140						158.0 ^[10]		171.0 ^[11]	180.0	180.0	179.0	179.0	176.0	176.0	172.0	172.0	163.0	163.0	159.0	159.0	151.0	151.0	147.0	147.0	140
150								147.0 ^[10]	162.0	162.0	162.0	162.0	158.0	158.0	157.0	157.0	148.0	148.0	144.0	144.0	137.0	137.0	133.0	133.0	150
160								126.0 ^[10]		137.0 ^[11]	146.0	146.0	142.0	142.0	140.0	140.0	135.0	135.0	131.0	131.0	124.0	124.0	120.0	120.0	160
170								104.0 ^[8]		116.0 ^[10]	133.0	133.0	129.0	129.0	128.0	128.0	124.0	124.0	120.0	120.0	112.0	112.0	109.0	109.0	170
180								87.1 ^[6]		97.8 ^[8]		112.0 ^[11]	118.0	118.0	117.0	117.0	112.0	112.0	109.0	109.0	102.0	102.0	98.8	98.8	180
190									82.3 ^[8]		96.2 ^[11]	109.0	109.0	107.0	107.0	107.0	101.0	101.0	99.2	99.2	93.0	93.0	89.8	89.8	190
200											80.4 ^[11]		86.4 ^[11]	94.6	94.6	90.5	90.5	89.0	89.0	84.9	84.9	81.6	81.6	200	
220											52.5 ^[7]		63.2 ^[11]		70.9 ^[11]	76.4	76.4	74.6	74.6	70.6	70.6	67.5	67.5	220	
240													37.2 ^[7]		48.6 ^[11]		55.5 ^[11]	63.0	63.0	58.9	58.9	55.9	55.9	240	
260															26.7 ^[7]		36.0 ^[11]		42.5 ^[11]	46.8	46.8	45.0	45.0	260	
280																	14.7 ^[7]		25.6 ^[11]		29.9 ^[11]	37.3	37.3	280	
300																					14.2 ^[11]		19.7 ^[11]	300	
1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°																									


1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



	S 98 ft																								
	W1 59 ft		W1 79 ft		W1 98 ft		W1 118 ft		W1 138 ft		W1 158 ft		W1 177 ft		W1 197 ft		W1 217 ft		W1 236 ft		W1 256 ft		W1 276 ft		
	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	
36	1000.0	1000.0																							36
38	943.0	943.0																							38
40	892.0	892.0	850.0	850.0																					40
50	700.0	700.0	671.0	671.0	641.0	641.0	615.0	615.0																	50
60	575.0	575.0	552.0	552.0	528.0	528.0	508.0	508.0	490.0	490.0	475.0	475.0													60
70	487.0	487.0	467.0	467.0	447.0	447.0	431.0	431.0	416.0	416.0	403.0	403.0	388.0	388.0	378.0	378.0									70
80		394.0 ^[11]	404.0	404.0	386.0	386.0	372.0	372.0	359.0	359.0	349.0	349.0	336.0	336.0	327.0	327.0	316.0	316.0	249.0	249.0					80
90		321.0 ^[11]	343.0	343.0	338.0	338.0	326.0	326.0	314.0	314.0	306.0	306.0	294.0	294.0	287.0	287.0	277.0	277.0	268.0	268.0	260.0	260.0			90
100		267.0 ^[9]		287.0 ^[11]	294.0	294.0	289.0	289.0	278.0	278.0	271.0	271.0	260.0	260.0	253.0	253.0	245.0	245.0	237.0	237.0	229.0	229.0	222.0	222.0	100
110		221.0 ^[9]		241.0 ^[11]	257.0	257.0	256.0	256.0	249.0	249.0	242.0	242.0	232.0	232.0	226.0	226.0	218.0	218.0	211.0	211.0	204.0	204.0	197.0	197.0	110
120		186.0 ^[7]		204.0 ^[10]		217.0 ^[11]	226.0	226.0	224.0	224.0	218.0	218.0	208.0	208.0	203.0	203.0	196.0	196.0	189.0	189.0	183.0	183.0	176.0	176.0	120
130				172.0 ^[10]		185.0 ^[11]	202.0	202.0	200.0	200.0	197.0	197.0	188.0	188.0	183.0	183.0	176.0	176.0	170.0	170.0	164.0	164.0	158.0	158.0	130
140				145.0 ^[8]		158.0 ^[10]		171.0 ^[11]	179.0	179.0	179.0	179.0	171.0	171.0	166.0	166.0	160.0	160.0	153.0	153.0	148.0	148.0	142.0	142.0	140
150						133.0 ^[10]		146.0 ^[11]	162.0	162.0	161.0	161.0	156.0	156.0	151.0	151.0	145.0	145.0	139.0	139.0	134.0	134.0	128.0	128.0	150
160						111.0 ^[7]		125.0 ^[10]		135.0 ^[11]	145.0	145.0	141.0	141.0	138.0	138.0	132.0	132.0	126.0	126.0	121.0	121.0	115.0	115.0	160
170						106.0 ^[10]		117.0 ^[11]	132.0	132.0	128.0	128.0	126.0	126.0	121.0	121.0	115.0	115.0	110.0	110.0	105.0	105.0	100.0	100.0	170
180								86.4 ^[8]		97.8 ^[10]		110.0 ^[11]	117.0	117.0	115.0	115.0	111.0	111.0	105.0	105.0	100.0	100.0	94.7	94.7	180
190								69.2 ^[6]		78.8 ^[8]		92.1 ^[11]	107.0	107.0	106.0	106.0	101.0	101.0	96.2	96.2	91.1	91.1	85.9	85.9	190
200										66.2 ^[8]		78.8 ^[11]		84.8 ^[11]	93.5	93.5	90.6	90.6	88.0	88.0	83.1	83.1	78.0	78.0	200
220												52.0 ^[9]		61.4 ^[11]		69.4 ^[11]	76.3	76.3	73.6	73.6	69.3	69.3	64.2	64.2	220
240														37.3 ^[9]		48.5 ^[11]		53.9 ^[11]	62.1	62.1	58.0	58.0	52.9	52.9	240
260																26.5 ^[9]		34.6 ^[11]		40.4 ^[11]	46.8	46.8	43.5	43.5	260
280																	14.9 ^[9]		23.9 ^[11]		27.9 ^[11]	36.1	36.1		280
300																						16.3 ^[11]	36.1	36.1	300
11 12° 21 17° 31 22° 41 27° 51 32° 61 37° 71 42° 81 47° 91 52° 101 57° 111 62°																									

SW1


S 118 - 138



 ft	S 118 ft																								 ft
	W1 59 ft		W1 79 ft		W1 98 ft		W1 118 ft		W1 138 ft		W1 158 ft		W1 177 ft		W1 197 ft		W1 217 ft		W1 236 ft		W1 256 ft		W1 276 ft		
	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	
36	945.0	945.0																							36
38	893.0	893.0																							38
40	847.0	847.0																							40
50	670.0	670.0	641.0	641.0	614.0	614.0																			50
60	552.0	552.0	529.0	529.0	508.0	508.0	489.0	489.0	470.0	470.0	455.0	455.0													60
70	470.0	470.0	449.0	449.0	431.0	431.0	416.0	416.0	400.0	400.0	388.0	388.0	375.0	375.0	298.0	298.0									70
80		392.0 ⁽¹¹⁾	390.0	390.0	373.0	373.0	360.0	360.0	346.0	346.0	336.0	336.0	325.0	325.0	315.0	315.0	305.0	305.0							80
90		320.0 ⁽¹¹⁾	343.0	343.0	328.0	328.0	316.0	316.0	303.0	303.0	295.0	295.0	285.0	285.0	276.0	276.0	267.0	267.0	258.0	258.0	250.0	250.0			90
100		264.0 ⁽⁹⁾		287.0 ⁽¹¹⁾	292.0	292.0	281.0	281.0	269.0	269.0	261.0	261.0	253.0	253.0	244.0	244.0	236.0	236.0	228.0	228.0	221.0	221.0	213.0	213.0	100
110		223.0 ⁽⁹⁾		240.0 ⁽¹¹⁾	257.0	257.0	252.0	252.0	240.0	240.0	234.0	234.0	225.0	225.0	218.0	218.0	210.0	210.0	203.0	203.0	197.0	197.0	189.0	189.0	110
120				201.0 ⁽¹⁰⁾		218.0 ⁽¹¹⁾	226.0	226.0	217.0	217.0	210.0	210.0	202.0	202.0	195.0	195.0	189.0	189.0	182.0	182.0	176.0	176.0	169.0	169.0	120
130				171.0 ⁽¹⁰⁾		185.0 ⁽¹¹⁾	202.0	202.0	197.0	197.0	190.0	190.0	183.0	183.0	176.0	176.0	170.0	170.0	164.0	164.0	158.0	158.0	151.0	151.0	130
140				141.0 ⁽⁸⁾		156.0 ⁽¹⁰⁾		171.0 ⁽¹¹⁾	179.0	179.0	174.0	174.0	166.0	166.0	160.0	160.0	154.0	154.0	147.0	147.0	142.0	142.0	136.0	136.0	140
150				120.0 ⁽⁸⁾		133.0 ⁽¹⁰⁾		146.0 ⁽¹¹⁾	161.0	161.0	159.0	159.0	152.0	152.0	146.0	146.0	140.0	140.0	134.0	134.0	128.0	128.0	122.0	122.0	150
160						109.0 ⁽⁸⁾		122.0 ⁽¹⁰⁾		134.0 ⁽¹¹⁾	143.0	143.0	139.0	139.0	133.0	133.0	127.0	127.0	121.0	121.0	116.0	116.0	111.0	111.0	160
170						90.7 ⁽⁸⁾		103.0 ⁽¹⁰⁾		115.0 ⁽¹¹⁾	131.0	131.0	128.0	128.0	122.0	122.0	116.0	116.0	110.0	110.0	105.0	105.0	100.0	100.0	170
180								82.7 ⁽⁸⁾		96.3 ⁽¹⁰⁾		109.0 ⁽¹¹⁾	117.0	117.0	112.0	112.0	106.0	106.0	101.0	101.0	95.7	95.7	90.4	90.4	180
190								68.8 ⁽⁸⁾		80.7 ⁽¹⁰⁾		91.9 ⁽¹¹⁾	107.0	107.0	104.0	104.0	97.4	97.4	92.0	92.0	87.1	87.1	81.8	81.8	190
200										63.0 ⁽⁸⁾		76.8 ⁽¹¹⁾		84.4 ⁽¹¹⁾	92.4	92.4	89.6	89.6	84.2	84.2	79.2	79.2	74.1	74.1	200
220												50.1 ⁽⁹⁾		60.3 ⁽¹¹⁾		67.7 ⁽¹¹⁾	75.3	75.3	70.9	70.9	65.8	65.8	60.7	60.7	220
240												25.8 ⁽⁷⁾		34.6 ⁽⁹⁾		46.1 ⁽¹¹⁾		51.5 ⁽¹¹⁾	60.5	60.5	54.7	54.7	49.6	49.6	240
260																		31.7 ⁽¹¹⁾		37.4 ⁽¹¹⁾	45.9	45.9	40.5	40.5	260
280																					24.2 ⁽¹¹⁾	33.1	33.1	280	

1) 12°	2) 17°	3) 22°	4) 28°	5) 32°	6) 37°	7) 42°	8) 47°	9) 52°	10) 57°	11) 62°
--------	--------	--------	--------	--------	--------	--------	--------	--------	---------	---------

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



 ft	S 138 ft																								 ft
	W1 59 ft		W1 79 ft		W1 98 ft		W1 118 ft		W1 138 ft		W1 158 ft		W1 177 ft		W1 197 ft		W1 217 ft		W1 236 ft		W1 256 ft		W1 276 ft		
	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	
38	845.0	845.0																							38
40	803.0	803.0																							40
50	639.0	639.0	614.0	614.0	586.0	586.0																			50
60	529.0	529.0	509.0	509.0	487.0	487.0	469.0	469.0	453.0	453.0															60
70	451.0	451.0	433.0	433.0	415.0	415.0	400.0	400.0	386.0	386.0	373.0	373.0	361.0	361.0											70
80	381.0*	381.0	376.0	376.0	359.0	359.0	347.0	347.0	335.0	335.0	324.0	324.0	313.0	313.0	302.0	302.0	293.0	293.0							80
90		315.0 ⁽¹¹⁾	333.0	333.0	316.0	316.0	305.0	305.0	294.0	294.0	284.0	284.0	275.0	275.0	265.0	265.0	257.0	257.0	248.0	248.0	191.0	191.0			90
100		263.0 ⁽¹¹⁾	288.0*	288.0	281.0	281.0	270.0	270.0	261.0	261.0	252.0	252.0	243.0	243.0	235.0	235.0	227.0	227.0	219.0	219.0	212.0	212.0	205.0	205.0	100
110		219.0 ⁽⁹⁾		239.0 ⁽¹¹⁾	254.0	254.0	243.0	243.0	233.0	233.0	225.0	225.0	217.0	217.0	210.0	210.0	202.0	202.0	195.0	195.0	189.0	189.0	182.0	182.0	110
120		185.0 ⁽⁹⁾		202.0 ⁽¹¹⁾	220.0*	220.0	220.0	220.0	210.0	210.0	203.0	203.0	195.0	195.0	188.0	188.0	182.0	182.0	175.0	175.0	169.0	169.0	162.0	162.0	120
130				170.0 ⁽¹⁰⁾		183.0 ⁽¹¹⁾	201.0	201.0	191.0	191.0	183.0	183.0	176.0	176.0	170.0	170.0	163.0	163.0	157.0	157.0	151.0	151.0	145.0	145.0	130
140				143.0 ⁽¹⁰⁾		154.0 ⁽¹¹⁾	175.0*	175.0	175.0	175.0	167.0	167.0	160.0	160.0	154.0	154.0	148.0	148.0	141.0	141.0	136.0	136.0	130.0	130.0	140
150						129.0 ⁽¹⁰⁾		143.0 ⁽¹¹⁾	161.0	161.0	153.0	153.0	146.0	146.0	140.0	140.0	134.0	134.0	128.0	128.0	123.0	123.0	117.0	117.0	150
160						107.0 ⁽¹⁰⁾		122.0 ⁽¹¹⁾		134.0 ⁽¹¹⁾	141.0	141.0	134.0	134.0	128.0	128.0	122.0	122.0	116.0	116.0	111.0	111.0	105.0	105.0	160
170						85.7 ⁽⁸⁾		102.0 ⁽¹⁰⁾		113.0 ⁽¹¹⁾	129.0	129.0	123.0	123.0	117.0	117.0	111.0	111.0	106.0	106.0	101.0	101.0	95.2	95.2	170
180						70.6 ⁽⁸⁾		84.1 ⁽¹⁰⁾		93.9 ⁽¹¹⁾		105.0 ⁽¹¹⁾	114.0	114.0	107.0	107.0	102.0	102.0	96.1	96.1	91.2	91.2	86.0	86.0	180
190								64.8 ⁽⁸⁾		77.2 ⁽¹⁰⁾		88.4 ⁽¹¹⁾	106.0	106.0	99.0	99.0	93.1	93.1	87.6	87.6	82.9	82.9	77.6	77.6	190
200								51.5 ⁽⁸⁾		62.9 ⁽¹⁰⁾		74.6 ⁽¹¹⁾		83.0 ⁽¹¹⁾	91.2	91.2	85.5	85.5	80.1	80.1	75.2	75.2	70.1	70.1	200
220										34.7 ⁽⁸⁾		48.1 ⁽¹¹⁾		56.2 ⁽¹¹⁾		64.4 ⁽¹¹⁾	72.9	72.9	67.1	67.1	62.1	62.1	57.0	57.0	220
240												22.6 ⁽⁹⁾		32.8 ⁽¹¹⁾		41.4 ⁽¹¹⁾		47.6 ⁽¹¹⁾	56.9	56.9	51.3	51.3	46.3	46.3	240
260															20.8 ⁽¹¹⁾					33.5 ⁽¹¹⁾	42.7	42.7	37.3	37.3	260
280																							30.2	30.2	280


1) 12°	2) 17°	3) 22°	4) 27°	5) 32°	6) 37°	7) 42°	8) 47°	9) 52°	10) 57°	11) 62°
--------	--------	--------	--------	--------	--------	--------	--------	--------	---------	---------

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°




SW1

S 158 - 177



	S 158 ft																								
	W1 59 ft		W1 79 ft		W1 98 ft		W1 118 ft		W1 138 ft		W1 158 ft		W1 177 ft		W1 197 ft		W1 217 ft		W1 236 ft		W1 256 ft		W1 276 ft		
	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	
40	763.0	763.0																							40.0
50	611.0	611.0	586.0	586.0	560.0	560.0																			50.0
60	508.0	508.0	488.0	488.0	467.0	467.0	450.0	450.0	434.0	434.0															60.0
70	434.0	434.0	416.0	416.0	398.0	398.0	384.0	384.0	371.0	371.0	358.0	358.0													70.0
80	364.0*	365.0 ⁽¹¹⁾	362.0	362.0	345.0	345.0	333.0	333.0	322.0	322.0	311.0	311.0	300.0	300.0	293.0	293.0									80.0
90		306.0 ⁽¹¹⁾	320.0	320.0	304.0	304.0	293.0	293.0	283.0	283.0	273.0	273.0	264.0	264.0	257.0	257.0	247.0	247.0	241.0	241.0					90.0
100		254.0 ⁽¹¹⁾	275.0*	275.0	271.0	271.0	260.0	260.0	251.0	251.0	242.0	242.0	234.0	234.0	228.0	228.0	218.0	218.0	213.0	213.0	204.0	204.0	196.0	196.0	100.0
110		210.0 ⁽¹¹⁾		231.0 ⁽¹¹⁾	244.0	244.0	234.0	234.0	225.0	225.0	216.0	216.0	209.0	209.0	204.0	204.0	194.0	194.0	190.0	190.0	181.0	181.0	174.0	174.0	110.0
120		177.0 ⁽⁹⁾		194.0 ⁽¹¹⁾	212.0*	212.0	211.0	211.0	203.0	203.0	195.0	195.0	188.0	188.0	183.0	183.0	174.0	174.0	170.0	170.0	161.0	161.0	155.0	155.0	120.0
130		147.0 ⁽⁹⁾		161.0 ⁽¹⁰⁾		176.0 ⁽¹¹⁾	193.0	193.0	184.0	184.0	176.0	176.0	169.0	169.0	165.0	165.0	157.0	157.0	153.0	153.0	145.0	145.0	139.0	139.0	130.0
140				137.0 ⁽¹⁰⁾		149.0 ⁽¹¹⁾	169.0*	169.0	168.0	168.0	161.0	161.0	154.0	154.0	150.0	150.0	142.0	142.0	138.0	138.0	130.0	130.0	124.0	124.0	140.0
150				113.0 ⁽¹⁰⁾		122.0 ⁽¹⁰⁾		138.0 ⁽¹¹⁾	155.0	155.0	147.0	147.0	140.0	140.0	136.0	136.0	128.0	128.0	125.0	125.0	117.0	117.0	112.0	112.0	150.0
160						103.0 ⁽¹⁰⁾		116.0 ⁽¹¹⁾	136.0*	136.0	135.0	135.0	128.0	128.0	124.0	124.0	117.0	117.0	113.0	113.0	106.0	106.0	100.0	100.0	160.0
170						83.4 ⁽¹⁰⁾		94.5 ⁽¹⁰⁾		108.0 ⁽¹¹⁾	125.0	125.0	118.0	118.0	114.0	114.0	106.0	106.0	103.0	103.0	95.8	95.8	90.3	90.3	170.0
180						63.6 ⁽⁸⁾		78.2 ⁽¹⁰⁾		90.3 ⁽¹¹⁾	110.0*	110.0	109.0	109.0	104.0	104.0	96.9	96.9	93.8	93.8	86.6	86.6	81.4	81.4	180.0
190						49.4 ⁽⁸⁾		61.8 ⁽¹⁰⁾		71.8 ⁽¹⁰⁾		84.3 ⁽¹¹⁾	101.0	101.0	96.3	96.3	88.6	88.6	85.5	85.5	78.5	78.5	73.3	73.3	190.0
200								44.5 ⁽⁸⁾		57.8 ⁽¹⁰⁾		69.7 ⁽¹¹⁾	87.7*	87.7	89.0	89.0	81.2	81.2	78.1	78.1	71.1	71.1	66.0	66.0	200.0
220										17.6 ⁽⁴⁾		43.2 ⁽¹¹⁾		51.6 ⁽¹¹⁾	72.2*	72.2	68.9	68.9	65.3	65.3	58.4	58.4	53.3	53.3	220.0
240													28.4 ⁽¹¹⁾		38.5 ⁽¹¹⁾	54.9*	54.9	55.0	55.0	47.9	47.9	42.8	42.8	240.0	
260																	23.3 ⁽¹¹⁾		31.6 ⁽¹¹⁾	39.4	39.4	34.0	34.0	260.0	
280																					17.2 ⁽¹¹⁾	27.1	27.1	280.0	
1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°																									

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°




	S 177 ft																				
	W1 59 ft		W1 79 ft		W1 98 ft		W1 118 ft		W1 138 ft		W1 158 ft		W1 177 ft		W1 197 ft		W1 217 ft		W1 236 ft		
	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	87/85°	WVmax	
40	723.0	723.0																			40
50	583.0	583.0	560.0	560.0																	50
60	486.0	486.0	468.0	468.0	449.0	449.0	430.0	430.0													60
70	416.0	416.0	401.0	401.0	383.0	383.0	368.0	368.0	355.0	355.0	345.0	345.0									70
80	347.0*	353.0 ⁽¹¹⁾	349.0	349.0	333.0	333.0	320.0	320.0	309.0	309.0	300.0	300.0	288.0	288.0	281.0	281.0					80
90		295.0 ⁽¹¹⁾	309.0	309.0	294.0	294.0	281.0	281.0	271.0	271.0	264.0	264.0	253.0	253.0	247.0	247.0	236.0	236.0	230.0	230.0	90
100		241.0 ⁽¹¹⁾	264.0*	264.0	262.0	262.0	250.0	250.0	241.0	241.0	235.0	235.0	224.0	224.0	219.0	219.0	209.0	209.0	204.0	204.0	100
110		202.0 ⁽¹¹⁾		224.0 ⁽¹¹⁾	236.0	236.0	224.0	224.0	216.0	216.0	210.0	210.0	200.0	200.0	195.0	195.0	186.0	186.0	182.0	182.0	110
120		166.0 ⁽⁹⁾		186.0 ⁽¹¹⁾	203.0*	203.0	203.0	203.0	194.0	194.0	189.0	189.0	180.0	180.0	175.0	175.0	167.0	167.0	163.0	163.0	120
130		139.0 ⁽⁹⁾		156.0 ⁽¹¹⁾		171.0 ⁽¹¹⁾	185.0	185.0	176.0	176.0	171.0	171.0	162.0	162.0	158.0	158.0	150.0	150.0	146.0	146.0	130
140		112.0 ⁽⁹⁾		129.0 ⁽¹⁰⁾		143.0 ⁽¹¹⁾	160.0*	160.0	161.0	161.0	156.0	156.0	147.0	147.0	143.0	143.0	135.0	135.0	132.0	132.0	140
150				108.0 ⁽¹⁰⁾		119.0 ⁽¹¹⁾		132.0 ⁽¹¹⁾	148.0	148.0	142.0	142.0	134.0	134.0	130.0	130.0	122.0	122.0	119.0	119.0	150
160				85.7 ⁽¹⁰⁾		96.7 ⁽¹⁰⁾		110.0 ⁽¹¹⁾	128.0*	128.0	131.0	131.0	122.0	122.0	119.0	119.0	111.0	111.0	108.0	108.0	160
170						78.6 ⁽¹⁰⁾		90.0 ⁽¹¹⁾		103.0 ⁽¹¹⁾	121.0	121.0	112.0	112.0	109.0	109.0	101.0	101.0	98.0	98.0	170
180						60.5 ⁽¹⁰⁾		71.5 ⁽¹⁰⁾		84.6 ⁽¹¹⁾	105.0*	105.0	103.0	103.0	99.6	99.6	91.9	91.9	89.0	89.0	180
190						43.2 ⁽⁸⁾		56.2 ⁽¹⁰⁾		68.0 ⁽¹¹⁾		81.0 ⁽¹¹⁾	96.0	96.0	91.6	91.6	83.9	83.9	81.0	81.0	190
200						30.3 ⁽⁸⁾		40.9 ⁽¹⁰⁾		51.8 ⁽¹⁰⁾		66.0 ⁽¹¹⁾	82.1*	82.1	84.5	84.5	76.8	76.8	73.8	73.8	200
220										25.4 ⁽¹⁰⁾		39.4 ⁽¹¹⁾		46.8 ⁽¹¹⁾	66.6*	66.6	64.7	64.7	61.4	61.4	220
240												15.2 ⁽¹¹⁾				34.1 ⁽¹¹⁾	49.6*	49.6	51.3	51.3	240
260																	15.5 ⁽¹⁰⁾		38.0*	38.0	260
1) 12°	2) 17°	3) 22°	4) 27°	5) 32°	6) 37°	7) 42°	8) 47°	9) 52°	10) 57°	11) 62°											

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°

SW1

S 197



 ft	S 197 ft														 ft
	W1 59 ft		W1 79 ft		W1 98 ft		W1 118 ft		W1 138 ft		W1 158 ft		W1 177 ft		
	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	87/85*	WVmax	
50	557.0	557.0	534.0	534.0											50
60	466.0	466.0	448.0	448.0	429.0	429.0	413.0	413.0							60
70	400.0	400.0	384.0	384.0	367.0	367.0	354.0	354.0	340.0	340.0	330.0	330.0			70
80	331.0*	342.0 ⁽¹¹⁾	335.0	335.0	320.0	320.0	309.0	309.0	296.0	296.0	287.0	287.0	278.0	278.0	80
90		285.0 ⁽¹¹⁾	296.0	296.0	282.0	282.0	272.0	272.0	260.0	260.0	253.0	253.0	245.0	245.0	90
100		234.0 ⁽¹¹⁾	251.0*	255.0 ⁽¹¹⁾	251.0	251.0	242.0	242.0	231.0	231.0	225.0	225.0	217.0	217.0	100
110		194.0 ⁽¹¹⁾		215.0 ⁽¹¹⁾	226.0	226.0	217.0	217.0	207.0	207.0	201.0	201.0	194.0	194.0	110
120		158.0 ⁽¹¹⁾		178.0 ⁽¹¹⁾	193.0*	193.0	196.0	196.0	186.0	186.0	181.0	181.0	174.0	174.0	120
130				149.0 ⁽¹¹⁾		164.0 ⁽¹¹⁾	179.0	179.0	169.0	169.0	164.0	164.0	157.0	157.0	130
140				120.0 ⁽¹⁰⁾		135.0 ⁽¹¹⁾	153.0*	153.0	154.0	154.0	149.0	149.0	143.0	143.0	140
150				100.0 ⁽¹⁰⁾		112.0 ⁽¹¹⁾		128.0 ⁽¹¹⁾	141.0	141.0	136.0	136.0	130.0	130.0	150
160				80.2 ⁽¹⁰⁾		88.9 ⁽¹⁰⁾		105.0 ⁽¹¹⁾	121.0*	121.0	125.0	125.0	119.0	119.0	160
170				60.3 ⁽¹⁰⁾		72.2 ⁽¹⁰⁾		86.0 ⁽¹¹⁾		97.4 ⁽¹¹⁾	116.0	116.0	109.0	109.0	170
180						55.5 ⁽¹⁰⁾		66.2 ⁽¹⁰⁾		78.8 ⁽¹¹⁾	98.2*	98.2	100.0	100.0	180
190						38.8 ⁽¹⁰⁾		51.8 ⁽¹⁰⁾		62.8 ⁽¹¹⁾		76.4 ⁽¹¹⁾	92.7	92.7	190
200								37.5 ⁽¹⁰⁾		28.1 ⁽⁵⁾		60.9 ⁽¹¹⁾	77.8*	77.8	200
220														43.9 ⁽¹¹⁾	220

1) 12°	2) 17°	3) 22°	4) 27°	5) 32°	6) 37°	7) 42°	8) 47°	9) 52°	10) 57°	11) 62°
--------	--------	--------	--------	--------	--------	--------	--------	--------	---------	---------


1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



Lifting heights


Hauteurs de levage

SW1



SDWB/SDWBV/SDWBW

S 138




ft	B BV BW	S 138 ft																	
		W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 138 ft		W 158 ft		W 177 ft		W 197 ft		W 217 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
38	B	1432.0*	1432.0*																
	BV																		
	BW																		
40	B	1432.0*	1432.0*																
	BV																		
	BW																		
50	B	1417.0	1417.0	1372.0	1372.0	1256.0*	1264.0 ⁽¹⁾												
	BV																		
	BW																		
60	B	1417.0	1432.0 ⁽¹⁾	1383.0	1383.0														
	BV	1086.0	1279.0 ⁽¹⁾	1148.0	1232.0 ⁽¹⁾	1242.0	1242.0	1113.0	1113.0	968.0*	971.0 ⁽¹⁾								
	BW																		
70	B	1088.0	1432.0 ⁽¹⁾	1147.0	1314.0 ⁽¹⁾	1255.0	1255.0	1124.0	1124.0										
	BV	844.0	1104.0 ⁽²⁾	889.0	1086.0 ⁽¹⁾	1122.0	1122.0	1072.0	1072.0	967.0	967.0	844.0*	858.0 ⁽¹⁾	755.0*	757.0 ⁽¹⁾				
	BW																		
80	B	844.0	1327.0 ⁽¹⁾	890.0	1244.0 ⁽¹⁾	1141.0	1177.0 ⁽¹⁾	1091.0	1103.0 ⁽¹⁾	978.0	978.0								
	BV	579.0	940.0 ⁽³⁾	719.0	938.0 ⁽²⁾	987.0	988.0 ⁽⁴⁾	967.0	967.0	927.0	927.0	846.0	846.0	758.0	758.0	665.0*	672.0 ⁽¹⁾	593.0*	594.0 ⁽¹⁾
	BW																		
90	B	582.0	1197.0 ⁽¹⁾	719.0	1130.0 ⁽¹⁾	1003.0	1103.0 ⁽²⁾	1009.0	1087.0 ⁽¹⁾	944.0	947.0 ⁽¹⁾	858.0	863.0 ⁽¹⁾	766.0	766.0				
	BV		807.0 ⁽⁵⁾	615.0	808.0 ⁽³⁾	844.0	862.0 ⁽⁴⁾	841.0	851.0 ⁽³⁾	835.0	836.0 ⁽³⁾	811.0	811.0	740.0	740.0	665.0	665.0	591.0	591.0
	BW																		
100	B		1064.0 ⁽¹⁾	614.0	1020.0 ⁽¹⁾	846.0	1022.0 ⁽²⁾	848.0	1021.0 ⁽¹⁾	846.0	918.0 ⁽¹⁾	817.0	857.0 ⁽¹⁾	751.0	757.0 ⁽¹⁾	675.0	675.0	598.0	598.0
	BV		720.0 ⁽⁴⁾	456.0	706.0 ⁽²⁾	721.0	753.0 ⁽⁵⁾	725.0	748.0 ⁽⁴⁾	723.0	744.0 ⁽³⁾	727.0	732.0 ⁽³⁾	707.0	707.0	647.0	647.0	578.0	578.0
	BW																		
110	B		932.0 ⁽²⁾	459.0	921.0 ⁽¹⁾	724.0	932.0 ⁽²⁾	727.0	929.0 ⁽²⁾	723.0	863.0 ⁽¹⁾	727.0	844.0 ⁽¹⁾	710.0	749.0 ⁽¹⁾	656.0	667.0 ⁽¹⁾	587.0	589.0 ⁽¹⁾
	BV		637.0 ⁽⁴⁾		637.0 ⁽⁴⁾	585.0	664.0 ⁽⁷⁾	635.0	664.0 ⁽⁵⁾	630.0	658.0 ⁽⁴⁾	632.0	659.0 ⁽³⁾	632.0	639.0 ⁽³⁾	619.0	619.0	565.0	565.0
	BW																		
120	B		816.0 ⁽²⁾		823.0 ⁽¹⁾	591.0	847.0 ⁽²⁾	635.0	838.0 ⁽²⁾	633.0	803.0 ⁽¹⁾	633.0	789.0 ⁽¹⁾	633.0	730.0 ⁽¹⁾	623.0	659.0 ⁽¹⁾	572.0	581.0 ⁽¹⁾
	BV		563.0 ⁽⁸⁾		573.0 ⁽⁵⁾	406.0	606.0 ⁽⁸⁾	569.0	597.0 ⁽⁵⁾	556.0	594.0 ⁽⁴⁾	560.0	586.0 ⁽³⁾	558.0	584.0 ⁽³⁾	558.0	566.0 ⁽³⁾	543.0	543.0
	BW																		
130	B		723.0 ⁽⁵⁾		728.0 ⁽²⁾	409.0	767.0 ⁽¹⁾	569.0	761.0 ⁽²⁾	559.0	742.0 ⁽¹⁾	560.0	734.0 ⁽¹⁾	560.0	692.0 ⁽¹⁾	558.0	634.0 ⁽¹⁾	547.0	573.0 ⁽¹⁾
	BV				513.0 ⁽⁵⁾		541.0 ⁽⁹⁾	495.0	542.0 ⁽⁷⁾	498.0	540.0 ⁽⁵⁾	499.0	534.0 ⁽⁴⁾	498.0	528.0 ⁽³⁾	497.0	521.0 ⁽³⁾	492.0	502.0 ⁽³⁾
	BW																		
140	B				655.0 ⁽³⁾		694.0 ⁽⁴⁾	497.0	693.0 ⁽²⁾	499.0	681.0 ⁽¹⁾	499.0	678.0 ⁽¹⁾	499.0	654.0 ⁽¹⁾	499.0	603.0 ⁽¹⁾	494.0	532.0 ⁽²⁾
	BV				459.0 ⁽⁹⁾		485.0 ⁽⁹⁾	342.0	505.0 ⁽⁹⁾	456.0	498.0 ⁽⁶⁾	451.0	486.0 ⁽⁴⁾	447.0	480.0 ⁽⁴⁾	447.0	476.0 ⁽³⁾	444.0	468.0 ⁽³⁾
	BW																		
150	B				560.0 ⁽⁴⁾		630.0 ⁽⁵⁾	347.0	632.0 ⁽³⁾	457.0	626.0 ⁽²⁾	451.0	623.0 ⁽¹⁾	448.0	616.0 ⁽¹⁾	449.0	572.0 ⁽¹⁾	445.0	510.0 ⁽²⁾
	BV				439.0 ⁽⁹⁾		455.0 ⁽⁹⁾		455.0 ⁽⁹⁾	409.0	452.0 ⁽⁷⁾	415.0	448.0 ⁽⁶⁾	405.0	441.0 ⁽⁴⁾	405.0	438.0 ⁽⁴⁾	401.0	434.0 ⁽³⁾
	BW																		
160	B				569.0 ⁽⁴⁾		571.0 ⁽³⁾		571.0 ⁽³⁾	411.0	573.0 ⁽²⁾	415.0	567.0 ⁽¹⁾	405.0	578.0 ⁽¹⁾	406.0	541.0 ⁽¹⁾	401.0	480.0 ⁽²⁾
	BV				395.0 ⁽⁸⁾		409.0 ⁽¹¹⁾		409.0 ⁽¹¹⁾		421.0 ⁽⁹⁾	377.0	414.0 ⁽⁶⁾	369.0	409.0 ⁽⁵⁾	369.0	409.0 ⁽⁴⁾	365.0	407.0 ⁽¹⁾
	BW																		
170	B				520.0 ⁽⁸⁾		521.0 ⁽⁴⁾		521.0 ⁽⁴⁾		519.0 ⁽²⁾	377.0	518.0 ⁽²⁾	370.0	541.0 ⁽¹⁾	369.0	510.0 ⁽¹⁾	364.0	449.0 ⁽²⁾
	BV				354.0 ⁽⁶⁾		373.0 ⁽¹⁰⁾		373.0 ⁽¹⁰⁾		382.0 ⁽¹⁰⁾	343.0	384.0 ⁽⁸⁾	344.0	375.0 ⁽⁶⁾	340.0	374.0 ⁽⁴⁾	332.0	381.0 ⁽¹⁾
	BW																		
180	B				478.0 ⁽⁸⁾		482.0 ⁽⁵⁾		482.0 ⁽⁵⁾		475.0 ⁽⁴⁾	343.0	475.0 ⁽²⁾	345.0	503.0 ⁽¹⁾	341.0	478.0 ⁽¹⁾	333.0	423.0 ⁽²⁾
	BV				316.0 ⁽⁸⁾		338.0 ⁽¹⁰⁾		338.0 ⁽¹⁰⁾		348.0 ⁽¹¹⁾		354.0 ⁽⁸⁾	316.0	348.0 ⁽⁶⁾	317.0	345.0 ⁽⁵⁾	306.0	355.0 ⁽¹⁾
	BW																		
190	B				430.0 ⁽⁸⁾		444.0 ⁽⁷⁾		444.0 ⁽⁷⁾		441.0 ⁽⁴⁾		442.0 ⁽⁵⁾	316.0	465.0 ⁽¹⁾	317.0	447.0 ⁽¹⁾	306.0	403.0 ⁽²⁾
	BV						298.0 ⁽⁸⁾		298.0 ⁽⁸⁾		320.0 ⁽¹⁰⁾		329.0 ⁽⁹⁾	287.0	325.0 ⁽⁸⁾	292.0	321.0 ⁽⁵⁾	287.0	329.0 ⁽¹⁾
	BW																		
200	B						409.0 ⁽⁸⁾		409.0 ⁽⁸⁾		414.0 ⁽⁵⁾		411.0 ⁽³⁾	288.0	427.0 ⁽¹⁾	291.0	416.0 ⁽¹⁾	288.0	383.0 ⁽²⁾
	BV						265.0 ⁽⁸⁾		265.0 ⁽⁸⁾		295.0 ⁽¹⁰⁾		309.0 ⁽¹¹⁾		303.0 ⁽⁷⁾	268.0	301.0 ⁽⁶⁾	267.0	302.0 ⁽¹⁾
	BW																		
220	B						369.0 ⁽⁸⁾		369.0 ⁽⁸⁾		386.0 ⁽⁶⁾		385.0 ⁽⁴⁾		389.0 ⁽¹⁾	268.0	385.0 ⁽¹⁾	267.0	363.0 ⁽²⁾
	BV										236.0 ⁽⁸⁾		256.0 ⁽¹¹⁾		264.0 ⁽¹¹⁾		262.0 ⁽⁶⁾	227.0	256.0 ⁽⁵⁾
	BW																		
240	B										325.0 ⁽⁸⁾		336.0 ⁽⁷⁾		331.0 ⁽⁴⁾		330.0 ⁽¹⁾	228.0	323.0 ⁽²⁾
	BV												208.0 ⁽⁹⁾		227.0 ⁽¹¹⁾		235.0 ⁽¹¹⁾		232.0 ⁽⁸⁾
	BW																		
260	B												283.0 ⁽⁹⁾		285.0 ⁽⁸⁾		286.0 ⁽⁴⁾		283.0 ⁽²⁾
	BV												158.0 ⁽⁷⁾		178.0 ⁽⁹⁾		203.0 ⁽¹¹⁾		204.0 ⁽¹¹⁾
	BW																		
280	B												233.0 ⁽⁷⁾		250.0 ⁽⁹⁾		249.0 ⁽⁴⁾		247.0 ⁽⁴⁾
	BV														138.0 ⁽⁷⁾		159.0 ⁽⁹⁾		172.0 ⁽¹¹⁾
	BW																		
300	B														209.0 ⁽⁵⁾		225.0 ⁽⁸⁾		220.0 ⁽⁴⁾
	BV																124.0 ⁽⁷⁾		138.0 ⁽⁹⁾
	BW																		
320	B																182.0 ⁽⁷⁾		199.0 ⁽⁶⁾
	BV																		112.0 ⁽⁷⁾
	BW																		159.0 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



SDWB/SDWBV/SDWBW

S 138



		S 138 ft																	
		W 236 ft		W 256 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		W 354 ft		W 374 ft			
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax		
80	B BV BW	530.0*	530.0*																
90	B BV BW	519.0*	523.0 ⁽¹⁾	462.0*	463.0 ⁽¹⁾	410.0*	410.0*												
100	B BV BW	517.0	517.0	458.0	458.0	402.0*	405.0 ⁽¹⁾	357.0*	357.0*	319.0*	319.0*								
110	B BV BW	523.0	523.0	463.0	463.0														
120	B BV BW	506.0	506.0	450.0	450.0	400.0	400.0	352.0	352.0	313.0*	314.0 ⁽¹⁾	277.0*	277.0*	240.0*	240.0*				
130	B BV BW	513.0	513.0	455.0	455.0	403.0	403.0	355.0	355.0										
140	B BV BW	496.0	496.0	441.0	441.0	393.0	393.0	345.0	345.0	310.0	310.0	272.0*	273.0 ⁽¹⁾	234.0*	235.0 ⁽¹⁾	210.0*	210.0*		
150	B BV BW	503.0	503.0	447.0	447.0	397.0	397.0	348.0	348.0	312.0	312.0	275.0	275.0						
160	B BV BW	478.0	478.0	433.0	433.0	386.0	386.0	337.0	337.0	305.0	305.0	270.0	270.0	232.0	232.0	205.0*	207.0 ⁽¹⁾		
170	B BV BW	484.0	494.0 ⁽¹⁾	440.0	440.0	391.0	391.0	341.0	341.0	307.0	307.0	271.0	271.0	233.0	233.0				
180	B BV BW	440.0	448.0 ⁽²⁾	419.0	419.0	380.0	380.0	330.0	331.0 ⁽²⁾	300.0	300.0	265.0	265.0	227.0	227.0	204.0	204.0		
190	B BV BW	441.0	477.0 ⁽²⁾	424.0	432.0 ⁽²⁾	384.0	385.0 ⁽²⁾	333.0	334.0 ⁽²⁾	303.0	303.0	267.0	267.0	228.0	228.0	205.0	205.0		
200	B BV BW	400.0	422.0 ⁽²⁾	394.0	404.0 ⁽²⁾	369.0	372.0 ⁽²⁾	323.0	326.0 ⁽²⁾	295.0	296.0 ⁽²⁾	261.0	261.0	222.0	222.0	199.0	199.0		
210	B BV BW	401.0	460.0 ⁽²⁾	396.0	424.0 ⁽²⁾	373.0	379.0 ⁽²⁾	326.0	330.0 ⁽²⁾	298.0	299.0 ⁽²⁾	263.0	263.0	223.0	223.0	200.0	200.0		
220	B BV BW	363.0	394.0 ⁽³⁾	363.0	383.0 ⁽²⁾	352.0	364.0 ⁽²⁾	316.0	322.0 ⁽²⁾	290.0	292.0 ⁽²⁾	256.0	257.0 ⁽²⁾	217.0	217.0	195.0	195.0		
230	B BV BW	363.0	433.0 ⁽²⁾	363.0	410.0 ⁽²⁾	354.0	373.0 ⁽²⁾	319.0	326.0 ⁽²⁾	293.0	295.0 ⁽²⁾	258.0	259.0 ⁽²⁾	218.0	218.0	196.0	196.0		
240	B BV BW	333.0	366.0 ⁽³⁾	331.0	357.0 ⁽³⁾	327.0	346.0 ⁽²⁾	307.0	318.0 ⁽²⁾	283.0	288.0 ⁽²⁾	250.0	253.0 ⁽²⁾	212.0	213.0 ⁽²⁾	192.0	192.0		
250	B BV BW	332.0	407.0 ⁽²⁾	331.0	389.0 ⁽²⁾	328.0	361.0 ⁽²⁾	310.0	322.0 ⁽²⁾	286.0	291.0 ⁽²⁾	252.0	255.0 ⁽²⁾	214.0	215.0 ⁽²⁾	193.0	193.0		
260	B BV BW	305.0	338.0 ⁽¹⁾	303.0	333.0 ⁽³⁾	300.0	324.0 ⁽³⁾	293.0	305.0 ⁽²⁾	274.0	284.0 ⁽²⁾	243.0	249.0 ⁽²⁾	207.0	210.0 ⁽²⁾	188.0	189.0 ⁽²⁾		
270	B BV BW	305.0	384.0 ⁽¹⁾	303.0	367.0 ⁽²⁾	300.0	345.0 ⁽²⁾	295.0	315.0 ⁽²⁾	277.0	288.0 ⁽²⁾	245.0	252.0 ⁽²⁾	209.0	212.0 ⁽²⁾	190.0	191.0 ⁽²⁾		
280	B BV BW	280.0	316.0 ⁽¹⁾	280.0	307.0 ⁽³⁾	277.0	306.0 ⁽³⁾	276.0	293.0 ⁽³⁾	262.0	273.0 ⁽²⁾	236.0	246.0 ⁽²⁾	202.0	206.0 ⁽²⁾	184.0	187.0 ⁽²⁾		
290	B BV BW	281.0	365.0 ⁽²⁾	280.0	348.0 ⁽²⁾	276.0	329.0 ⁽²⁾	276.0	306.0 ⁽²⁾	264.0	281.0 ⁽²⁾	238.0	248.0 ⁽²⁾	203.0	208.0 ⁽²⁾	186.0	188.0 ⁽²⁾		
300	B BV BW	262.0	294.0 ⁽¹⁾	259.0	287.0 ⁽⁴⁾	255.0	283.0 ⁽³⁾	255.0	280.0 ⁽³⁾	248.0	264.0 ⁽³⁾	229.0	239.0 ⁽²⁾	196.0	202.0 ⁽²⁾	180.0	184.0 ⁽²⁾		
310	B BV BW	262.0	348.0 ⁽²⁾	258.0	332.0 ⁽²⁾	255.0	314.0 ⁽²⁾	255.0	297.0 ⁽²⁾	249.0	273.0 ⁽²⁾	231.0	243.0 ⁽²⁾	198.0	205.0 ⁽²⁾	181.0	186.0 ⁽²⁾		
320	B BV BW	228.0	254.0 ⁽³⁾	226.0	249.0 ⁽³⁾	219.0	249.0 ⁽⁴⁾	218.0	244.0 ⁽³⁾	215.0	240.0 ⁽³⁾	210.0	228.0 ⁽³⁾	188.0	194.0 ⁽²⁾	171.0	178.0 ⁽²⁾		
330	B BV BW	229.0	313.0 ⁽²⁾	226.0	300.0 ⁽²⁾	219.0	286.0 ⁽²⁾	218.0	275.0 ⁽²⁾	215.0	256.0 ⁽²⁾	211.0	232.0 ⁽²⁾	189.0	197.0 ⁽²⁾	172.0	180.0 ⁽²⁾		
340	B BV BW	196.0	227.0 ⁽⁴⁾	196.0	223.0 ⁽⁵⁾	194.0	219.0 ⁽⁴⁾	188.0	215.0 ⁽⁴⁾	185.0	211.0 ⁽³⁾	185.0	203.0 ⁽²⁾	179.0	185.0 ⁽²⁾	160.0	172.0 ⁽³⁾		
350	B BV BW	197.0	279.0 ⁽²⁾	197.0	268.0 ⁽²⁾	194.0	257.0 ⁽²⁾	188.0	249.0 ⁽²⁾	185.0	234.0 ⁽²⁾	185.0	217.0 ⁽²⁾	178.0	190.0 ⁽²⁾	162.0	174.0 ⁽³⁾		
360	B BV BW		201.0 ⁽⁷⁾	170.0	198.0 ⁽⁴⁾	169.0	190.0 ⁽⁴⁾	167.0	190.0 ⁽⁴⁾	160.0	186.0 ⁽³⁾	162.0	181.0 ⁽⁴⁾	158.0	173.0 ⁽⁴⁾	147.0	161.0 ⁽³⁾		
370	B BV BW		247.0 ⁽²⁾		240.0 ⁽²⁾	169.0	230.0 ⁽²⁾	168.0	224.0 ⁽²⁾	162.0	212.0 ⁽²⁾	159.0	201.0 ⁽²⁾	158.0	181.0 ⁽³⁾	148.0	166.0 ⁽³⁾		
380	B BV BW		177.0 ⁽¹¹⁾		174.0 ⁽⁹⁾	146.0	170.0 ⁽⁷⁾	146.0	167.0 ⁽⁴⁾	143.0	165.0 ⁽³⁾	139.0	162.0 ⁽⁴⁾	135.0	158.0 ⁽⁴⁾	131.0	150.0 ⁽³⁾		
390	B BV BW		218.0 ⁽⁵⁾		213.0 ⁽²⁾	146.0	206.0 ⁽²⁾	146.0	201.0 ⁽²⁾	143.0	191.0 ⁽²⁾	138.0	184.0 ⁽²⁾	136.0	168.0 ⁽²⁾	131.0	157.0 ⁽³⁾		
400	B BV BW		152.0 ⁽¹¹⁾		155.0 ⁽¹⁰⁾		152.0 ⁽⁷⁾	127.0	150.0 ⁽⁴⁾	125.0	148.0 ⁽³⁾	126.0	145.0 ⁽⁴⁾	120.0	142.0 ⁽⁴⁾	115.0	135.0 ⁽³⁾		
410	B BV BW		190.0 ⁽³⁾		187.0 ⁽²⁾		184.0 ⁽³⁾	127.0	182.0 ⁽²⁾	126.0	174.0 ⁽²⁾	125.0	168.0 ⁽²⁾	120.0	157.0 ⁽²⁾	115.0	145.0 ⁽²⁾		
420	B BV BW		124.0 ⁽⁹⁾		136.0 ⁽¹¹⁾		136.0 ⁽⁹⁾		133.0 ⁽⁴⁾	109.0	132.0 ⁽³⁾	110.0	130.0 ⁽³⁾	107.0	126.0 ⁽⁴⁾	101.0	122.0 ⁽⁴⁾		
430	B BV BW		172.0 ⁽⁸⁾		169.0 ⁽⁵⁾		166.0 ⁽³⁾		163.0 ⁽²⁾	109.0	159.0 ⁽²⁾	110.0	155.0 ⁽²⁾	107.0	146.0 ⁽²⁾	101.0	135.0 ⁽²⁾		
440	B BV BW		96.5 ⁽⁷⁾		109.0 ⁽⁹⁾		123.0 ⁽¹⁰⁾		121.0 ⁽⁹⁾		118.0 ⁽⁴⁾	91.8	116.0 ⁽³⁾	91.2	112.0 ⁽⁵⁾	87.8	109.0 ⁽⁴⁾		
450	B BV BW		145.0 ⁽⁷⁾		153.0 ⁽⁴⁾		149.0 ⁽⁴⁾		147.0 ⁽³⁾		144.0 ⁽²⁾	91.6	141.0 ⁽²⁾	90.9	134.0 ⁽²⁾	87.8	123.0 ⁽²⁾		
460	B BV BW				84.6 ⁽⁷⁾		98.5 ⁽⁹⁾		110.0 ⁽¹⁰⁾		106.0 ⁽⁷⁾		102.0 ⁽⁷⁾	77.2	100.0 ⁽⁴⁾	76.3	97.1 ⁽⁵⁾		
470	B BV BW				130.0 ⁽⁷⁾		134.0 ⁽⁴⁾		131.0 ⁽⁴⁾		129.0 ⁽³⁾		127.0 ⁽²⁾	77.3	122.0 ⁽²⁾	76.8	112.0 ⁽²⁾		
480	B BV BW						76.0 ⁽⁷⁾		88.0 ⁽⁹⁾		96.2 ⁽¹⁰⁾		93.4 ⁽⁸⁾		90.8 ⁽⁴⁾	64.0	87.0 ⁽⁵⁾		
490	B BV BW						118.0 ⁽⁷⁾		117.0 ⁽⁶⁾		115.0 ⁽⁴⁾		113.0 ⁽³⁾		110.0 ⁽²⁾	64.4	100.0 ⁽²⁾		
500	B BV BW						66.5 ⁽⁷⁾		77.6 ⁽⁹⁾		77.6 ⁽⁹⁾		86.3 ⁽¹⁰⁾		81.5 ⁽⁸⁾		77.4 ⁽⁴⁾		
510	B BV BW						103.0 ⁽⁷⁾		103.0 ⁽⁶⁾		103.0 ⁽⁶⁾		101.0 ⁽³⁾		98.2 ⁽²⁾		91.0 ⁽²⁾		
520	B BV BW								59.0 ⁽⁷⁾		68.9 ⁽⁹⁾		68.9 ⁽⁹⁾		73.8 ⁽⁹⁾		68.1 ⁽⁸⁾		
530	B BV BW								92.0 ⁽⁷⁾		90.3 ⁽⁴⁾		86.9 ⁽³⁾		86.9 ⁽³⁾		83.3 ⁽²⁾		
540	B BV BW								48.1 ⁽⁷⁾		48.1 ⁽⁷⁾		60.2 ⁽⁹⁾		61.6 ⁽¹⁰⁾		61.6 ⁽¹⁰⁾		
550	B BV BW										82.7 ⁽⁶⁾		79.4 ⁽⁴⁾		75.6 ⁽²⁾		75.6 ⁽²⁾		
560	B BV BW												41.5 ⁽⁷⁾		49.4 ⁽⁹⁾		49.4 ⁽⁹⁾		
570	B BV BW												71.8 ⁽⁴⁾		66.0 ⁽⁴⁾		66.0 ⁽⁴⁾		
580	B BV BW														33.6 ⁽⁷⁾		33.6 ⁽⁷⁾		
590	B BV BW															59.4 ⁽⁴⁾			
		1°12'	2°17'	3°22'	4°27'	5°32'	6°37'	7°42'	8°47'	9°52'	10°57'	11°62'							

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°

SDWB/SDWBV/SDWBW

S 158



771,600 lb - 992,100 lb

441,000 lb - 769,400 lb


110,200 lb - 438,700 lb

0 lb

 ft	S 158 ft																			
	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 138 ft		W 158 ft		W 177 ft		W 197 ft		W 217 ft			
	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax		
38	B	1432.0*	1432.0*																	
	BV																			
	BW	1432.0*	1432.0*																	
40	B	1432.0*	1432.0*																	
	BV																			
	BW	1432.0*	1432.0*																	
50	B	1428.0	1428.0	1256.0*	1292.0 ^[1]	1173.0*	1176.0 ^[1]													
	BV																			
	BW	1429.0	1430.0 ^[1]	1267.0*	1303.0 ^[1]	1186.0*	1188.0 ^[1]													
60	B	1136.0	1279.0 ^[2]	1198.0	1217.0 ^[2]	1170.0	1170.0	1008.0*	1028.0 ^[1]	902.0*	903.0 ^[1]									
	BV																			
	BW	1141.0	1425.0 ^[1]	1206.0	1277.0 ^[1]	1184.0	1184.0	1019.0*	1040.0 ^[1]	909.0*	910.0 ^[1]									
70	B	877.0	1115.0 ^[1]	932.0	1094.0 ^[1]	1096.0	1096.0	1012.0	1012.0	904.0	904.0	787.0*	798.0 ^[1]	703.0*	704.0 ^[1]					
	BV																			
	BW	878.0	1345.0 ^[1]	932.0	1248.0 ^[1]	1120.0	1140.0 ^[1]	1026.0	1040.0 ^[1]	916.0	916.0	793.0*	806.0 ^[1]	709.0*	710.0 ^[1]					
80	B	641.0	973.0 ^[4]	749.0	967.0 ^[2]	977.0	980.0 ^[3]	958.0	958.0	883.0	883.0	793.0*	793.0	709.0	709.0	620.0*	626.0 ^[1]	554.0*	554.0*	
	BV																			
	BW	646.0	1184.0 ^[1]	751.0	1167.0 ^[1]	1010.0	1096.0 ^[1]	992.0	1038.0 ^[1]	895.0	898.0 ^[1]	802.0	805.0 ^[1]	716.0	716.0	625.0*	632.0 ^[1]	558.0*	558.0*	
90	B		843.0 ^[4]	638.0	847.0 ^[3]	872.0	872.0	862.0	862.0	844.0	844.0	772.0	772.0	693.0	693.0	622.0	622.0	554.0	554.0	
	BV																			
	BW		1058.0 ^[1]	639.0	1068.0 ^[1]	885.0	1030.0 ^[2]	888.0	1013.0 ^[1]	855.0	882.0 ^[1]	786.0	800.0 ^[1]	704.0	709.0 ^[1]	631.0	631.0	561.0	561.0	
100	B		739.0 ^[1]	511.0	738.0 ^[3]	756.0	779.0 ^[4]	756.0	774.0 ^[4]	753.0	762.0 ^[3]	732.0	732.0	673.0	673.0	606.0	607.0 ^[1]	542.0	542.0	
	BV																			
	BW		952.0 ^[2]	514.0	968.0 ^[1]	754.0	943.0 ^[3]	756.0	936.0 ^[2]	756.0	850.0 ^[1]	742.0	796.0 ^[1]	687.0	702.0 ^[1]	617.0	624.0 ^[1]	551.0	553.0 ^[1]	
110	B		666.0 ^[8]		658.0 ^[3]	621.0	693.0 ^[4]	657.0	691.0 ^[3]	654.0	683.0 ^[4]	657.0	669.0 ^[3]	637.0	638.0 ^[1]	591.0	594.0 ^[1]	531.0	531.0	
	BV																			
	BW		852.0 ^[2]		869.0 ^[1]	628.0	850.0 ^[3]	659.0	849.0 ^[2]	659.0	807.0 ^[2]	658.0	759.0 ^[1]	645.0	694.0 ^[1]	601.0	617.0 ^[1]	540.0	546.0 ^[1]	
120	B		596.0 ^[8]		594.0 ^[4]	459.0	628.0 ^[8]	591.0	623.0 ^[3]	577.0	620.0 ^[4]	578.0	606.0 ^[3]	577.0	590.0 ^[3]	561.0	573.0 ^[1]	518.0	524.0 ^[1]	
	BV																			
	BW		760.0 ^[3]		770.0 ^[1]	463.0	773.0 ^[1]	591.0	768.0 ^[1]	580.0	753.0 ^[1]	580.0	722.0 ^[2]	579.0	665.0 ^[2]	567.0	603.0 ^[1]	526.0	540.0 ^[1]	
130	B		526.0 ^[8]		537.0 ^[4]		569.0 ^[8]	521.0	565.0 ^[7]	514.0	559.0 ^[3]	516.0	555.0 ^[4]	514.0	544.0 ^[3]	513.0	535.0 ^[1]	499.0	505.0 ^[1]	
	BV																			
	BW		684.0 ^[3]		684.0 ^[2]		709.0 ^[4]	521.0	705.0 ^[2]	516.0	697.0 ^[1]	515.0	677.0 ^[2]	516.0	635.0 ^[2]	515.0	586.0 ^[2]	503.0	525.0 ^[2]	
140	B				485.0 ^[8]			506.0 ^[9]	392.0	524.0 ^[8]	471.0	516.0 ^[4]	464.0	508.0 ^[4]	460.0	498.0 ^[3]	462.0	497.0 ^[1]	462.0	479.0 ^[1]
	BV																			
	BW				625.0 ^[4]		653.0 ^[4]	396.0	650.0 ^[3]	472.0	645.0 ^[2]	464.0	632.0 ^[2]	461.0	596.0 ^[1]	462.0	560.0 ^[2]	462.0	517.0 ^[2]	
150	B				435.0 ^[9]			455.0 ^[8]		481.0 ^[9]	424.0	474.0 ^[7]	428.0	473.0 ^[5]	417.0	461.0 ^[4]	418.0	459.0 ^[1]	416.0	453.0 ^[1]
	BV																			
	BW				543.0 ^[7]		600.0 ^[4]		597.0 ^[3]	425.0	593.0 ^[2]	427.0	589.0 ^[2]	418.0	563.0 ^[1]	417.0	529.0 ^[2]	417.0	494.0 ^[2]	
160	B						410.0 ^[9]		434.0 ^[10]	333.0	437.0 ^[8]	387.0	432.0 ^[4]	379.0	428.0 ^[3]	380.0	425.0 ^[4]	378.0	427.0 ^[1]	
	BV																			
	BW						550.0 ^[7]		546.0 ^[4]	338.0	546.0 ^[3]	388.0	547.0 ^[2]	381.0	531.0 ^[1]	379.0	498.0 ^[2]	379.0	469.0 ^[2]	
170	B						367.0 ^[10]		393.0 ^[10]		401.0 ^[10]	353.0	396.0 ^[7]	353.0	393.0 ^[3]	347.0	391.0 ^[4]	346.0	401.0 ^[1]	
	BV																			
	BW						503.0 ^[7]		499.0 ^[3]		501.0 ^[3]	352.0	504.0 ^[2]	353.0	498.0 ^[1]	348.0	471.0 ^[2]	346.0	445.0 ^[2]	
180	B						326.0 ^[3]		358.0 ^[10]		366.0 ^[11]	287.0	370.0 ^[8]	325.0	363.0 ^[4]	325.0	361.0 ^[3]	319.0	374.0 ^[1]	
	BV																			
	BW						455.0 ^[7]		462.0 ^[7]		463.0 ^[4]	287.0	462.0 ^[3]	325.0	466.0 ^[1]	326.0	445.0 ^[2]	319.0	424.0 ^[2]	
190	B						291.0 ^[3]		323.0 ^[10]		333.0 ^[10]		342.0 ^[9]	296.0	337.0 ^[8]	299.0	335.0 ^[3]	298.0	348.0 ^[1]	
	BV																			
	BW						411.0 ^[4]		434.0 ^[8]		431.0 ^[3]		430.0 ^[3]	297.0	433.0 ^[1]	300.0	418.0 ^[2]	298.0	403.0 ^[2]	
200	B								286.0 ^[8]		304.0 ^[7]		321.0 ^[10]	243.0	317.0 ^[8]	275.0	313.0 ^[4]	276.0	322.0 ^[1]	
	BV																			
	BW								399.0 ^[8]		407.0 ^[4]		399.0 ^[3]	242.0	400.0 ^[1]	276.0	391.0 ^[2]	276.0	383.0 ^[2]	
220	B										249.0 ^[7]		271.0 ^[10]		278.0 ^[9]	197.0	273.0 ^[4]	236.0	269.0 ^[1]	
	BV																			
	BW										347.0 ^[8]		353.0 ^[4]		348.0 ^[4]	197.0	346.0 ^[3]	235.0	342.0 ^[2]	
240	B												216.0 ^[9]		238.0 ^[11]		245.0 ^[10]	167.0	241.0 ^[8]	
	BV																			
	BW												309.0 ^[9]		304.0 ^[3]		305.0 ^[4]	167.0	300.0 ^[2]	
260	B												177.0 ^[7]		193.0 ^[9]		213.0 ^[11]		217.0 ^[10]	
	BV																			
	BW												248.0 ^[7]		266.0 ^[9]		265.0 ^[3]		264.0 ^[3]	
280	B												134.0 ^[7]		146.0 ^[4]		173.0 ^[9]		183.0 ^[11]	
	BV																			
	BW												206.0 ^[7]		225.0 ^[7]		235.0 ^[7]		232.0 ^[4]	
300	B														120.0 ^[7]		132.0 ^[7]		149.0 ^[9]	
	BV																			
	BW														186.0 ^[7]		203.0 ^[7]		207.0 ^[9]	
320	B																			
	BV																			
	BW																		181.0 ^[7]	
1) 12°	2) 17°	3) 22°	4) 27°	5) 32°	6) 37°	7) 42°	8) 47													

SDWB/SDWBV/SDWBW

S 158




	ft	S 158 ft															
		W 236 ft		W 256 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		W 354 ft		W 374 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
90	B	487.0*	489.0 ⁽¹⁾	432.0*	432.0*												
	BV	491.0*	494.0 ⁽¹⁾	436.0*	436.0*												
100	B	485.0	485.0	430.0	430.0												
	BV	485.0	485.0	430.0	430.0	379.0*	381.0 ⁽¹⁾	337.0*	337.0*	301.0*	301.0*						
110	B	491.0	491.0	435.0	435.0												
	BV	476.0	476.0	423.0	423	377.0	377	331.0*	334.0 ⁽¹⁾	295.0*	297.0 ⁽¹⁾	261.0*	261.0*	229.0*	229.0*		
120	B	483.0	486.0 ⁽¹⁾	428.0	428												
	BV	467.0	467.0	416.0	416.0	381.0	381	333.0*	336.0 ⁽¹⁾	296.0*	297.0 ⁽¹⁾	262.0*	262.0*	230.0*	230.0*		
130	B	467.0	467.0	416.0	416.0												
	BV	474.0	480.0 ⁽¹⁾	421.0	421.0	372.0	372.0	329.0	329	294.0	294.0	256.0*	258.0 ⁽¹⁾	224.0*	225.0 ⁽¹⁾	201.0*	201.0*
140	B	474.0	480.0 ⁽¹⁾	421.0	421.0												
	BV	457.0	457.0	408.0	408.0	376.0	376.0	332.0	332	294.0	294.0	257.0*	260.0 ⁽¹⁾	225.0*	226.0 ⁽¹⁾	200.0*	200.0*
150	B	457.0	457.0	408.0	408.0												
	BV	464.0	474.0 ⁽¹⁾	413.0	415.0 ⁽²⁾	366.0	366.0	323.0	323.0	289.0	289	255.0	255	222.0	222.0	196.0*	198.0 ⁽¹⁾
160	B	464.0	474.0 ⁽¹⁾	413.0	415.0 ⁽²⁾												
	BV	446.0	446.0	400.0	401.0 ⁽²⁾	370.0	370.0	326.0	326.0	290.0	290	256.0	256	223.0	223.0	196.0*	197.0 ⁽¹⁾
170	B	446.0	446.0	400.0	401.0 ⁽²⁾												
	BV	450.0	463.0 ⁽²⁾	406.0	410.0 ⁽²⁾	359.0	361.0 ⁽²⁾	316.0	316.0	285.0	285.0	250.0	250.0	218.0	218	195.0	195
180	B	450.0	463.0 ⁽²⁾	406.0	410.0 ⁽²⁾												
	BV	416.0	433.0 ⁽²⁾	390.0	394.0 ⁽²⁾	366.0 ⁽²⁾	366.0 ⁽²⁾	309.0	312.0 ⁽²⁾	281.0	287.0	252.0	252.0	219.0	219	195.0	195
190	B	416.0	433.0 ⁽²⁾	390.0	394.0 ⁽²⁾												
	BV	417.0	458.0 ⁽²⁾	396.0	406.0 ⁽²⁾	353.0	356.0 ⁽²⁾	309.0	312.0 ⁽²⁾	281.0	282.0 ⁽²⁾	247.0	247.0	214.0	214.0	192.0	192
200	B	417.0	458.0 ⁽²⁾	396.0	406.0 ⁽²⁾												
	BV	378.0	400.0 ⁽²⁾	369.0	385.0 ⁽²⁾	357.0	362.0 ⁽²⁾	316.0	316.0	285.0	285.0	250.0	250.0	218.0	218	195.0	195
210	B	378.0	400.0 ⁽²⁾	369.0	385.0 ⁽²⁾												
	BV	417.0	458.0 ⁽²⁾	396.0	406.0 ⁽²⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
220	B	378.0	400.0 ⁽²⁾	369.0	385.0 ⁽²⁾												
	BV	380.0	439.0 ⁽²⁾	372.0	401.0 ⁽²⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
230	B	380.0	439.0 ⁽²⁾	372.0	401.0 ⁽²⁾												
	BV	345.0	378.0 ⁽³⁾	341.0	361.0 ⁽³⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
240	B	345.0	378.0 ⁽³⁾	341.0	361.0 ⁽³⁾												
	BV	346.0	421.0 ⁽²⁾	341.0	387.0 ⁽²⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
250	B	346.0	421.0 ⁽²⁾	341.0	387.0 ⁽²⁾												
	BV	316.0	350.0 ⁽⁴⁾	313.0	345.0 ⁽³⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
260	B	316.0	350.0 ⁽⁴⁾	313.0	345.0 ⁽³⁾												
	BV	317.0	403.0 ⁽²⁾	313.0	373.0 ⁽²⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
270	B	317.0	403.0 ⁽²⁾	313.0	373.0 ⁽²⁾												
	BV	292.0	328.0 ⁽⁴⁾	287.0	319.0 ⁽³⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
280	B	292.0	328.0 ⁽⁴⁾	287.0	319.0 ⁽³⁾												
	BV	292.0	385.0 ⁽²⁾	288.0	360.0 ⁽²⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
290	B	292.0	385.0 ⁽²⁾	288.0	360.0 ⁽²⁾												
	BV	272.0	302.0 ⁽⁴⁾	264.0	298.0 ⁽⁴⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
300	B	272.0	302.0 ⁽⁴⁾	264.0	298.0 ⁽⁴⁾												
	BV	272.0	366.0 ⁽²⁾	266.0	345.0 ⁽²⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
310	B	272.0	366.0 ⁽²⁾	266.0	345.0 ⁽²⁾												
	BV	237.0	265.0 ⁽⁵⁾	232.0	258.0 ⁽⁴⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
320	B	237.0	265.0 ⁽⁵⁾	232.0	258.0 ⁽⁴⁾												
	BV	237.0	330.0 ⁽²⁾	232.0	315.0 ⁽²⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
330	B	237.0	330.0 ⁽²⁾	232.0	315.0 ⁽²⁾												
	BV	204.0	236.0 ⁽⁶⁾	203.0	231.0 ⁽⁵⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
340	B	204.0	236.0 ⁽⁶⁾	203.0	231.0 ⁽⁵⁾												
	BV	204.0	294.0 ⁽²⁾	203.0	284.0 ⁽²⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
350	B	204.0	294.0 ⁽²⁾	203.0	284.0 ⁽²⁾												
	BV		214.0 ⁽⁸⁾	175.0	207.0 ⁽⁶⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
360	B		214.0 ⁽⁸⁾	175.0	207.0 ⁽⁶⁾												
	BV		259.0 ⁽²⁾	175.0	253.0 ⁽²⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
370	B		259.0 ⁽²⁾	175.0	253.0 ⁽²⁾												
	BV		186.0 ⁽⁹⁾		182.0 ⁽⁸⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
380	B		186.0 ⁽⁹⁾		182.0 ⁽⁸⁾												
	BV		230.0 ⁽³⁾		221.0 ⁽³⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
390	B		230.0 ⁽³⁾		221.0 ⁽³⁾												
	BV		161.0 ⁽¹¹⁾		163.0 ⁽⁹⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
400	B		161.0 ⁽¹¹⁾		163.0 ⁽⁹⁾												
	BV		201.0 ⁽³⁾		195.0 ⁽⁴⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
410	B		201.0 ⁽³⁾		195.0 ⁽⁴⁾												
	BV		132.0 ⁽⁹⁾		142.0 ⁽¹¹⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
420	B		132.0 ⁽⁹⁾		142.0 ⁽¹¹⁾												
	BV		179.0 ⁽⁸⁾		175.0 ⁽⁴⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
430	B		179.0 ⁽⁸⁾		175.0 ⁽⁴⁾												
	BV		105.0 ⁽⁷⁾		118.0 ⁽⁹⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
440	B		105.0 ⁽⁷⁾		118.0 ⁽⁹⁾												
	BV		157.0 ⁽⁷⁾		158.0 ⁽⁵⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
450	B		157.0 ⁽⁷⁾		158.0 ⁽⁵⁾												
	BV				91.6 ⁽⁷⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
460	B				91.6 ⁽⁷⁾												
	BV				141.0 ⁽⁷⁾	357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
470	B				141.0 ⁽⁷⁾												
	BV					357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
480	B																
	BV					357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
490	B																
	BV					357.0	362.0 ⁽²⁾	312.0	315.0 ⁽²⁾	283.0	283.0	249.0	249.0	215.0	215.0	192.0	192
500	B																

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°

SDWB/SDWBV/SDWBW

S 177




 ft	S 177 ft																		
	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 138 ft		W 158 ft		W 177 ft		W 197 ft		W 217 ft		
	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	
40	B	1418.0*	1418.0*																
	BV																		
	BW	1426.0*	1426.0*																
50	B	1394.0	1394.0	1182.0*	1208.0 ⁽¹⁾	1088.0*	1088.0*												
	BV																		
	BW	1415.0	1419.0 ⁽¹⁾	1193.0*	1221.0 ⁽¹⁾	1096.0*	1096.0*												
60	B	1199.0	1254.0 ⁽²⁾	1174.0	1174.0	1088.0	1088.0	936.0*	950.0 ⁽¹⁾	836.0*	836.0*								
	BV																		
	BW	1199.0	1375.0 ⁽¹⁾	1191.0	1215.0 ⁽¹⁾	1102.0	1103.0 ⁽¹⁾	942.0*	959.0 ⁽¹⁾	842.0*	842.0*								
70	B	910.0	1101.0 ⁽³⁾	1009.0	1065.0 ⁽²⁾	1048.0	1048.0	941.0	941.0	840.0	840.0	730.0*	739.0 ⁽¹⁾	654.0*	654.0*				
	BV																		
	BW	912.0	1319.0 ⁽¹⁾	1010.0	1206.0 ⁽¹⁾	1069.0	1082.0 ⁽¹⁾	954.0	963.0 ⁽¹⁾	851.0	851.0	736.0*	745.0 ⁽¹⁾	658.0*	658.0*				
80	B	674.0	968.0 ⁽²⁾	806.0	957.0 ⁽¹⁾	956.0	958.0 ⁽³⁾	912.0	912.0	820.0	820.0	738.0	738.0	660.0	660.0	577.0*	582.0 ⁽¹⁾	516.0*	516.0*
	BV																		
	BW	677.0	1173.0 ⁽³⁾	807.0	1165.0 ⁽¹⁾	991.0	1061.0 ⁽¹⁾	929.0	964.0 ⁽¹⁾	832.0	843.0 ⁽¹⁾	746.0	748.0 ⁽¹⁾	666.0	666.0	581.0*	586.0 ⁽¹⁾	519.0*	519.0*
90	B		858.0 ⁽⁵⁾	682.0	851.0 ⁽⁵⁾	857.0	861.0 ⁽⁴⁾	844.0	844.0	793.0	793.0	716.0	716.0	644.0	647.0 ⁽¹⁾	580.0	580.0	504.0*	512.0 ⁽¹⁾
	BV																		
	BW		1038.0 ⁽²⁾	679.0	1073.0 ⁽¹⁾	887.0	1019.0 ⁽²⁾	880.0	964.0 ⁽¹⁾	812.0	838.0 ⁽¹⁾	732.0	744.0 ⁽¹⁾	654.0	659.0 ⁽¹⁾	588.0	588.0	509.0*	518.0 ⁽¹⁾
100	B		759.0 ⁽⁵⁾	531.0	761.0 ⁽⁴⁾	772.0	775.0 ⁽⁴⁾	764.0	767.0 ⁽⁴⁾	751.0	751.0	695.0	698.0 ⁽¹⁾	628.0	637.0 ⁽¹⁾	566.0	572.0 ⁽¹⁾	506.0	507.0 ⁽¹⁾
	BV																		
	BW		942.0 ⁽¹⁾	535.0	981.0 ⁽¹⁾	781.0	931.0 ⁽²⁾	781.0	916.0 ⁽²⁾	767.0	826.0 ⁽¹⁾	711.0	741.0 ⁽¹⁾	639.0	654.0 ⁽¹⁾	576.0	582.0 ⁽¹⁾	512.0	515.0 ⁽¹⁾
110	B		678.0 ⁽⁴⁾		677.0 ⁽⁵⁾	653.0	700.0 ⁽⁷⁾	679.0	697.0 ⁽⁵⁾	677.0	688.0 ⁽⁴⁾	662.0	662.0	610.0	627.0 ⁽¹⁾	552.0	564.0 ⁽¹⁾	494.0	501.0 ⁽¹⁾
	BV																		
	BW		851.0 ⁽²⁾		889.0 ⁽¹⁾	662.0	847.0 ⁽⁴⁾	677.0	837.0 ⁽²⁾	682.0	795.0 ⁽²⁾	672.0	722.0 ⁽¹⁾	621.0	649.0 ⁽¹⁾	563.0	577.0 ⁽¹⁾	502.0	510.0 ⁽¹⁾
120	B		608.0 ⁽⁸⁾		610.0 ⁽⁴⁾	497.0	632.0 ⁽⁷⁾	613.0	630.0 ⁽⁵⁾	598.0	626.0 ⁽⁴⁾	598.0	611.0 ⁽⁴⁾	582.0	585.0 ⁽¹⁾	537.0	556.0 ⁽¹⁾	483.0	495.0 ⁽¹⁾
	BV																		
	BW		769.0 ⁽³⁾		797.0 ⁽¹⁾	501.0	769.0 ⁽⁵⁾	607.0	764.0 ⁽³⁾	599.0	741.0 ⁽²⁾	600.0	709.0 ⁽²⁾	589.0	633.0 ⁽²⁾	548.0	572.0 ⁽¹⁾	492.0	505.0 ⁽¹⁾
130	B		542.0 ⁽⁸⁾		557.0 ⁽⁴⁾		577.0 ⁽⁹⁾	540.0	576.0 ⁽⁴⁾	532.0	571.0 ⁽⁵⁾	533.0	565.0 ⁽⁴⁾	531.0	543.0 ⁽⁵⁾	514.0	523.0 ⁽¹⁾	472.0	485.0 ⁽¹⁾
	BV																		
	BW		693.0 ⁽⁴⁾		705.0 ⁽¹⁾		703.0 ⁽²⁾	538.0	698.0 ⁽¹⁾	533.0	690.0 ⁽¹⁾	533.0	670.0 ⁽¹⁾	533.0	622.0 ⁽²⁾	521.0	560.0 ⁽²⁾	481.0	496.0 ⁽¹⁾
140	B		479.0 ⁽⁹⁾		505.0 ⁽⁹⁾		521.0 ⁽⁹⁾	426.0	529.0 ⁽⁸⁾	486.0	523.0 ⁽⁵⁾	479.0	520.0 ⁽⁴⁾	475.0	509.0 ⁽³⁾	477.0	493.0 ⁽²⁾	452.0	466.0 ⁽²⁾
	BV																		
	BW		627.0 ⁽⁴⁾		638.0 ⁽⁵⁾		647.0 ⁽⁴⁾	429.0	643.0 ⁽²⁾	487.0	641.0 ⁽¹⁾	479.0	633.0 ⁽¹⁾	477.0	596.0 ⁽²⁾	478.0	551.0 ⁽²⁾	460.0	493.0 ⁽²⁾
150	B				458.0 ⁽¹⁰⁾		467.0 ⁽⁷⁾		487.0 ⁽⁹⁾	437.0	482.0 ⁽⁴⁾	440.0	477.0 ⁽⁵⁾	431.0	469.0 ⁽⁴⁾	432.0	460.0 ⁽³⁾	425.0	443.0 ⁽²⁾
	BV																		
	BW				579.0 ⁽⁴⁾		600.0 ⁽⁸⁾		596.0 ⁽⁴⁾	438.0	593.0 ⁽²⁾	441.0	590.0 ⁽¹⁾	430.0	570.0 ⁽²⁾	433.0	533.0 ⁽²⁾	427.0	484.0 ⁽²⁾
160	B				412.0 ⁽¹⁰⁾		426.0 ⁽¹⁰⁾		450.0 ⁽¹⁰⁾	365.0	454.0 ⁽⁸⁾	399.0	447.0 ⁽⁶⁾	392.0	437.0 ⁽⁵⁾	393.0	431.0 ⁽⁴⁾	389.0	422.0 ⁽³⁾
	BV																		
	BW				539.0 ⁽⁷⁾		556.0 ⁽⁸⁾		554.0 ⁽⁵⁾	371.0	551.0 ⁽³⁾	399.0	549.0 ⁽²⁾	391.0	540.0 ⁽²⁾	392.0	515.0 ⁽²⁾	388.0	471.0 ⁽²⁾
170	B						387.0 ⁽¹⁰⁾		409.0 ⁽¹¹⁾		418.0 ⁽⁹⁾	362.0	413.0 ⁽⁷⁾	364.0	406.0 ⁽⁵⁾	358.0	402.0 ⁽⁴⁾	354.0	391.0 ⁽¹⁾
	BV																		
	BW						511.0 ⁽⁸⁾		514.0 ⁽⁴⁾		512.0 ⁽⁴⁾	363.0	510.0 ⁽⁵⁾	363.0	506.0 ⁽²⁾	359.0	492.0 ⁽²⁾	355.0	458.0 ⁽²⁾
180	B						348.0 ⁽¹⁰⁾		373.0 ⁽¹⁰⁾		381.0 ⁽¹⁰⁾	309.0	383.0 ⁽⁸⁾	335.0	378.0 ⁽⁴⁾	337.0	372.0 ⁽⁵⁾	325.0	368.0 ⁽¹⁾
	BV																		
	BW						468.0 ⁽⁹⁾		476.0 ⁽⁴⁾		475.0 ⁽⁴⁾	309.0	475.0 ⁽⁵⁾	335.0	472.0 ⁽²⁾	336.0	464.0 ⁽²⁾	325.0	441.0 ⁽²⁾
190	B						307.0 ⁽⁸⁾		340.0 ⁽¹⁰⁾		348.0 ⁽¹¹⁾		355.0 ⁽⁹⁾	306.0	348.0 ⁽⁴⁾	310.0	346.0 ⁽⁴⁾	303.0	344.0 ⁽¹⁾
	BV																		
	BW						427.0 ⁽⁸⁾		439.0 ⁽⁸⁾		439.0 ⁽⁴⁾		440.0 ⁽⁵⁾	306.0	437.0 ⁽²⁾	310.0	436.0 ⁽²⁾	303.0	419.0 ⁽²⁾
200	B						274.0 ⁽⁸⁾		307.0 ⁽¹⁰⁾		316.0 ⁽¹⁰⁾		330.0 ⁽¹⁰⁾	259.0	326.0 ⁽⁸⁾	284.0	320.0 ⁽⁴⁾	282.0	321.0 ⁽¹⁾
	BV																		
	BW						388.0 ⁽⁸⁾		409.0 ⁽⁸⁾		408.0 ⁽⁴⁾		410.0 ⁽⁴⁾	260.0	407.0 ⁽⁵⁾	285.0	407.0 ⁽²⁾	283.0	397.0 ⁽²⁾
220	B								243.0 ⁽⁸⁾		258.0 ⁽¹⁰⁾		282.0 ⁽¹⁰⁾		282.0 ⁽⁷⁾	214.0	280.0 ⁽⁸⁾	240.0	275.0 ⁽⁴⁾
	BV																		
	BW								344.0 ⁽⁸⁾		363.0 ⁽⁹⁾		361.0 ⁽⁵⁾		357.0 ⁽⁴⁾	214.0	356.0 ⁽³⁾	241.0	353.0 ⁽²⁾
240	B										212.0 ⁽⁸⁾		233.0 ⁽¹⁰⁾		247.0 ⁽¹¹⁾		250.0 ⁽¹⁰⁾	182.0	246.0 ⁽⁸⁾
	BV																		
	BW										299.0 ⁽⁸⁾		325.0 ⁽⁹⁾		319.0 ⁽⁵⁾		317.0 ⁽⁴⁾	182.0	310.0 ⁽²⁾
260	B																		
	BV																		
	BW												184.0 ⁽⁹⁾		208.0 ⁽¹¹⁾		219.0 ⁽¹¹⁾		224.0 ⁽⁹⁾
280	B																		
	BV																		
	BW												270.0 ⁽⁸⁾		286.0 ⁽⁹⁾		279.0 ⁽⁵⁾		277.0 ⁽⁴⁾
300	B																		
	BV																		
	BW												222.0 ⁽⁷⁾		243.0 ⁽⁹⁾		248.0 ⁽⁸⁾		244.0 ⁽⁴⁾
320	B																		
	BV																		
	BW													195.0 ⁽⁷⁾		216.0 ⁽⁹⁾		213.0 ⁽⁸⁾	
340	B																		
	BV																		
	BW																175.0 ⁽⁷⁾		185.0 ⁽⁹⁾
																			102.0 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



SDWB/SDWBV/SDWBW


S 177



	ft	S 177 ft																	
		W 236 ft		W 256 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		W 354 ft		W 374 ft			
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax		
90	B	452.0*	456.0 ⁽¹⁾	403.0*	403.0*														
	BV	456.0*	460.0 ⁽¹⁾	406.0*	406.0*														
100	B	453.0	453.0	394.0*	399.0 ⁽¹⁾	354.0*	356.0 ⁽¹⁾	317.0*	317.0*										
	BV	458.0	458.0	398.0*	403.0 ⁽¹⁾	357.0*	359.0 ⁽¹⁾	319.0*	319.0*										
110	B	444.0	447.0 ⁽¹⁾	395.0	395.0	354.0	354.0	311.0*	314.0 ⁽¹⁾	278.0*	279.0 ⁽¹⁾	245.0*	245.0*						
	BV	450.0	453.0 ⁽¹⁾	399.0	399	357.0	357.0	313.0*	316.0 ⁽¹⁾	279.0*	280.0 ⁽¹⁾	246.0*	246.0*						
120	B	436.0	442.0 ⁽¹⁾	388.0	388.0	348.0	348.0	311.0	311	277.0	277.0	241.0*	242.0 ⁽¹⁾	213.0*	214.0 ⁽¹⁾	190.0*	190.0*		
	BV	442.0	448.0 ⁽¹⁾	393.0	393.0	352.0	352.0	314.0	314	279.0	279.0	242.0*	244.0 ⁽¹⁾	214.0*	214.0*	191.0*	191.0*		
130	B	427.0	436.0 ⁽¹⁾	381.0	382.0 ⁽²⁾	343.0	343.0	305.0	305.0	273.0	273	240.0	240	212.0	212.0	187.0*	188.0 ⁽¹⁾		
	BV	434.0	444.0 ⁽¹⁾	387.0	388.0 ⁽²⁾	347.0	347.0	309.0	309.0	275.0	275	242.0	242	213.0	213.0	188.0*	189.0 ⁽¹⁾		
140	B	417.0	425.0 ⁽²⁾	374.0	379.0 ⁽²⁾	337.0	338.0 ⁽²⁾	299.0	299.0	270.0	270.0	237.0	237.0	207.0	207	186.0	186.0		
	BV	425.0	438.0 ⁽²⁾	380.0	385.0 ⁽²⁾	341.0	343.0 ⁽²⁾	302.0	302.0	272.0	272.0	239.0	239.0	209.0	209	187.0	187.0		
150	B	404.0	420.0 ⁽²⁾	365.0	375.0 ⁽²⁾	331.0	336.0 ⁽²⁾	294.0	296.0 ⁽²⁾	265.0	265.0	233.0	233.0	202.0	202.0	183.0	183		
	BV	409.0	436.0 ⁽²⁾	372.0	383.0 ⁽²⁾	336.0	341.0 ⁽²⁾	297.0	299.0 ⁽²⁾	268.0	268.0	235.0	235.0	205.0	205.0	184.0	184		
160	B	384.0	400.0 ⁽²⁾	356.0	372.0 ⁽²⁾	324.0	333.0 ⁽²⁾	288.0	294.0 ⁽²⁾	262.0	262.0	230.0	230.0	198.0	198.0	180.0	180.0		
	BV	387.0	428.0 ⁽²⁾	361.0	381.0 ⁽²⁾	329.0	338.0 ⁽²⁾	291.0	297.0 ⁽²⁾	264.0	266.0 ⁽²⁾	232.0	232.0	200.0	200.0	181.0	181.0		
170	B	354.0	379.0 ⁽³⁾	343.0	355.0 ⁽²⁾	315.0	330.0 ⁽²⁾	282.0	291.0 ⁽²⁾	256.0	260.0 ⁽²⁾	226.0	228.0 ⁽²⁾	194.0	195.0 ⁽²⁾	177.0	177.0		
	BV	354.0	419.0 ⁽²⁾	346.0	375.0 ⁽²⁾	320.0	336.0 ⁽²⁾	285.0	295.0 ⁽²⁾	259.0	264.0 ⁽²⁾	228.0	230.0 ⁽²⁾	196.0	197.0 ⁽²⁾	178.0	178.0		
180	B	325.0	357.0 ⁽⁴⁾	319.0	347.0 ⁽³⁾	303.0	320.0 ⁽³⁾	275.0	288.0 ⁽²⁾	248.0	257.0 ⁽²⁾	220.0	225.0 ⁽²⁾	190.0	193.0 ⁽²⁾	174.0	175.0 ⁽²⁾		
	BV	325.0	409.0 ⁽²⁾	320.0	367.0 ⁽²⁾	308.0	331.0 ⁽²⁾	278.0	292.0 ⁽²⁾	251.0	262.0 ⁽²⁾	223.0	228.0 ⁽²⁾	192.0	194.0 ⁽²⁾	175.0	176.0 ⁽²⁾		
190	B	299.0	339.0 ⁽⁴⁾	294.0	326.0 ⁽³⁾	289.0	317.0 ⁽³⁾	268.0	281.0 ⁽³⁾	241.0	254.0 ⁽²⁾	214.0	223.0 ⁽²⁾	186.0	190.0 ⁽²⁾	171.0	173.0 ⁽²⁾		
	BV	299.0	396.0 ⁽²⁾	294.0	360.0 ⁽²⁾	291.0	325.0 ⁽²⁾	271.0	289.0 ⁽²⁾	244.0	259.0 ⁽²⁾	216.0	226.0 ⁽²⁾	188.0	192.0 ⁽²⁾	172.0	175.0 ⁽²⁾		
200	B	277.0	314.0 ⁽⁴⁾	272.0	307.0 ⁽⁴⁾	273.0	300.0 ⁽³⁾	258.0	279.0 ⁽³⁾	233.0	248.0 ⁽³⁾	207.0	220.0 ⁽²⁾	183.0	188.0 ⁽²⁾	167.0	171.0 ⁽²⁾		
	BV	277.0	377.0 ⁽²⁾	271.0	351.0 ⁽²⁾	272.0	320.0 ⁽²⁾	260.0	285.0 ⁽²⁾	236.0	255.0 ⁽²⁾	209.0	223.0 ⁽²⁾	184.0	190.0 ⁽²⁾	168.0	173.0 ⁽²⁾		
220	B	242.0	273.0 ⁽⁵⁾	236.0	267.0 ⁽⁴⁾	234.0	267.0 ⁽⁴⁾	230.0	254.0 ⁽³⁾	218.0	239.0 ⁽³⁾	193.0	211.0 ⁽³⁾	175.0	183.0 ⁽²⁾	157.0	167.0 ⁽²⁾		
	BV	241.0	339.0 ⁽²⁾	237.0	323.0 ⁽²⁾	234.0	302.0 ⁽²⁾	230.0	277.0 ⁽²⁾	221.0	247.0 ⁽²⁾	195.0	215.0 ⁽²⁾	177.0	185.0 ⁽²⁾	158.0	169.0 ⁽²⁾		
240	B	209.0	243.0 ⁽⁴⁾	207.0	238.0 ⁽⁵⁾	204.0	234.0 ⁽⁴⁾	197.0	229.0 ⁽⁴⁾	198.0	222.0 ⁽⁴⁾	182.0	200.0 ⁽²⁾	166.0	178.0 ⁽²⁾	146.0	161.0 ⁽²⁾		
	BV	208.0	301.0 ⁽²⁾	207.0	295.0 ⁽²⁾	206.0	280.0 ⁽²⁾	198.0	259.0 ⁽²⁾	199.0	235.0 ⁽²⁾	184.0	208.0 ⁽³⁾	168.0	180.0 ⁽²⁾	148.0	163.0 ⁽²⁾		
260	B	155.0	220.0 ⁽⁷⁾	179.0	214.0 ⁽⁴⁾	180.0	212.0 ⁽⁵⁾	174.0	202.0 ⁽⁴⁾	173.0	197.0 ⁽³⁾	167.0	186.0 ⁽⁴⁾	155.0	171.0 ⁽³⁾	138.0	155.0 ⁽²⁾		
	BV	155.0	272.0 ⁽⁵⁾	179.0	267.0 ⁽²⁾	180.0	258.0 ⁽²⁾	175.0	242.0 ⁽²⁾	173.0	222.0 ⁽²⁾	169.0	201.0 ⁽³⁾	157.0	175.0 ⁽⁵⁾	139.0	158.0 ⁽²⁾		
280	B		195.0 ⁽⁹⁾	133.0	187.0 ⁽⁴⁾	155.0	186.0 ⁽⁵⁾	154.0	179.0 ⁽⁴⁾	153.0	177.0 ⁽⁵⁾	147.0	170.0 ⁽⁴⁾	142.0	162.0 ⁽⁵⁾	130.0	149.0 ⁽³⁾		
	BV		238.0 ⁽³⁾	132.0	234.0 ⁽⁵⁾	156.0	235.0 ⁽²⁾	154.0	224.0 ⁽²⁾	154.0	209.0 ⁽²⁾	148.0	189.0 ⁽³⁾	142.0	169.0 ⁽³⁾	131.0	152.0 ⁽³⁾		
300	B		168.0 ⁽¹¹⁾		168.0 ⁽¹⁰⁾	115.0	167.0 ⁽⁸⁾	134.0	163.0 ⁽⁴⁾	135.0	159.0 ⁽⁵⁾	132.0	154.0 ⁽⁵⁾	125.0	149.0 ⁽⁴⁾	122.0	140.0 ⁽⁴⁾		
	BV		209.0 ⁽⁵⁾		206.0 ⁽⁵⁾	116.0	206.0 ⁽²⁾	134.0	203.0 ⁽²⁾	135.0	196.0 ⁽²⁾	132.0	179.0 ⁽²⁾	125.0	160.0 ⁽²⁾	123.0	145.0 ⁽³⁾		
320	B		142.0 ⁽¹¹⁾		148.0 ⁽¹¹⁾		150.0 ⁽⁹⁾	94.5	144.0 ⁽⁷⁾	119.0	143.0 ⁽⁴⁾	116.0	139.0 ⁽⁵⁾	114.0	135.0 ⁽⁵⁾	110.0	131.0 ⁽⁴⁾		
	BV		186.0 ⁽⁸⁾		181.0 ⁽⁴⁾		181.0 ⁽³⁾	94.6	179.0 ⁽²⁾	119.0	177.0 ⁽²⁾	116.0	168.0 ⁽²⁾	114.0	154.0 ⁽²⁾	111.0	138.0 ⁽³⁾		
340	B		114.0 ⁽⁸⁾		128.0 ⁽¹¹⁾		132.0 ⁽⁹⁾		129.0 ⁽⁸⁾	81.4	127.0 ⁽⁸⁾	98.0	122.0 ⁽⁴⁾	96.5	121.0 ⁽⁵⁾	96.1	119.0 ⁽⁵⁾		
	BV		167.0 ⁽⁹⁾		163.0 ⁽⁸⁾		161.0 ⁽⁸⁾		159.0 ⁽³⁾	81.6	158.0 ⁽³⁾	98.4	153.0 ⁽²⁾	96.5	144.0 ⁽²⁾	99.2	131.0 ⁽³⁾		
360	B		91.0 ⁽⁷⁾		102.0 ⁽⁹⁾		116.0 ⁽¹¹⁾		116.0 ⁽⁹⁾		114.0 ⁽⁹⁾	65.8	110.0 ⁽⁸⁾	83.8	108.0 ⁽⁴⁾	84.3	107.0 ⁽⁵⁾		
	BV		140.0 ⁽⁷⁾		148.0 ⁽⁹⁾		146.0 ⁽⁴⁾		144.0 ⁽⁴⁾		143.0 ⁽³⁾	66.1	138.0 ⁽³⁾	83.9	133.0 ⁽²⁾	84.2	123.0 ⁽³⁾		
380	B				78.2 ⁽⁷⁾		91.6 ⁽⁹⁾		102.0 ⁽¹¹⁾		102.0 ⁽⁹⁾		99.4 ⁽⁸⁾		96.5 ⁽⁴⁾	72.1	94.8 ⁽⁴⁾		
	BV				126.0 ⁽⁷⁾		134.0 ⁽⁷⁾		131.0 ⁽⁵⁾		129.0 ⁽⁴⁾		126.0 ⁽³⁾		121.0 ⁽²⁾	72.0	114.0 ⁽³⁾		
400	B						70.0 ⁽⁷⁾		80.8 ⁽⁹⁾		92.2 ⁽¹¹⁾		89.8 ⁽⁹⁾		86.7 ⁽⁷⁾		85.0 ⁽⁴⁾		
	BV						113.0 ⁽⁷⁾		121.0 ⁽⁷⁾		119.0 ⁽⁵⁾		115.0 ⁽⁴⁾		111.0 ⁽³⁾		105.0 ⁽³⁾		
420	B						59.4 ⁽⁴⁾		59.4 ⁽⁴⁾		71.9 ⁽⁹⁾		82.3 ⁽¹¹⁾		79.1 ⁽⁸⁾		75.6 ⁽⁷⁾		
	BV								101.0 ⁽⁷⁾		107.0 ⁽⁸⁾		103.0 ⁽⁴⁾		100.0 ⁽³⁾		95.6 ⁽⁵⁾		
440	B										51.9 ⁽⁷⁾		62.9 ⁽⁹⁾		72.4 ⁽¹¹⁾		68.2 ⁽⁸⁾		
	BV										90.3 ⁽⁷⁾		89.6 ⁽⁸⁾		86.9 ⁽⁴⁾		85.3 ⁽³⁾		
460	B												44.2 ⁽⁷⁾		53.3 ⁽⁹⁾		58.3 ⁽⁹⁾		
	BV												77.9 ⁽⁷⁾		76.9 ⁽⁴⁾		75.6 ⁽⁴⁾		
480	B														36.7 ⁽⁷⁾		44.0 ⁽⁷⁾		
	BV														68.7 ⁽⁷⁾		66.8 ⁽⁵⁾		
500	B																28.7 ⁽⁷⁾		
	BV																59.4 ⁽¹⁾		
		11°12'	2°17'	3°22'	4°27'	5°32'	6°37'	7°42'	8°47'	9°52'	10°57'	11°62'							

SDWB/SDWBV/SDWBW

S 197




		S 197 ft																	
		W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 138 ft		W 158 ft		W 177 ft		W 197 ft		W 217 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	1270.0	1270.0	1086.0*	1111.0 ^[1]	996.0*	996.0*												
	BV BW	1298.0	1298.0	1099.0*	1127.0 ^[1]	1006.0*	1006.0*												
60	B	1184.0	1184.0	1088.0	1088.0	1004.0	1004.0	864.0*	875.0 ^[1]	774.0*	774.0*								
	BV BW	1210.0	1277.0 ^[1]	1108.0	1130.0 ^[1]	1023.0	1023.0	871.0*	884.0 ^[1]	779.0*	779.0*								
70	B	951.0	1070.0 ^[1]	1009.0	1012.0 ^[1]	954.0	954.0	872.0	872.0	754.0*	775.0 ^[1]	678.0*	685.0 ^[1]	606.0*	606.0*				
	BV BW	954.0	1256.0 ^[1]	1025.0	1128.0 ^[1]	978.0	1018.0 ^[1]	885.0	890.0 ^[1]	760.0*	783.0 ^[1]	681.0*	688.0 ^[1]	610.0*	610.0*				
80	B	726.0	954.0 ^[1]	838.0	939.0 ^[1]	901.0	901.0	836.0	836.0	763.0	763.0	686.0	686.0	594.0*	606.0 ^[1]	536.0*	538.0 ^[1]	481.0*	481.0*
	BV BW	731.0	1158.0 ^[2]	841.0	1121.0 ^[1]	926.0	1019.0 ^[1]	856.0	890.0 ^[1]	773.0	783.0 ^[1]	692.0	693.0 ^[1]	599.0*	612.0 ^[1]	540.0*	543.0 ^[1]	483.0*	483.0*
90	B		848.0 ^[4]	698.0	840.0 ^[2]	838.0	838.0	788.0	798.0 ^[1]	732.0	741.0 ^[1]	667.0	674.0 ^[1]	598.0	601.0 ^[1]	538.0	538.0	470.0*	477.0 ^[1]
	BV BW		1033.0 ^[2]	698.0	1040.0 ^[1]	857.0	993.0 ^[1]	816.0	890.0 ^[1]	754.0	782.0 ^[1]	679.0	690.0 ^[1]	608.0	612.0 ^[1]	546.0	546.0	474.0*	482.0 ^[1]
100	B		760.0 ^[6]	568.0	755.0 ^[4]	752.0	762.0 ^[5]	741.0	741.0	693.0	722.0 ^[1]	645.0	664.0 ^[1]	582.0	594.0 ^[1]	526.0	531.0 ^[1]	473.0	474.0 ^[1]
	BV BW		917.0 ^[5]	569.0	958.0 ^[2]	764.0	915.0 ^[2]	764.0	866.0 ^[2]	717.0	780.0 ^[2]	658.0	687.0 ^[1]	593.0	607.0 ^[1]	535.0	541.0 ^[1]	479.0	480.0 ^[1]
110	B		678.0 ^[7]		683.0 ^[5]	662.0	691.0 ^[4]	684.0	684.0	655.0	664.0 ^[1]	614.0	650.0 ^[1]	565.0	586.0 ^[1]	513.0	525.0 ^[1]	462.0	468.0 ^[1]
	BV BW		804.0 ^[6]		877.0 ^[3]	667.0	834.0 ^[4]	704.0	819.0 ^[2]	675.0	759.0 ^[2]	631.0	680.0 ^[1]	577.0	603.0 ^[1]	522.0	536.0 ^[1]	470.0	476.0 ^[1]
120	B		589.0 ^[11]		616.0 ^[6]	509.0	625.0 ^[7]	630.0	630.0	614.0	614.0	583.0	599.0 ^[2]	541.0	566.0 ^[1]	499.0	520.0 ^[1]	453.0	463.0 ^[1]
	BV BW		594.0 ^[11]		796.0 ^[1]	516.0	765.0 ^[5]	646.0	755.0 ^[3]	627.0	726.0 ^[3]	597.0	671.0 ^[2]	556.0	591.0 ^[1]	509.0	532.0 ^[1]	460.0	472.0 ^[1]
130	B				558.0 ^[7]		571.0 ^[8]	555.0	580.0 ^[8]	564.0	569.0 ^[4]	552.0	552.0	515.0	541.0 ^[2]	482.0	500.0 ^[2]	441.0	458.0 ^[1]
	BV BW				714.0 ^[1]		698.0 ^[5]	560.0	696.0 ^[4]	569.0	686.0 ^[3]	560.0	653.0 ^[3]	530.0	590.0 ^[2]	493.0	523.0 ^[2]	449.0	469.0 ^[1]
140	B				513.0 ^[10]		525.0 ^[9]	434.0	530.0 ^[8]	515.0	525.0 ^[4]	510.0	516.0 ^[6]	489.0	499.0 ^[2]	461.0	490.0 ^[2]	426.0	447.0 ^[2]
	BV BW				639.0 ^[4]		639.0 ^[4]	439.0	642.0 ^[5]	517.0	638.0 ^[4]	507.0	624.0 ^[3]	500.0	574.0 ^[3]	473.0	521.0 ^[2]	436.0	461.0 ^[2]
150	B				466.0 ^[10]		478.0 ^[9]		485.0 ^[9]	463.0	484.0 ^[7]	470.0	482.0 ^[6]	457.0	465.0 ^[4]	438.0	454.0 ^[3]	410.0	438.0 ^[2]
	BV BW				583.0 ^[4]		592.0 ^[5]		589.0 ^[6]	462.0	589.0 ^[4]	466.0	581.0 ^[3]	457.0	556.0 ^[3]	450.0	511.0 ^[3]	422.0	458.0 ^[2]
160	B				419.0 ^[10]		437.0 ^[10]		448.0 ^[10]	371.0	449.0 ^[8]	424.0	447.0 ^[6]	416.0	436.0 ^[4]	413.0	427.0 ^[3]	394.0	408.0 ^[3]
	BV BW				532.0 ^[5]		550.0 ^[8]		547.0 ^[5]	377.0	544.0 ^[9]	423.0	539.0 ^[1]	415.0	530.0 ^[2]	416.0	501.0 ^[2]	404.0	453.0 ^[2]
170	B				373.0 ^[10]		400.0 ^[10]		408.0 ^[10]		419.0 ^[9]	375.0	417.0 ^[7]	383.0	409.0 ^[5]	381.0	406.0 ^[4]	372.0	388.0 ^[3]
	BV BW				494.0 ^[8]		509.0 ^[8]		512.0 ^[8]		509.0 ^[5]	372.0	504.0 ^[3]	385.0	499.0 ^[2]	382.0	491.0 ^[2]	378.0	448.0 ^[2]
180	B						363.0 ^[10]		373.0 ^[9]		389.0 ^[10]	313.0	390.0 ^[8]	352.0	383.0 ^[4]	355.0	378.0 ^[5]	347.0	369.0 ^[4]
	BV BW						469.0 ^[8]		478.0 ^[8]		478.0 ^[7]	311.0	473.0 ^[4]	352.0	468.0 ^[5]	355.0	465.0 ^[2]	350.0	443.0 ^[2]
190	B						326.0 ^[10]		340.0 ^[9]		358.0 ^[11]		366.0 ^[9]	312.0	360.0 ^[7]	328.0	358.0 ^[6]	324.0	348.0 ^[5]
	BV BW						430.0 ^[9]		444.0 ^[8]		448.0 ^[7]		444.0 ^[5]	312.0	439.0 ^[5]	328.0	437.0 ^[2]	324.0	422.0 ^[2]
200	B								307.0 ^[10]		327.0 ^[10]		339.0 ^[9]	265.0	338.0 ^[8]	294.0	336.0 ^[7]	304.0	329.0 ^[6]
	BV BW								411.0 ^[9]		419.0 ^[7]		416.0 ^[5]	265.0	413.0 ^[4]	294.0	412.0 ^[3]	304.0	400.0 ^[3]
220	B								248.0 ^[8]		272.0 ^[10]		291.0 ^[10]		291.0 ^[10]	218.0	296.0 ^[5]	251.0	290.0 ^[7]
	BV BW								346.0 ^[8]		362.0 ^[9]		361.0 ^[6]		361.0 ^[4]	218.0	361.0 ^[3]	251.0	358.0 ^[3]
240	B								204.0 ^[8]		215.0 ^[8]		244.0 ^[10]		252.0 ^[11]		256.0 ^[9]	185.0	257.0 ^[8]
	BV BW								286.0 ^[8]		309.0 ^[8]		318.0 ^[8]		316.0 ^[5]		317.0 ^[4]		316.0 ^[3]
260	B										169.0 ^[8]		197.0 ^[9]		209.0 ^[8]		226.0 ^[11]		228.0 ^[9]
	BV BW										257.0 ^[8]		277.0 ^[8]		283.0 ^[8]		281.0 ^[5]		279.0 ^[4]
280	B												152.0 ^[9]		172.0 ^[8]		188.0 ^[11]		201.0 ^[10]
	BV BW												234.0 ^[8]		251.0 ^[9]		255.0 ^[8]		251.0 ^[5]
300	B												123.0 ^[7]		136.0 ^[9]		151.0 ^[9]		166.0 ^[10]
	BV BW												187.0 ^[7]		215.0 ^[9]		223.0 ^[9]		229.0 ^[8]
320	B																124.0 ^[9]		135.0 ^[9]
	BV BW																183.0 ^[9]		200.0 ^[9]
340	B																97.0 ^[7]		111.0 ^[9]
	BV BW																149.0 ^[7]		167.0 ^[9]
360	B																		86.5 ^[7]
	BV BW																		136.0 ^[7]

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



SDWB/SDWBV/SDWBW

S 197




S 197 ft																
ft	W 236 ft		W 256 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		W 354 ft		W 374 ft	
	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
90	B	422.0*	424.0 ⁽¹⁾	378.0*	378.0*											
	BV	425.0*	427.0 ⁽¹⁾	380.0*	380.0*											
	BW	423.0	423.0	370.0*	374.0 ⁽¹⁾	331.0*	332.0 ⁽¹⁾	297.0*	297.0*							
100	B	427.0	427.0	373.0*	377.0 ⁽¹⁾	333.0*	334.0 ⁽¹⁾	298.0*	298.0*							
	BV	416.0	417.0 ⁽¹⁾	371.0	371.0	331.0	331.0	292.0*	294.0 ⁽¹⁾	260.0*	261.0 ⁽¹⁾	230.0*	230.0*			
	BW	420.0	422.0 ⁽¹⁾	375.0	375.0	334.0	334.0	294.0*	296.0 ⁽¹⁾	261.0*	262.0 ⁽¹⁾	231.0*	231.0*			
110	B	406.0	412.0 ⁽¹⁾	365.0	367.0 ⁽¹⁾	326.0	326.0	292.0	292.0	261.0	261.0	226.0*	228.0 ⁽¹⁾	201.0*	201.0*	179.0*
	BV	413.0	418.0 ⁽¹⁾	369.0	372.0 ⁽¹⁾	329.0	330.0 ⁽¹⁾	294.0	294.0	262.0	262.0	228.0*	229.0 ⁽¹⁾	200.0*	201.0 ⁽¹⁾	180.0*
	BW	398.0	407.0 ⁽¹⁾	358.0	362.0 ⁽¹⁾	321.0	321.0	288.0	288.0	256.0	256.0	226.0	226.0	197.0*	200.0 ⁽¹⁾	177.0*
130	B	405.0	414.0 ⁽¹⁾	363.0	368.0 ⁽¹⁾	325.0	327.0 ⁽¹⁾	291.0	291.0	258.0	258.0	227.0	227.0	196.0*	199.0 ⁽¹⁾	177.0*
	BV	389.0	401.0 ⁽¹⁾	351.0	358.0 ⁽¹⁾	316.0	317.0 ⁽²⁾	284.0	284.0	252.0	252.0	223.0	223.0	197.0	197.0	176.0
	BW	395.0	408.0 ⁽¹⁾	356.0	364.0 ⁽¹⁾	320.0	323.0 ⁽¹⁾	287.0	287.0	254.0	254.0	224.0	224.0	197.0	197.0	177.0
140	B	379.0	396.0 ⁽²⁾	344.0	353.0 ⁽²⁾	309.0	314.0 ⁽²⁾	280.0	281.0 ⁽²⁾	248.0	248.0	220.0	220.0	194.0	194.0	173.0
	BV	386.0	406.0 ⁽²⁾	349.0	360.0 ⁽²⁾	315.0	320.0 ⁽²⁾	283.0	284.0 ⁽²⁾	251.0	251.0	222.0	222.0	193.0	193.0	174.0
	BW	365.0	387.0 ⁽²⁾	334.0	351.0 ⁽²⁾	303.0	312.0 ⁽²⁾	275.0	279.0 ⁽²⁾	245.0	246.0 ⁽²⁾	217.0	217.0	191.0	191.0	171.0
160	B	375.0	404.0 ⁽²⁾	341.0	358.0 ⁽²⁾	308.0	318.0 ⁽²⁾	278.0	283.0 ⁽²⁾	247.0	249.0 ⁽²⁾	219.0	219.0	190.0	190.0	172.0
	BV	351.0	372.0 ⁽³⁾	325.0	342.0 ⁽²⁾	295.0	309.0 ⁽²⁾	270.0	277.0 ⁽²⁾	240.0	244.0 ⁽²⁾	213.0	215.0 ⁽²⁾	187.0	188.0 ⁽²⁾	169.0
	BW	361.0	400.0 ⁽²⁾	332.0	355.0 ⁽²⁾	300.0	316.0 ⁽²⁾	273.0	281.0 ⁽²⁾	243.0	247.0 ⁽²⁾	216.0	217.0 ⁽²⁾	187.0	187.0	170.0
180	B	335.0	355.0 ⁽³⁾	314.0	337.0 ⁽³⁾	286.0	302.0 ⁽²⁾	263.0	275.0 ⁽²⁾	234.0	242.0 ⁽²⁾	208.0	213.0 ⁽²⁾	184.0	186.0 ⁽²⁾	166.0
	BV	341.0	396.0 ⁽²⁾	321.0	351.0 ⁽³⁾	290.0	313.0 ⁽³⁾	266.0	279.0 ⁽²⁾	237.0	245.0 ⁽²⁾	210.0	215.0 ⁽²⁾	183.0	186.0 ⁽²⁾	167.0
	BW	319.0	341.0 ⁽⁴⁾	302.0	325.0 ⁽³⁾	276.0	298.0 ⁽³⁾	254.0	269.0 ⁽³⁾	228.0	240.0 ⁽²⁾	201.0	211.0 ⁽²⁾	180.0	184.0 ⁽²⁾	162.0
190	B	318.0	392.0 ⁽²⁾	308.0	347.0 ⁽²⁾	281.0	308.0 ⁽²⁾	258.0	276.0 ⁽²⁾	230.0	244.0 ⁽²⁾	203.0	214.0 ⁽²⁾	180.0	184.0 ⁽²⁾	164.0
	BV	294.0	319.0 ⁽⁴⁾	288.0	311.0 ⁽⁴⁾	267.0	290.0 ⁽³⁾	246.0	269.0 ⁽³⁾	221.0	236.0 ⁽²⁾	195.0	208.0 ⁽²⁾	176.0	182.0 ⁽²⁾	158.0
	BW	294.0	376.0 ⁽²⁾	291.0	343.0 ⁽²⁾	271.0	305.0 ⁽³⁾	250.0	273.0 ⁽²⁾	223.0	241.0 ⁽²⁾	197.0	212.0 ⁽²⁾	176.0	182.0 ⁽²⁾	159.0
200	B	257.0	283.0 ⁽⁵⁾	255.0	279.0 ⁽⁵⁾	245.0	269.0 ⁽⁴⁾	230.0	253.0 ⁽⁴⁾	206.0	228.0 ⁽³⁾	183.0	201.0 ⁽²⁾	169.0	178.0 ⁽²⁾	147.0
	BV	257.0	343.0 ⁽³⁾	255.0	325.0 ⁽³⁾	247.0	296.0 ⁽³⁾	234.0	266.0 ⁽³⁾	208.0	234.0 ⁽²⁾	185.0	205.0 ⁽²⁾	169.0	178.0 ⁽²⁾	149.0
	BW	215.0	249.0 ⁽⁶⁾	222.0	248.0 ⁽⁴⁾	221.0	244.0 ⁽⁵⁾	214.0	234.0 ⁽⁴⁾	192.0	218.0 ⁽⁴⁾	172.0	193.0 ⁽²⁾	158.0	173.0 ⁽³⁾	139.0
240	B	214.0	309.0 ⁽⁵⁾	223.0	298.0 ⁽⁵⁾	221.0	282.0 ⁽⁵⁾	215.0	258.0 ⁽⁵⁾	195.0	228.0 ⁽⁵⁾	174.0	198.0 ⁽²⁾	158.0	173.0 ⁽²⁾	140.0
	BV	157.0	225.0 ⁽⁸⁾	184.0	221.0 ⁽⁶⁾	191.0	216.0 ⁽⁵⁾	190.0	211.0 ⁽⁵⁾	180.0	204.0 ⁽⁵⁾	160.0	180.0 ⁽⁴⁾	148.0	168.0 ⁽³⁾	130.0
	BW	157.0	275.0 ⁽⁵⁾	184.0	271.0 ⁽⁵⁾	191.0	260.0 ⁽⁵⁾	189.0	244.0 ⁽⁵⁾	182.0	221.0 ⁽⁵⁾	164.0	192.0 ⁽⁵⁾	148.0	170.0 ⁽⁵⁾	132.0
260	B	200.0 ⁽⁹⁾	135.0	193.0 ⁽⁶⁾	158.0	189.0 ⁽⁵⁾	167.0	187.0 ⁽⁶⁾	166.0	182.0 ⁽⁶⁾	149.0	170.0 ⁽⁵⁾	139.0	162.0 ⁽³⁾	123.0	142.0 ⁽³⁾
	BV	247.0 ⁽⁴⁾	134.0	243.0 ⁽⁵⁾	158.0	238.0 ⁽⁵⁾	168.0	228.0 ⁽²⁾	165.0	209.0 ⁽³⁾	152.0	186.0 ⁽³⁾	139.0	166.0 ⁽³⁾	124.0	144.0 ⁽³⁾
	BW	173.0 ⁽⁹⁾		173.0 ⁽⁹⁾	116.0	172.0 ⁽⁸⁾	138.0	168.0 ⁽⁷⁾	144.0	164.0 ⁽⁶⁾	140.0	159.0 ⁽⁶⁾	131.0	149.0 ⁽⁵⁾	115.0	135.0 ⁽⁴⁾
300	B	223.0 ⁽⁴⁾		221.0 ⁽⁴⁾	116.0	217.0 ⁽⁵⁾	137.0	213.0 ⁽²⁾	144.0	197.0 ⁽³⁾	142.0	178.0 ⁽³⁾	131.0	161.0 ⁽⁴⁾	117.0	140.0 ⁽³⁾
	BV	148.0 ⁽¹¹⁾		154.0 ⁽¹⁰⁾		157.0 ⁽⁹⁾	97.2	153.0 ⁽⁸⁾	119.0	149.0 ⁽⁷⁾	123.0	145.0 ⁽⁶⁾	123.0	139.0 ⁽⁵⁾	108.0	130.0 ⁽⁴⁾
	BW	204.0 ⁽⁸⁾		199.0 ⁽⁵⁾		194.0 ⁽⁴⁾	97.3	192.0 ⁽³⁾	119.0	185.0 ⁽³⁾	124.0	171.0 ⁽³⁾	122.0	153.0 ⁽³⁾	110.0	136.0 ⁽³⁾
320	B	120.0 ⁽⁹⁾		132.0 ⁽¹⁰⁾		138.0 ⁽¹⁰⁾		138.0 ⁽⁹⁾	82.7	137.0 ⁽⁸⁾	98.2	132.0 ⁽⁷⁾	109.0	129.0 ⁽⁶⁾	98.4	123.0 ⁽⁵⁾
	BV	176.0 ⁽⁸⁾		180.0 ⁽⁶⁾		174.0 ⁽⁵⁾		173.0 ⁽⁴⁾	82.6	169.0 ⁽³⁾	98.5	163.0 ⁽³⁾	103.0	147.0 ⁽³⁾	102.0	131.0 ⁽³⁾
	BW	96.1 ⁽⁹⁾		108.0 ⁽⁹⁾		120.0 ⁽¹⁰⁾		121.0 ⁽¹⁰⁾		123.0 ⁽⁹⁾	69.4	120.0 ⁽⁸⁾	86.0	118.0 ⁽⁷⁾	89.3	115.0 ⁽⁶⁾
360	B	149.0 ⁽⁹⁾		157.0 ⁽⁸⁾		156.0 ⁽⁸⁾		154.0 ⁽⁵⁾		152.0 ⁽⁴⁾	69.5	149.0 ⁽³⁾	83.3	140.0 ⁽³⁾	89.9	127.0 ⁽³⁾
	BV	74.9 ⁽⁷⁾		85.7 ⁽⁹⁾		97.3 ⁽⁹⁾		104.0 ⁽¹⁰⁾		107.0 ⁽⁹⁾		106.0 ⁽⁹⁾	58.9	105.0 ⁽⁸⁾	71.4	100.0 ⁽⁶⁾
	BW	123.0 ⁽⁷⁾		136.0 ⁽⁵⁾		139.0 ⁽⁸⁾		138.0 ⁽⁴⁾		136.0 ⁽⁴⁾		133.0 ⁽³⁾	57.2	126.0 ⁽³⁾	71.7	120.0 ⁽³⁾
400	B			66.0 ⁽⁷⁾		73.4 ⁽⁷⁾		84.6 ⁽⁹⁾		92.5 ⁽¹⁰⁾		92.1 ⁽⁹⁾		92.0 ⁽⁹⁾	44.5	87.3 ⁽⁸⁾
	BV			107.0 ⁽⁷⁾		121.0 ⁽⁷⁾		125.0 ⁽⁸⁾		122.0 ⁽⁵⁾		118.0 ⁽⁴⁾		114.0 ⁽⁴⁾	44.7	111.0 ⁽⁴⁾
	BW					57.8 ⁽⁷⁾		64.1 ⁽⁷⁾		75.0 ⁽⁹⁾		78.8 ⁽¹⁰⁾		80.0 ⁽⁹⁾		77.8 ⁽⁹⁾
420	B					98.6 ⁽⁷⁾				109.0 ⁽⁷⁾		110.0 ⁽⁶⁾		106.0 ⁽⁵⁾		103.0 ⁽⁴⁾
	BV							47.5 ⁽⁷⁾		55.8 ⁽⁷⁾		62.8 ⁽⁹⁾		68.8 ⁽¹⁰⁾		66.9 ⁽⁹⁾
	BW							88.3 ⁽⁷⁾		97.5 ⁽⁷⁾		96.4 ⁽⁶⁾		92.9 ⁽⁵⁾		90.5 ⁽⁴⁾
440	B									40.8 ⁽⁷⁾		44.9 ⁽⁷⁾		53.7 ⁽⁹⁾		56.8 ⁽¹⁰⁾
	BV									79.3 ⁽⁷⁾		85.1 ⁽⁷⁾		84.1 ⁽⁶⁾		80.6 ⁽⁵⁾
	BW											32.0 ⁽⁷⁾		36.3 ⁽⁷⁾		41.9 ⁽⁹⁾
480	B											69.8 ⁽⁷⁾		74.1 ⁽⁷⁾		73.2 ⁽⁶⁾
	BV													23.6 ⁽⁷⁾		16.3 ⁽⁴⁾
	BW													60.3 ⁽⁷⁾		63.0 ⁽⁷⁾
500	B															
	BV															
	BW															
520	B															
	BV															
	BW															49.3 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°

SDWB/SDWBV/SDWBW


S 217



ft	S 217 ft																	
	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 138 ft		W 158 ft		W 177 ft		W 197 ft		W 217 ft	
	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	1080.0*	1140.0 ⁽¹⁾	987.0*	1003.0 ⁽¹⁾													
	BV																	
	BW	1097.0*	1169.0 ⁽¹⁾	1001.0*	1021.0 ⁽¹⁾													
60	B	1081.0	1101.0 ⁽¹⁾	993.0	993.0	862.0*	901.0 ⁽¹⁾	789.0*	801.0 ⁽¹⁾									
	BV	1108.0	1161.0 ⁽¹⁾	1016.0	1022.0 ⁽¹⁾													
	BW	1109.0	1173.0 ⁽¹⁾	1017.0	1017.0	874.0*	920.0 ⁽¹⁾	800.0*	811.0 ⁽¹⁾									
70	B	992.0	1059.0 ⁽¹⁾	925.0	943.0 ⁽²⁾	871.0	887.0 ⁽¹⁾	805.0	805.0	690.0*	712.0 ⁽¹⁾	626.0*	630.0 ⁽¹⁾	564.0*	564			
	BV	997.0	1150.0 ⁽¹⁾	949.0	992.0 ⁽²⁾	897.0	930.0 ⁽¹⁾	820.0	822.0 ⁽¹⁾									
	BW	997.0	1175.0 ⁽¹⁾	950.0	993.0 ⁽²⁾	898.0	930.0 ⁽¹⁾	820.0	821.0 ⁽¹⁾	699.0*	721.0 ⁽¹⁾	632.0*	637.0 ⁽¹⁾	568.0*	568			
80	B	780.0	987.0 ⁽¹⁾	858.0	908.0 ⁽²⁾	824.0	869.0 ⁽¹⁾	764.0	786.0 ⁽¹⁾	703.0	705.0 ⁽¹⁾	634.0	634.0	550.0*	560.0 ⁽¹⁾	496.0*	499.0 ⁽¹⁾	446.0*
	BV	783.0	1113.0 ⁽¹⁾	868.0	994.0 ⁽²⁾	854.0	938.0 ⁽¹⁾	789.0	823.0 ⁽¹⁾	718.0	724.0 ⁽¹⁾	644.0	644					
	BW	783.0	1147.0 ⁽¹⁾	863.0	997.0 ⁽²⁾	854.0	938.0 ⁽¹⁾	789.0	822.0 ⁽¹⁾	717.0	724.0 ⁽¹⁾	644.0	644.0	556.0*	568.0 ⁽¹⁾	501.0*	503.0 ⁽¹⁾	450.0*
90	B		884.0 ⁽¹⁾	717.0	869.0 ⁽²⁾	771.0	852.0 ⁽¹⁾	721.0	772.0 ⁽¹⁾	669.0	697.0 ⁽¹⁾	614.0	625.0 ⁽¹⁾	555.0	555.0	499.0	499.0	435.0*
	BV		1045.0 ⁽¹⁾	721.0	991.0 ⁽²⁾	808.0	947.0 ⁽¹⁾	751.0	824.0 ⁽¹⁾	694.0	723.0 ⁽¹⁾	630.0	641.0 ⁽¹⁾	565.0	569.0 ⁽¹⁾	506.0	506	
	BW		1080.0 ⁽¹⁾	717.0	995.0 ⁽²⁾	808.0	947.0 ⁽¹⁾	752.0	823.0 ⁽¹⁾	695.0	722.0 ⁽¹⁾	631.0	641.0 ⁽¹⁾	566.0	566.0	507.0	507.0	441.0*
100	B		796.0 ⁽⁴⁾	599.0	786.0 ⁽⁵⁾	724.0	778.0 ⁽²⁾	677.0	749.0 ⁽¹⁾	631.0	689.0 ⁽¹⁾	586.0	619.0 ⁽¹⁾	540.0	540.0	487.0	487.0	439.0
	BV		977.0 ⁽²⁾	601.0	940.0 ⁽²⁾	753.0	904.0 ⁽¹⁾	709.0	820.0 ⁽¹⁾	660.0	722.0 ⁽¹⁾	610.0	638.0 ⁽¹⁾	552.0	565.0 ⁽¹⁾	496.0	501.0 ⁽¹⁾	445.0
	BW		1011.0 ⁽¹⁾	599.0	947.0 ⁽²⁾	751.0	910.0 ⁽¹⁾	709.0	818.0 ⁽¹⁾	661.0	721.0 ⁽¹⁾	611.0	638.0 ⁽¹⁾	553.0	553.0	497.0	497.0	445.0
110	B		715.0 ⁽⁷⁾		715.0 ⁽⁵⁾	672.0	708.0 ⁽⁵⁾	634.0	697.0 ⁽²⁾	595.0	662.0 ⁽¹⁾	557.0	613.0 ⁽¹⁾	515.0	528.0 ⁽²⁾	474.0	474.0	429.0
	BV		911.0 ⁽¹⁾		888.0 ⁽²⁾	683.0	860.0 ⁽¹⁾	669.0	798.0 ⁽²⁾	626.0	715.0 ⁽¹⁾	583.0	635.0 ⁽¹⁾	536.0	562.0 ⁽¹⁾	486.0	498.0 ⁽¹⁾	437.0
	BW		932.0 ⁽¹⁾		899.0 ⁽²⁾	682.0	873.0 ⁽¹⁾	669.0	802.0 ⁽¹⁾	626.0	707.0 ⁽²⁾	584.0	635.0 ⁽¹⁾	537.0	550.0 ⁽²⁾	487.0	488.0 ⁽²⁾	438.0
120	B		646.0 ⁽³⁾		648.0 ⁽⁵⁾	542.0	649.0 ⁽³⁾	597.0	641.0 ⁽³⁾	561.0	619.0 ⁽²⁾	528.0	590.0 ⁽¹⁾	492.0	524.0 ⁽²⁾	454.0	471.0 ⁽²⁾	418.0
	BV		844.0 ⁽⁴⁾		832.0 ⁽³⁾	548.0	813.0 ⁽²⁾	626.0	776.0 ⁽¹⁾	593.0	703.0 ⁽¹⁾	555.0	625.0 ⁽²⁾	514.0	558.0 ⁽¹⁾	473.0	495.0 ⁽¹⁾	428.0
	BW		854.0 ⁽²⁾		841.0 ⁽²⁾	546.0	829.0 ⁽¹⁾	625.0	787.0 ⁽¹⁾	593.0	699.0 ⁽²⁾	556.0	624.0 ⁽²⁾	515.0	550.0 ⁽²⁾	474.0	488.0 ⁽²⁾	429.0
130	B		591.0 ⁽⁸⁾		587.0 ⁽²⁾		597.0 ⁽¹⁾	557.0	590.0 ⁽⁴⁾	529.0	579.0 ⁽³⁾	501.0	561.0 ⁽¹⁾	467.0	520.0 ⁽²⁾	435.0	469.0 ⁽¹⁾	404.0
	BV		778.0 ⁽¹⁾		774.0 ⁽³⁾		764.0 ⁽³⁾	575.0	743.0 ⁽¹⁾	556.0	690.0 ⁽¹⁾	528.0	621.0 ⁽²⁾	491.0	550.0 ⁽²⁾	455.0	486.0 ⁽²⁾	417.0
	BW		782.0 ⁽³⁾		779.0 ⁽²⁾		771.0 ⁽¹⁾	575.0	756.0 ⁽¹⁾	557.0	684.0 ⁽²⁾	528.0	619.0 ⁽²⁾	492.0	550.0 ⁽²⁾	455.0	487.0 ⁽²⁾	419.0
140	B		541.0 ⁽¹⁾		541.0 ⁽⁷⁾		553.0 ⁽⁹⁾	461.0	547.0 ⁽⁴⁾	501.0	540.0 ⁽⁴⁾	473.0	533.0 ⁽¹⁾	445.0	500.0 ⁽²⁾	417.0	467.0 ⁽²⁾	386.0
	BV		712.0 ⁽⁴⁾		716.0 ⁽⁵⁾		713.0 ⁽⁵⁾	467.0	700.0 ⁽²⁾	519.0	664.0 ⁽²⁾	501.0	615.0 ⁽²⁾	469.0	547.0 ⁽²⁾	436.0	486.0 ⁽²⁾	403.0
	BW		713.0 ⁽⁴⁾		718.0 ⁽⁵⁾		714.0 ⁽²⁾	467.0	705.0 ⁽¹⁾	518.0	671.0 ⁽²⁾	501.0	613.0 ⁽²⁾	470.0	545.0 ⁽²⁾	437.0	486.0 ⁽²⁾	404.0
150	B		491.0 ⁽¹⁾		500.0 ⁽⁹⁾		506.0 ⁽⁹⁾		509.0 ⁽⁸⁾	468.0	502.0 ⁽¹⁾	450.0	504.0 ⁽¹⁾	425.0	472.0 ⁽¹⁾	397.0	448.0 ⁽²⁾	372.0
	BV		647.0 ⁽⁵⁾		665.0 ⁽¹⁾		663.0 ⁽⁴⁾		657.0 ⁽³⁾	477.0	636.0 ⁽²⁾	473.0	609.0 ⁽²⁾	448.0	543.0 ⁽²⁾	418.0	483.0 ⁽²⁾	388.0
	BW		648.0 ⁽⁵⁾		659.0 ⁽⁵⁾		662.0 ⁽⁴⁾		657.0 ⁽²⁾	475.0	644.0 ⁽²⁾	474.0	607.0 ⁽²⁾	448.0	541.0 ⁽²⁾	418.0	482.0 ⁽²⁾	389.0
160	B		441.0 ⁽⁹⁾		461.0 ⁽¹⁰⁾		463.0 ⁽¹⁰⁾		473.0 ⁽⁹⁾	393.0	470.0 ⁽⁷⁾	424.0	475.0 ⁽¹⁾	402.0	448.0 ⁽⁴⁾	380.0	430.0 ⁽³⁾	355.0
	BV		597.0 ⁽⁶⁾		625.0 ⁽¹⁾		619.0 ⁽⁷⁾		613.0 ⁽⁴⁾	399.0	605.0 ⁽³⁾	436.0	589.0 ⁽²⁾	425.0	538.0 ⁽²⁾	400.0	479.0 ⁽²⁾	373.0
	BW		597.0 ⁽⁸⁾		601.0 ⁽⁴⁾		618.0 ⁽⁷⁾		612.0 ⁽³⁾	399.0	605.0 ⁽¹⁾	433.0	588.0 ⁽²⁾	425.0	536.0 ⁽²⁾	400.0	478.0 ⁽²⁾	374.0
170	B				421.0 ⁽¹⁰⁾		429.0 ⁽¹⁰⁾		436.0 ⁽¹⁰⁾		438.0 ⁽⁸⁾	384.0	446.0 ⁽¹⁾	384.0	425.0 ⁽⁵⁾	363.0	409.0 ⁽⁴⁾	340.0
	BV		557.0 ⁽⁷⁾		585.0 ⁽¹⁾		576.0 ⁽⁷⁾		574.0 ⁽⁶⁾		569.0 ⁽⁴⁾	386.0	562.0 ⁽³⁾	394.0	524.0 ⁽²⁾	383.0	475.0 ⁽²⁾	358.0
	BW				556.0 ⁽⁵⁾		575.0 ⁽⁵⁾		574.0 ⁽⁴⁾		568.0 ⁽³⁾	385.0	561.0 ⁽⁵⁾	392.0	522.0 ⁽²⁾	382.0	473.0 ⁽²⁾	359.0
180	B				382.0 ⁽¹⁰⁾		395.0 ⁽¹⁰⁾		401.0 ⁽¹⁰⁾		412.0 ⁽¹⁰⁾	326.0	418.0 ⁽¹⁾	360.0	399.0 ⁽⁵⁾	345.0	388.0 ⁽⁴⁾	326.0
	BV		516.0 ⁽⁷⁾		546.0 ⁽¹⁾		534.0 ⁽⁷⁾		537.0 ⁽⁴⁾		534.0 ⁽⁴⁾	327.0	530.0 ⁽³⁾	363.0	510.0 ⁽³⁾	362.0	465.0 ⁽²⁾	344.0
	BW				522.0 ⁽⁹⁾		533.0 ⁽⁷⁾		537.0 ⁽⁶⁾		533.0 ⁽⁴⁾	326.0	529.0 ⁽³⁾	363.0	507.0 ⁽³⁾	360.0	463.0 ⁽²⁾	344.0
190	B						362.0 ⁽¹⁰⁾		373.0 ⁽¹⁰⁾		381.0 ⁽¹⁰⁾		389.0 ⁽¹⁾	323.0	379.0 ⁽⁷⁾	330.0	366.0 ⁽⁵⁾	313.0
	BV		476.0 ⁽⁷⁾		506.0 ⁽¹⁾		491.0 ⁽⁸⁾		501.0 ⁽⁷⁾		499.0 ⁽⁴⁾		497.0 ⁽³⁾	324.0	484.0 ⁽⁵⁾	334.0	454.0 ⁽³⁾	329.0
	BW						491.0 ⁽⁶⁾		500.0 ⁽⁴⁾		498.0 ⁽⁴⁾		497.0 ⁽³⁾	323.0	481.0 ⁽⁵⁾	333.0	451.0 ⁽³⁾	329.0
200	B						328.0 ⁽¹⁰⁾		345.0 ⁽¹⁰⁾		352.0 ⁽¹¹⁾		360.0 ⁽¹⁾	276.0	358.0 ⁽⁸⁾	300.0	348.0 ⁽⁸⁾	299.0
	BV		436.0 ⁽⁵⁾		466.0 ⁽¹⁾		456.0 ⁽¹⁰⁾		466.0 ⁽⁷⁾		466.0 ⁽⁵⁾		465.0 ⁽³⁾	276.0	457.0 ⁽⁵⁾	301.0	434.0 ⁽³⁾	309.0
	BW						456.0 ⁽¹⁰⁾		466.0 ⁽⁷⁾		465.0 ⁽⁵⁾		464.0 ⁽³⁾	276.0	455.0 ⁽³⁾	301.0	432.0 ⁽³⁾	309.0
220	B								289.0 ⁽¹⁰⁾		303.0 ⁽¹⁰⁾		311.0 ⁽¹¹⁾		313.0 ⁽⁹⁾	227.0	310.0 ⁽⁷⁾	256.0
	BV		365.0 ⁽⁵⁾		388.0 ⁽⁶⁾		398.0 ⁽⁸⁾		406.0 ⁽¹⁰⁾		406.0 ⁽⁶⁾		404.0 ⁽⁴⁾		404.0 ⁽⁵⁾	227.0	394.0 ⁽¹⁾	257.0
	BW								406.0 ⁽¹⁰⁾		405.0 ⁽⁶⁾		406.0 ⁽⁴⁾		403.0 ⁽³⁾	227.0	393.0 ⁽³⁾	256.0
240	B								243.0 ⁽⁸⁾		251.0 ⁽⁸⁾		269.0 ⁽¹⁰⁾		276.0 ⁽¹¹⁾		274.0 ⁽⁸⁾	194.0
	BV								354.0 ⁽⁸⁾		361.0 ⁽⁸⁾		360.0 ⁽⁶⁾		357.0 ⁽⁴⁾		354.0 ⁽³⁾	195.0
	BW								355.0 ⁽⁸⁾		361.0 ⁽⁸⁾		360.0 ⁽⁶⁾		357.0 ⁽⁴⁾		354.0 ⁽³⁾	194.0
260	B										207.0 ⁽⁸⁾		224.0 ⁽⁸⁾		237.0 ⁽¹⁰⁾		246.0 ⁽¹⁰⁾	
	BV																	

SDWB/SDWBV/SDWBW

S 217




	ft	S 217 ft															
		W 236 ft		W 256 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		W 354 ft		W 374 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
90	B	392.0*	393.0 ⁽¹⁾	351.0*	351												
	BV BW	395.0*	396.0 ⁽¹⁾	353.0*	353												
100	B	394.0	394.0	344.0*	348.0 ⁽¹⁾	309.0*	310.0 ⁽¹⁾	278.0*	278								
	BV BW	399.0	399														
110	B	388.0	388.0	346.0	346	302.0*	308.0 ⁽¹⁾	273.0*	273	243.0*	243	217.0*	217				
	BV BW	393.0	395.0 ⁽¹⁾	349.0	350.0 ⁽¹⁾												
120	B	380.0	380.0	340.0	340.0	304.0	304	268.0*	268	239.0*	239	213.0*	213.0	190.0*	190	169.0*	169
	BV BW	386.0	392.0 ⁽¹⁾	344.0	346.0 ⁽¹⁾	307.0	308.0 ⁽¹⁾										
130	B	371.0	375.0 ⁽¹⁾	333.0	333.0	299.0	299.0	271.0	271	240.0	240	212.0	212.0	191.0*	191.0	170.0*	170
	BV BW	379.0	388.0 ⁽¹⁾	339.0	343.0 ⁽¹⁾	303.0	305.0 ⁽¹⁾	272.0	273.0 ⁽¹⁾	241.0	242.0 ⁽¹⁾	213.0	213	187.0*	187	166.0*	167.0 ⁽¹⁾
140	B	378.0	382.0 ⁽²⁾	339.0	339.0	303.0	303.0	274.0	274.0	242.0	242	214.0	214.0	188.0*	188.0	167.0*	168.0 ⁽¹⁾
	BV BW	361.0	373.0 ⁽²⁾	327.0	330.0 ⁽²⁾	294.0	294.0	266.0	266.0	237.0	237.0	210.0	210	187.0	187	166.0	166.0
150	B	370.0	385.0 ⁽¹⁾	333.0	340.0 ⁽¹⁾	298.0	302.0 ⁽¹⁾	268.0	270.0 ⁽¹⁾	238.0	239.0 ⁽¹⁾	210.0	210.0	186.0	186	163.0	163
	BV BW	369.0	381.0 ⁽²⁾	334.0	338.0 ⁽²⁾	299.0	299.0	270.0	270.0	239.0	239.0	212.0	212	189.0	189	167.0	167.0
160	B	345.0	372.0 ⁽²⁾	318.0	329.0 ⁽²⁾	289.0	292.0 ⁽²⁾	261.0	262.0 ⁽²⁾	233.0	233.0	206.0	206.0	184.0	184.0	164.0	164
	BV BW	360.0	381.0 ⁽²⁾	326.0	336.0 ⁽²⁾	293.0	299.0 ⁽²⁾	265.0	267.0 ⁽²⁾	235.0	236.0	207.0	208.0 ⁽¹⁾	183.0	183	161.0	161.0
170	B	357.0	380.0 ⁽²⁾	327.0	337.0 ⁽²⁾	294.0	298.0 ⁽²⁾	266.0	267.0 ⁽²⁾	236.0	236.0	208.0	208.0	186.0	186.0	165.0	165
	B	333.0	370.0 ⁽²⁾	307.0	327.0 ⁽²⁾	281.0	290.0 ⁽²⁾	256.0	260.0 ⁽²⁾	230.0	231.0 ⁽²⁾	203.0	203.0	181.0	181.0	162.0	162.0
180	BV BW	347.0	380.0 ⁽²⁾	317.0	335.0 ⁽²⁾	288.0	296.0 ⁽²⁾	260.0	265.0 ⁽²⁾	232.0	234.0 ⁽²⁾	204.0	205.0 ⁽¹⁾	180.0	180	159.0	159.0
	B	345.0	379.0 ⁽²⁾	318.0	336.0 ⁽²⁾	289.0	297.0 ⁽²⁾	262.0	266.0 ⁽²⁾	233.0	234.0 ⁽²⁾	204.0	205.0 ⁽²⁾	183.0	183.0	163.0	163.0
190	B	320.0	357.0 ⁽²⁾	294.0	325.0 ⁽²⁾	273.0	289.0 ⁽²⁾	250.0	258.0 ⁽²⁾	225.0	229.0 ⁽²⁾	199.0	200.0 ⁽²⁾	178.0	178.0	159.0	159.0
	BV BW	335.0	377.0 ⁽²⁾	307.0	334.0 ⁽²⁾	281.0	295.0 ⁽²⁾	256.0	263.0 ⁽²⁾	228.0	232.0 ⁽²⁾	202.0	203.0 ⁽²⁾	176.0	177.0 ⁽²⁾	156.0	156.0
200	B	333.0	375.0 ⁽²⁾	308.0	334.0 ⁽²⁾	282.0	296.0 ⁽²⁾	257.0	265.0 ⁽²⁾	229.0	233.0 ⁽²⁾	202.0	203.0 ⁽²⁾	180.0	180.0	161.0	161.0
	B	306.0	352.0 ⁽³⁾	284.0	318.0 ⁽³⁾	264.0	286.0 ⁽³⁾	244.0	256.0 ⁽²⁾	220.0	227.0 ⁽²⁾	195.0	198.0 ⁽²⁾	175.0	176.0 ⁽²⁾	156.0	157.0 ⁽²⁾
210	BV BW	322.0	374.0 ⁽³⁾	297.0	330.0 ⁽²⁾	272.0	294.0 ⁽²⁾	250.0	262.0 ⁽²⁾	222.0	230.0 ⁽²⁾	197.0	201.0 ⁽²⁾	173.0	175.0 ⁽²⁾	154.0	154.0
	B	321.0	372.0 ⁽²⁾	297.0	331.0 ⁽²⁾	274.0	294.0 ⁽²⁾	250.0	264.0 ⁽²⁾	224.0	232.0 ⁽²⁾	198.0	202.0 ⁽²⁾	176.0	179.0 ⁽²⁾	157.0	158.0 ⁽²⁾
220	B	294.0	334.0 ⁽³⁾	274.0	317.0 ⁽³⁾	252.0	280.0 ⁽³⁾	237.0	254.0 ⁽³⁾	214.0	226.0 ⁽²⁾	189.0	197.0 ⁽²⁾	171.0	175.0 ⁽²⁾	152.0	155.0 ⁽²⁾
	BV BW	310.0	370.0 ⁽³⁾	286.0	328.0 ⁽³⁾	263.0	291.0 ⁽²⁾	242.0	260.0 ⁽²⁾	216.0	229.0 ⁽²⁾	192.0	200.0 ⁽²⁾	170.0	174.0 ⁽²⁾	150.0	153.0 ⁽²⁾
230	B	308.0	369.0 ⁽²⁾	287.0	329.0 ⁽³⁾	264.0	291.0 ⁽²⁾	243.0	262.0 ⁽²⁾	218.0	230.0 ⁽²⁾	191.0	200.0 ⁽²⁾	173.0	177.0 ⁽²⁾	153.0	157.0 ⁽²⁾
	B	283.0	323.0 ⁽⁴⁾	263.0	302.0 ⁽³⁾	244.0	280.0 ⁽³⁾	229.0	250.0 ⁽²⁾	206.0	223.0 ⁽²⁾	184.0	195.0 ⁽²⁾	168.0	173.0 ⁽²⁾	148.0	153.0 ⁽²⁾
240	BV BW	298.0	367.0 ⁽³⁾	276.0	325.0 ⁽³⁾	254.0	288.0 ⁽³⁾	235.0	257.0 ⁽²⁾	210.0	227.0 ⁽²⁾	186.0	198.0 ⁽²⁾	167.0	172.0 ⁽²⁾	147.0	151.0 ⁽²⁾
	B	296.0	365.0 ⁽³⁾	277.0	325.0 ⁽³⁾	254.0	288.0 ⁽³⁾	236.0	259.0 ⁽³⁾	210.0	228.0 ⁽²⁾	187.0	199.0 ⁽²⁾	170.0	176.0 ⁽²⁾	149.0	155.0 ⁽²⁾
250	B	261.0	295.0 ⁽³⁾	242.0	278.0 ⁽⁴⁾	227.0	267.0 ⁽⁴⁾	213.0	242.0 ⁽³⁾	193.0	218.0 ⁽²⁾	172.0	190.0 ⁽²⁾	160.0	170.0 ⁽²⁾	139.0	148.0 ⁽²⁾
	BV BW	266.0	355.0 ⁽³⁾	256.0	318.0 ⁽³⁾	236.0	282.0 ⁽³⁾	219.0	253.0 ⁽³⁾	196.0	222.0 ⁽²⁾	174.0	193.0 ⁽²⁾	158.0	169.0 ⁽²⁾	138.0	148.0 ⁽²⁾
260	B	221.0	264.0 ⁽⁶⁾	225.0	256.0 ⁽⁵⁾	209.0	247.0 ⁽⁵⁾	199.0	230.0 ⁽⁴⁾	180.0	211.0 ⁽²⁾	161.0	185.0 ⁽²⁾	149.0	166.0 ⁽²⁾	131.0	144.0 ⁽²⁾
	BV BW	222.0	331.0 ⁽³⁾	227.0	303.0 ⁽³⁾	220.0	275.0 ⁽³⁾	204.0	248.0 ⁽³⁾	183.0	217.0 ⁽³⁾	163.0	188.0 ⁽²⁾	148.0	165.0 ⁽²⁾	129.0	144.0 ⁽²⁾
270	B	219.0	326.0 ⁽³⁾	227.0	304.0 ⁽³⁾	221.0	275.0 ⁽³⁾	205.0	248.0 ⁽³⁾	184.0	218.0 ⁽³⁾	165.0	189.0 ⁽²⁾	152.0	169.0 ⁽²⁾	133.0	147.0 ⁽²⁾
	B	168.0	240.0 ⁽⁷⁾	188.0	233.0 ⁽⁶⁾	192.0	227.0 ⁽⁵⁾	183.0	215.0 ⁽⁵⁾	169.0	197.0 ⁽³⁾	149.0	179.0 ⁽³⁾	140.0	162.0 ⁽³⁾	123.0	140.0 ⁽²⁾
280	BV BW	167.0	308.0 ⁽²⁾	189.0	289.0 ⁽²⁾	195.0	261.0 ⁽²⁾	191.0	240.0 ⁽³⁾	171.0	212.0 ⁽³⁾	152.0	183.0 ⁽³⁾	139.0	161.0 ⁽³⁾	121.0	140.0 ⁽²⁾
	B	166.0	305.0 ⁽²⁾	189.0	289.0 ⁽²⁾	194.0	261.0 ⁽³⁾	192.0	239.0 ⁽³⁾	173.0	214.0 ⁽³⁾	154.0	184.0 ⁽³⁾	142.0	165.0 ⁽³⁾	125.0	143.0 ⁽²⁾
290	B		218.0 ⁽⁸⁾	141.0	210.0 ⁽⁴⁾	162.0	206.0 ⁽³⁾	168.0	196.0 ⁽⁴⁾	157.0	184.0 ⁽⁴⁾	140.0	171.0 ⁽³⁾	131.0	159.0 ⁽³⁾	116.0	135.0 ⁽³⁾
	BV BW		283.0 ⁽³⁾	141.0	276.0 ⁽²⁾	162.0	252.0 ⁽²⁾	170.0	229.0 ⁽³⁾	160.0	205.0 ⁽³⁾	142.0	178.0 ⁽³⁾	130.0	158.0 ⁽³⁾	113.0	134.0 ⁽²⁾
300	B		280.0 ⁽³⁾	141.0	275.0 ⁽²⁾	162.0	251.0 ⁽²⁾	170.0	229.0 ⁽³⁾	162.0	206.0 ⁽³⁾	143.0	179.0 ⁽³⁾	134.0	162.0 ⁽³⁾	118.0	138.0 ⁽²⁾
	B		193.0 ⁽⁹⁾		188.0 ⁽⁸⁾	121.0	184.0 ⁽⁷⁾	141.0	179.0 ⁽⁴⁾	143.0	172.0 ⁽³⁾	132.0	162.0 ⁽⁴⁾	123.0	150.0 ⁽⁴⁾	108.0	130.0 ⁽³⁾
310	BV BW		252.0 ⁽⁴⁾		248.0 ⁽³⁾	120.0	236.0 ⁽²⁾	140.0	218.0 ⁽²⁾	144.0	197.0 ⁽³⁾	133.0	172.0 ⁽³⁾	122.0	153.0 ⁽³⁾	105.0	131.0 ⁽³⁾
	B		249.0 ⁽³⁾		246.0 ⁽³⁾	122.0	235.0 ⁽²⁾	142.0	219.0 ⁽²⁾	145.0	197.0 ⁽³⁾	135.0	173.0 ⁽³⁾	126.0	157.0 ⁽³⁾	111.0	134.0 ⁽³⁾
320	B		167.0 ⁽¹⁰⁾		168.0 ⁽⁹⁾		168.0 ⁽⁸⁾	104.0	164.0 ⁽⁷⁾	122.0	161.0 ⁽⁶⁾	122.0	151.0 ⁽⁵⁾	116.0	142.0 ⁽⁵⁾	98.8	126.0 ⁽⁴⁾
	BV BW		225.0 ⁽⁴⁾		222.0 ⁽³⁾		216.0 ⁽³⁾	102.0	208.0 ⁽³⁾	120.0	189.0 ⁽³⁾	122.0	166.0 ⁽³⁾	114.0	148.0 ⁽³⁾	98.3	127.0 ⁽³⁾
330	B		222.0 ⁽⁴⁾		221.0 ⁽³⁾		215.0 ⁽³⁾	104.0	207.0 ⁽³⁾	121.0	189.0 ⁽³⁾	124.0	167.0 ⁽³⁾	119.0	152.0 ⁽³⁾	101.0	130.0 ⁽³⁾
	B		142.0 ⁽⁷⁾		146.0 ⁽¹⁰⁾		149.0 ⁽⁹⁾		148.0 ⁽⁸⁾	87.0	143.0 ⁽⁶⁾	101.0	137.0 ⁽⁶⁾	109.0	133.0 ⁽⁵⁾	92.9	121.0 ⁽⁵⁾
340	BV BW		200.0 ⁽⁷⁾		198.0 ⁽⁴⁾		195.0 ⁽⁴⁾		191.0 ⁽³⁾	85.9	180.0 ⁽³⁾	101.0	160.0 ⁽³⁾	104.0	143.0 ⁽³⁾	92.1	122.0 ⁽⁵⁾
	B		199.0 ⁽⁵⁾		197.0 ⁽⁴⁾		195.0 ⁽³⁾		190.0 ⁽³⁾	86.9	180.0 ⁽³⁾	102.0	161.0 ⁽³⁾	110.0	147.0 ⁽³⁾	95.2	126.0 ⁽³⁾
350	B		120.0 ⁽⁹⁾		124.0 ⁽⁹⁾		129.0 ⁽⁹⁾		131.0 ⁽⁹⁾		128.0 ⁽⁹⁾	73.3	123.0 ⁽⁷⁾	88.4	122.0 ⁽⁶⁾	87.1	115.0 ⁽⁶⁾
	BV BW		183.0 ⁽⁸⁾		179.0 ⁽⁵⁾		176.0 ⁽⁴⁾		174.0 ⁽³⁾		167.0 ⁽³⁾	70.4	153.0 ⁽³⁾	84.3	139.0 ⁽³⁾	85.4	118.0 ⁽³⁾
360	B		182.0 ⁽⁸⁾		179.0 ⁽⁵⁾		176.0 ⁽⁴⁾		172.0 ⁽³⁾		167.0 ⁽³⁾	73.2	153.0 ⁽³⁾	88.6	142.0 ⁽³⁾	89.1	123.0 ⁽³⁾
	B		97.2 ⁽⁷⁾		104.0 ⁽⁷⁾		110.0 ⁽⁹⁾		114.0 ⁽⁹⁾		114.0 ⁽⁹⁾		111.0 ⁽⁸⁾	62.7	109.0 ⁽⁷⁾	73.3	105.0 ⁽⁶⁾
370	BV BW		160.0 ⁽⁷⁾		164.0 ⁽⁷⁾		160.0 ⁽⁵⁾		158.0 ⁽⁴⁾		154.0 ⁽³⁾		143.0 ⁽³⁾				

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°

SDWB/SDWBV/SDWBW


S 236



ft		S 236 ft																	
		W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 138 ft		W 158 ft		W 177 ft		W 197 ft		W 217 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	968.0*	1015.0 ⁽¹⁾	885.0*	893.0 ⁽¹⁾														
	BV																		
	BW	983.0*	1033.0 ⁽¹⁾	894.0*	904.0 ⁽¹⁾														
60	B	973.0	997.0 ⁽¹⁾	891.0	891.0	774.0*	804.0 ⁽¹⁾	707.0*	713.0 ⁽¹⁾										
	BV	992.0	1034.0 ⁽¹⁾	905.0	909.0 ⁽¹⁾														
	BW	995.0	1038.0 ⁽¹⁾	909.0	909.0	784.0*	816.0 ⁽¹⁾	714.0*	720.0 ⁽¹⁾										
70	B	902.0	983.0 ⁽¹⁾	834.0	852.0 ⁽²⁾	788.0	794.0 ⁽¹⁾	724.0	724.0	619.0*	639.0 ⁽¹⁾	566.0*	569.0 ⁽¹⁾						
	BV	922.0	1034.0 ⁽¹⁾	848.0	908.0 ⁽¹⁾	803.0	821.0 ⁽¹⁾	735.0	735										
	BW	925.0	1037.0 ⁽¹⁾	852.0	876.0 ⁽²⁾	806.0	823.0 ⁽¹⁾	737.0	737.0	625.0*	648.0 ⁽¹⁾	570.0*	574.0 ⁽¹⁾						
80	B	820.0	959.0 ⁽¹⁾	778.0	841.0 ⁽²⁾	745.0	786.0 ⁽¹⁾	690.0	705.0 ⁽¹⁾	635.0	635.0	580.0	580.0	494.0*	507.0 ⁽¹⁾	452.0*	454.0 ⁽¹⁾		
	BV	823.0	1029.0 ⁽¹⁾	793.0	906.0 ⁽¹⁾	766.0	823.0 ⁽¹⁾	705.0	732.0 ⁽¹⁾	646.0	653.0 ⁽¹⁾	586.0	586						
	BW	823.0	1009.0 ⁽²⁾	796.0	875.0 ⁽²⁾	768.0	825.0 ⁽¹⁾	707.0	734.0 ⁽¹⁾	648.0	655.0 ⁽¹⁾	588.0	588.0	501.0*	513.0 ⁽¹⁾	456.0*	457.0 ⁽¹⁾		
90	B		865.0 ⁽²⁾	722.0	829.0 ⁽²⁾	699.0	779.0 ⁽¹⁾	650.0	700.0 ⁽¹⁾	602.0	627.0 ⁽¹⁾	557.0	562.0 ⁽¹⁾	505.0	505.0	435.0*	453.0 ⁽¹⁾	395.0*	401.0 ⁽¹⁾
	BV		983.0 ⁽¹⁾	737.0	891.0 ⁽¹⁾	725.0	825.0 ⁽¹⁾	670.0	731.0 ⁽¹⁾	618.0	651.0 ⁽¹⁾	569.0	581.0 ⁽¹⁾	514.0	515.0 ⁽¹⁾	462.0	462		
	BW		984.0 ⁽²⁾	736.0	873.0 ⁽²⁾	728.0	826.0 ⁽¹⁾	673.0	733.0 ⁽¹⁾	620.0	652.0 ⁽¹⁾	571.0	583.0 ⁽¹⁾	515.0	515.0	442.0*	459.0 ⁽¹⁾	400.0*	406.0 ⁽¹⁾
100	B		782.0 ⁽⁵⁾	624.0	770.0 ⁽⁵⁾	657.0	737.0 ⁽²⁾	614.0	696.0 ⁽¹⁾	568.0	625.0 ⁽¹⁾	529.0	558.0 ⁽¹⁾	487.0	495.0 ⁽¹⁾	446.0	446.0	400.0	400.0
	BV		938.0 ⁽¹⁾	625.0	855.0 ⁽²⁾	680.0	815.0 ⁽¹⁾	633.0	729.0 ⁽¹⁾	587.0	648.0 ⁽¹⁾	544.0	579.0 ⁽¹⁾	498.0	513.0 ⁽¹⁾	453.0	457.0 ⁽¹⁾	405.0	406.0 ⁽¹⁾
	BW		949.0 ⁽²⁾	623.0	858.0 ⁽²⁾	684.0	816.0 ⁽¹⁾	635.0	731.0 ⁽¹⁾	589.0	650.0 ⁽¹⁾	546.0	580.0 ⁽¹⁾	499.0	499.0	454.0	454.0	406.0	406
110	B		710.0 ⁽⁵⁾		702.0 ⁽⁴⁾	616.0	688.0 ⁽⁵⁾	577.0	656.0 ⁽²⁾	539.0	617.0 ⁽¹⁾	503.0	556.0 ⁽¹⁾	465.0	487.0 ⁽¹⁾	432.0	432.0	392.0	392.0
	BV		885.0 ⁽³⁾		833.0 ⁽²⁾	638.0	797.0 ⁽¹⁾	596.0	720.0 ⁽¹⁾	557.0	645.0 ⁽¹⁾	519.0	576.0 ⁽¹⁾	478.0	510.0 ⁽¹⁾	441.0	455.0 ⁽¹⁾	398.0	403.0 ⁽¹⁾
	BW		896.0 ⁽³⁾		843.0 ⁽²⁾	641.0	804.0 ⁽¹⁾	598.0	719.0 ⁽¹⁾	559.0	643.0 ⁽¹⁾	522.0	578.0 ⁽¹⁾	480.0	494.0 ⁽²⁾	443.0	443.0	399.0	399.0
120	B		641.0 ⁽⁸⁾		643.0 ⁽⁶⁾	572.0	636.0 ⁽⁴⁾	545.0	615.0 ⁽³⁾	509.0	582.0 ⁽²⁾	478.0	544.0 ⁽¹⁾	444.0	479.0 ⁽¹⁾	414.0	425.0 ⁽²⁾	379.0	379.0
	BV		833.0 ⁽⁵⁾		806.0 ⁽²⁾	577.0	780.0 ⁽¹⁾	562.0	709.0 ⁽¹⁾	526.0	637.0 ⁽¹⁾	494.0	572.0 ⁽¹⁾	458.0	508.0 ⁽¹⁾	425.0	452.0 ⁽¹⁾	388.0	401.0 ⁽¹⁾
	BW		807.0 ⁽⁶⁾		821.0 ⁽²⁾	578.0	792.0 ⁽¹⁾	564.0	709.0 ⁽¹⁾	529.0	621.0 ⁽²⁾	496.0	566.0 ⁽¹⁾	459.0	494.0 ⁽²⁾	427.0	442.0 ⁽²⁾	390.0	393.0 ⁽²⁾
130	B		578.0 ⁽¹¹⁾		586.0 ⁽⁷⁾		587.0 ⁽⁴⁾	512.0	571.0 ⁽⁴⁾	483.0	549.0 ⁽⁵⁾	454.0	523.0 ⁽²⁾	421.0	473.0 ⁽²⁾	397.0	424.0 ⁽²⁾	365.0	377.0 ⁽²⁾
	BV		773.0 ⁽⁵⁾		757.0 ⁽³⁾		742.0 ⁽²⁾	533.0	698.0 ⁽¹⁾	497.0	629.0 ⁽¹⁾	468.0	566.0 ⁽¹⁾	437.0	492.0 ⁽²⁾	408.0	450.0 ⁽¹⁾	375.0	398.0 ⁽¹⁾
	BW		601.0 ⁽¹¹⁾		765.0 ⁽²⁾		748.0 ⁽²⁾	535.0	699.0 ⁽¹⁾	499.0	613.0 ⁽²⁾	471.0	552.0 ⁽²⁾	439.0	493.0 ⁽²⁾	410.0	442.0 ⁽²⁾	377.0	392.0 ⁽²⁾
140	B				534.0 ⁽⁸⁾		544.0 ⁽⁸⁾	473.0	534.0 ⁽⁵⁾	458.0	518.0 ⁽⁴⁾	430.0	494.0 ⁽⁵⁾	402.0	466.0 ⁽²⁾	377.0	425.0 ⁽²⁾	351.0	377.0 ⁽²⁾
	BV		713.0 ⁽⁵⁾		706.0 ⁽⁴⁾		698.0 ⁽⁵⁾	484.0	668.0 ⁽²⁾	471.0	620.0 ⁽¹⁾	444.0	559.0 ⁽¹⁾	416.0	490.0 ⁽²⁾	391.0	441.0 ⁽²⁾	361.0	390.0 ⁽²⁾
	BW				708.0 ⁽⁵⁾		699.0 ⁽²⁾	485.0	674.0 ⁽²⁾	473.0	606.0 ⁽²⁾	446.0	546.0 ⁽²⁾	418.0	490.0 ⁽²⁾	393.0	441.0 ⁽²⁾	363.0	391.0 ⁽²⁾
150	B				494.0 ⁽¹⁾		504.0 ⁽¹⁰⁾		501.0 ⁽⁷⁾	433.0	488.0 ⁽⁵⁾	410.0	468.0 ⁽¹⁾	384.0	446.0 ⁽⁵⁾	360.0	418.0 ⁽²⁾	337.0	378.0 ⁽²⁾
	BV		653.0 ⁽⁵⁾		664.0 ⁽¹⁾		652.0 ⁽⁵⁾		634.0 ⁽⁵⁾	450.0	602.0 ⁽²⁾	423.0	551.0 ⁽¹⁾	395.0	486.0 ⁽²⁾	373.0	439.0 ⁽²⁾	347.0	390.0 ⁽²⁾
	BW				656.0 ⁽⁴⁾		651.0 ⁽⁵⁾		641.0 ⁽³⁾	451.0	598.0 ⁽²⁾	425.0	541.0 ⁽²⁾	397.0	485.0 ⁽²⁾	375.0	439.0 ⁽²⁾	349.0	391.0 ⁽²⁾
160	B				456.0 ⁽¹⁾		462.0 ⁽¹⁰⁾		467.0 ⁽⁹⁾	408.0	456.0 ⁽⁶⁾	390.0	443.0 ⁽¹⁾	365.0	422.0 ⁽⁵⁾	345.0	401.0 ⁽⁵⁾	320.0	371.0 ⁽²⁾
	BV		595.0 ⁽⁶⁾		626.0 ⁽¹⁾		608.0 ⁽⁴⁾		601.0 ⁽⁴⁾	416.0	580.0 ⁽³⁾	404.0	537.0 ⁽²⁾	376.0	481.0 ⁽²⁾	356.0	435.0 ⁽²⁾	332.0	388.0 ⁽²⁾
	BW				605.0 ⁽⁴⁾		608.0 ⁽⁴⁾		601.0 ⁽³⁾	415.0	577.0 ⁽³⁾	405.0	535.0 ⁽²⁾	378.0	481.0 ⁽²⁾	358.0	435.0 ⁽²⁾	334.0	388.0 ⁽²⁾
170	B				419.0 ⁽¹⁰⁾		423.0 ⁽¹⁰⁾		434.0 ⁽¹⁰⁾		432.0 ⁽⁸⁾	372.0	421.0 ⁽⁶⁾	348.0	402.0 ⁽⁴⁾	331.0	383.0 ⁽³⁾	307.0	361.0 ⁽⁵⁾
	BV				588.0 ⁽¹⁾		569.0 ⁽⁸⁾		565.0 ⁽⁵⁾		556.0 ⁽⁴⁾	385.0	519.0 ⁽³⁾	359.0	477.0 ⁽²⁾	340.0	432.0 ⁽²⁾	318.0	385.0 ⁽²⁾
	BW				555.0 ⁽⁴⁾		568.0 ⁽⁸⁾		564.0 ⁽⁶⁾		553.0 ⁽⁴⁾	386.0	516.0 ⁽³⁾	360.0	476.0 ⁽²⁾	341.0	432.0 ⁽²⁾	320.0	385.0 ⁽²⁾
180	B				383.0 ⁽¹⁰⁾		392.0 ⁽¹⁰⁾		399.0 ⁽¹⁰⁾		407.0 ⁽¹⁰⁾	340.0	400.0 ⁽⁷⁾	333.0	382.0 ⁽⁵⁾	314.0	366.0 ⁽⁴⁾	294.0	347.0 ⁽³⁾
	BV		512.0 ⁽⁷⁾		551.0 ⁽¹⁾		531.0 ⁽⁸⁾		531.0 ⁽⁸⁾		525.0 ⁽⁵⁾	342.0	500.0 ⁽⁴⁾	345.0	461.0 ⁽⁵⁾	326.0	428.0 ⁽³⁾	304.0	382.0 ⁽²⁾
	BW				512.0 ⁽⁶⁾		530.0 ⁽⁸⁾		531.0 ⁽⁸⁾		524.0 ⁽⁵⁾	341.0	497.0 ⁽⁴⁾	346.0	459.0 ⁽⁵⁾	328.0	428.0 ⁽²⁾	305.0	382.0 ⁽²⁾
190	B				346.0 ⁽⁸⁾		361.0 ⁽¹⁰⁾		368.0 ⁽¹⁰⁾		378.0 ⁽¹⁰⁾		374.0 ⁽⁸⁾	319.0	361.0 ⁽⁴⁾	301.0	348.0 ⁽⁵⁾	282.0	333.0 ⁽⁴⁾
	BV		475.0 ⁽⁷⁾		513.0 ⁽¹⁾		493.0 ⁽⁸⁾		499.0 ⁽⁸⁾		495.0 ⁽⁶⁾		481.0 ⁽⁵⁾	327.0	447.0 ⁽⁵⁾	313.0	414.0 ⁽²⁾	291.0	379.0 ⁽²⁾
	BW				481.0 ⁽⁸⁾		492.0 ⁽⁸⁾		499.0 ⁽⁸⁾		494.0 ⁽⁶⁾		478.0 ⁽⁵⁾	328.0	444.0 ⁽⁵⁾	315.0	413.0 ⁽²⁾	292.0	379.0 ⁽²⁾
200	B				319.0 ⁽⁸⁾		329.0 ⁽¹⁰⁾		342.0 ⁽¹⁰⁾		349.0 ⁽¹¹⁾		355.0 ⁽¹⁰⁾	285.0	344.0 ⁽⁷⁾	289.0	335.0 ⁽⁶⁾	270.0	320.0 ⁽⁵⁾
	BV		439.0 ⁽⁷⁾		475.0 ⁽¹⁾		454.0 ⁽⁸⁾		466.0 ⁽⁸⁾		466.0 ⁽⁶⁾		457.0 ⁽⁵⁾	286.0	432.0 ⁽⁴⁾	299.0	405.0 ⁽⁵⁾	281.0	369.0 ⁽²⁾
	BW				451.0 ⁽⁸⁾		454.0 ⁽⁸⁾		466.0 ⁽⁸⁾		465.0 ⁽⁶⁾		455.0 ⁽⁵⁾	286.0	430.0 ⁽⁴⁾	298.0	403.0 ⁽⁵⁾	282.0	369.0 ⁽²⁾
220	B				266.0 ⁽⁸⁾		276.0 ⁽⁸⁾		289.0 ⁽¹⁰⁾		300.0 ⁽¹⁰⁾		308.0 ⁽¹⁰⁾		311.0 ⁽⁹⁾	237.0	306.0 ⁽⁸⁾	249.0	290.0 ⁽⁴⁾
	BV		376.0 ⁽⁵⁾		399.0 ⁽¹⁾		393.0 ⁽⁸⁾		403.0 ⁽⁹⁾		407.0 ⁽⁷⁾		407.0 ⁽⁵⁾		391.0 ⁽⁴⁾	237.0	377.0 ⁽⁴⁾	257.0	352.0 ⁽⁴⁾
	BW				390.0 ⁽⁸⁾		394.0 ⁽⁸⁾		403.0 ⁽⁹⁾		406.0 ⁽⁵⁾								

SDWB/SDWBV/SDWBW


S 236



	ft	S 236 ft															
		W 236 ft		W 256 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		W 354 ft		W 374 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
90	B	359.0*	360.0 ⁽¹⁾	321.0*	321.0*												
	BV BW	362.0* 349.0*	363.0 ⁽¹⁾ 359.0 ⁽¹⁾	324.0* 315.0*	324.0* 318.0 ⁽¹⁾												
100	B	353.0*	363.0 ⁽¹⁾	317.0*	317.0*	284.0*	284.0*	254.0*	254.0*								
	BV BW	353.0* 354.0*	363.0 ⁽¹⁾ 360.0 ⁽¹⁾	317.0* 317.0*	317.0* 317.0*	286.0* 279.0*	287.0 ⁽¹⁾ 281.0 ⁽¹⁾	255.0* 250.0*	255.0* 250.0*								
110	B	354.0*	354.0*	317.0	317.0	279.0*	281.0 ⁽¹⁾	250.0*	250.0*	224.0*	224.0*	199.0*	199.0*				
	BV BW	359.0* 359.0*	360.0 ⁽¹⁾ 359.0	317.0	317.0	279.0*	281.0 ⁽¹⁾	250.0*	250.0*	224.0*	223.0 ⁽¹⁾	199.0*	198.0*				
120	B	347.0*	347.0*	311.0	311.0	281.0	281.0	245.0*	245.0*	225.0*	225.0 ⁽¹⁾	198.0*	198.0*				
	BV BW	352.0* 353.0	358.0 ⁽¹⁾ 353.0	315.0 316.0	317.0 ⁽¹⁾ 316.0	283.0 285.0	284.0 ⁽¹⁾ 285	251.0* 252.0	251.0* 252.0	225.0* 221.0*	223.0 ⁽¹⁾ 224.0 ⁽¹⁾	198.0* 195.0*	197.0 ⁽¹⁾ 196.0 ⁽¹⁾	176.0*	176.0*	154.0*	154.0*
130	B	337.0*	339.0 ⁽²⁾	305.0	305.0	277.0	277.0	247.0	247.0	221.0	221.0	196.0	196.0	173.0*	173.0*	151.0*	152.0 ⁽¹⁾
	BV BW	344.0* 345.0	355.0 ⁽¹⁾ 350.0 ⁽²⁾	309.0	314.0 ⁽¹⁾ 311.0	279.0 281.0	281.0 ⁽¹⁾ 281.0	250.0 250.0	250.0 250.0	222.0 223.0	222.0 223.0	195.0 196.0	195 196.0	173.0*	174.0*	152.0*	153.0 ⁽¹⁾
140	B	327.0*	337.0 ⁽²⁾	296.0	300.0 ⁽²⁾	272.0	272.0	244.0	244.0	218.0	218.0	194.0	194.0	170.0*	170.0*	148.0*	151.0 ⁽¹⁾
	BV BW	334.0* 336.0	353.0 ⁽¹⁾ 349.0 ⁽²⁾	302.0	312.0 ⁽¹⁾ 303.0	275.0 276.0	279.0 ⁽¹⁾ 276.0	246.0 247.0	248.0 ⁽¹⁾ 247.0	219.0 221.0	220.0 ⁽¹⁾ 221.0	193.0 193.0	193.0 193.0	171.0 171.0*	171.0*	149.0 149.0*	149.0 152.0 ⁽¹⁾
150	B	314.0*	337.0 ⁽²⁾	288.0	299.0 ⁽²⁾	266.0	270.0 ⁽²⁾	239.0	240.0 ⁽²⁾	215.0	215.0	191.0	191.0	171.0	171.0	149.0	149.0
	BV BW	323.0* 324.0	348.0 ⁽²⁾ 348.0 ⁽²⁾	294.0 295.0	309.0 ⁽²⁾ 308.0 ⁽²⁾	270.0 271.0	277.0 ⁽¹⁾ 276.0 ⁽²⁾	242.0 243.0	246.0 ⁽¹⁾ 244.0 ⁽²⁾	216.0 218.0	217.0 ⁽¹⁾ 218.0	190.0 191.0	191.0 ⁽¹⁾ 191.0	169.0 173.0	169.0 173.0	147.0 150.0	147.0 150.0
160	B	302.0*	337.0 ⁽²⁾	278.0	298.0 ⁽²⁾	257.0	268.0 ⁽²⁾	234.0	239.0 ⁽²⁾	211.0	212.0 ⁽²⁾	188.0	188.0	169.0	169.0	147.0	147.0
	BV BW	311.0* 313.0	347.0 ⁽²⁾ 348.0 ⁽²⁾	285.0 286.0	306.0 ⁽²⁾ 307.0 ⁽²⁾	263.0 264.0	274.0 ⁽¹⁾ 275.0 ⁽²⁾	238.0 239.0	244.0 ⁽¹⁾ 243.0 ⁽²⁾	213.0 215.0	215.0 ⁽¹⁾ 216.0 ⁽²⁾	188.0 189.0	189.0 ⁽¹⁾ 189.0	166.0 170.0	166.0 170.0	145.0 148.0	146.0 ⁽¹⁾ 148.0
170	B	290.0*	329.0 ⁽²⁾	268.0	297.0 ⁽²⁾	249.0	267.0 ⁽²⁾	228.0	237.0 ⁽²⁾	206.0	211.0 ⁽²⁾	185.0	186.0 ⁽²⁾	166.0	166.0	145.0	145.0
	BV BW	299.0* 300.0	345.0 ⁽²⁾ 346.0 ⁽²⁾	275.0 277.0	306.0 ⁽²⁾ 306.0 ⁽²⁾	255.0 256.0	273.0 ⁽²⁾ 274.0 ⁽²⁾	232.0 234.0	241.0 ⁽²⁾ 242.0 ⁽²⁾	209.0 211.0	213.0 ⁽¹⁾ 215.0 ⁽²⁾	185.0 186.0	187.0 ⁽¹⁾ 187.0 ⁽²⁾	164.0 168.0	164.0 168.0	143.0 146.0	144.0 ⁽¹⁾ 146.0
180	B	276.0	324.0 ⁽³⁾	259.0	291.0 ⁽²⁾	241.0	266.0 ⁽²⁾	222.0	236.0 ⁽²⁾	200.0	209.0 ⁽²⁾	182.0	185.0 ⁽²⁾	163.0	165.0 ⁽²⁾	143.0	143.0
	BV BW	287.0* 288.0	342.0 ⁽²⁾ 343.0 ⁽²⁾	266.0 267.0	303.0 ⁽²⁾ 304.0 ⁽²⁾	247.0 248.0	272.0 ⁽²⁾ 273.0 ⁽²⁾	226.0 228.0	241.0 ⁽²⁾ 242.0 ⁽²⁾	204.0 206.0	212.0 ⁽²⁾ 214.0 ⁽²⁾	182.0 183.0	185.0 ⁽²⁾ 186.0 ⁽²⁾	161.0 165.0	163.0 ⁽²⁾ 167.0 ⁽²⁾	141.0 144.0	142.0 ⁽¹⁾ 145.0 ⁽²⁾
190	B	266.0	312.0 ⁽³⁾	247.0	287.0 ⁽³⁾	233.0	260.0 ⁽²⁾	214.0	235.0 ⁽²⁾	194.0	208.0 ⁽²⁾	178.0	184.0 ⁽²⁾	160.0	164.0 ⁽²⁾	140.0	142.0 ⁽²⁾
	BV BW	275.0* 277.0	340.0 ⁽²⁾ 340.0 ⁽²⁾	256.0 256.0	301.0 ⁽²⁾ 301.0 ⁽²⁾	239.0 241.0	269.0 ⁽²⁾ 271.0 ⁽²⁾	219.0 221.0	240.0 ⁽²⁾ 241.0 ⁽²⁾	199.0 200.0	211.0 ⁽²⁾ 213.0 ⁽²⁾	177.0 178.0	184.0 ⁽²⁾ 185.0 ⁽²⁾	158.0 162.0	162.0 ⁽²⁾ 166.0 ⁽²⁾	138.0 142.0	140.0 ⁽²⁾ 144.0 ⁽²⁾
200	B	255.0	304.0 ⁽⁴⁾	236.0	279.0 ⁽³⁾	225.0	258.0 ⁽³⁾	207.0	231.0 ⁽²⁾	189.0	206.0 ⁽²⁾	173.0	182.0 ⁽²⁾	156.0	162.0 ⁽²⁾	137.0	140.0 ⁽²⁾
	BV BW	264.0* 266.0	337.0 ⁽²⁾ 337.0 ⁽²⁾	246.0 247.0	298.0 ⁽²⁾ 297.0 ⁽²⁾	231.0 232.0	267.0 ⁽²⁾ 269.0 ⁽²⁾	213.0 214.0	237.0 ⁽²⁾ 238.0 ⁽²⁾	193.0 194.0	210.0 ⁽²⁾ 212.0 ⁽²⁾	171.0 173.0	183.0 ⁽²⁾ 184.0 ⁽²⁾	154.0 159.0	161.0 ⁽²⁾ 165.0 ⁽²⁾	135.0 139.0	139.0 ⁽²⁾ 142.0 ⁽²⁾
220	B	236.0	277.0 ⁽⁵⁾	219.0	263.0 ⁽⁴⁾	207.0	244.0 ⁽³⁾	193.0	225.0 ⁽²⁾	177.0	200.0 ⁽²⁾	162.0	178.0 ⁽²⁾	147.0	159.0 ⁽²⁾	129.0	138.0 ⁽²⁾
	BV BW	245.0* 246.0	328.0 ⁽³⁾ 327.0 ⁽³⁾	227.0 228.0	293.0 ⁽³⁾ 293.0 ⁽³⁾	214.0 216.0	263.0 ⁽³⁾ 264.0 ⁽³⁾	199.0 200.0	234.0 ⁽³⁾ 234.0 ⁽³⁾	181.0 182.0	205.0 ⁽²⁾ 207.0 ⁽²⁾	160.0 162.0	179.0 ⁽²⁾ 181.0 ⁽²⁾	146.0 150.0	158.0 ⁽²⁾ 163.0 ⁽²⁾	127.0 131.0	137.0 ⁽²⁾ 140.0 ⁽²⁾
240	B	217.0	256.0 ⁽⁷⁾	202.0	245.0 ⁽⁵⁾	191.0	233.0 ⁽⁵⁾	178.0	214.0 ⁽²⁾	166.0	193.0 ⁽²⁾	150.0	174.0 ⁽²⁾	138.0	155.0 ⁽²⁾	121.0	134.0 ⁽²⁾
	BV BW	224.0* 224.0	310.0 ⁽⁴⁾ 309.0 ⁽⁴⁾	211.0 214.0	285.0 ⁽³⁾ 285.0 ⁽³⁾	199.0 200.0	260.0 ⁽³⁾ 261.0 ⁽³⁾	185.0 186.0	230.0 ⁽³⁾ 231.0 ⁽³⁾	169.0 171.0	201.0 ⁽²⁾ 201.0 ⁽²⁾	150.0 150.0	175.0 ⁽²⁾ 176.0 ⁽²⁾	136.0 140.0	154.0 ⁽²⁾ 158.0 ⁽²⁾	119.0 124.0	133.0 ⁽²⁾ 137.0 ⁽²⁾
260	B	174.0	234.0 ⁽⁷⁾	186.0	226.0 ⁽⁶⁾	178.0	218.0 ⁽⁶⁾	165.0	201.0 ⁽⁵⁾	152.0	184.0 ⁽³⁾	141.0	168.0 ⁽³⁾	129.0	150.0 ⁽²⁾	114.0	130.0 ⁽²⁾
	BV BW	173.0* 174.0	292.0 ⁽²⁾ 292.0 ⁽²⁾	192.0 192.0	272.0 ⁽²⁾ 271.0 ⁽²⁾	185.0 187.0	252.0 ⁽³⁾ 252.0 ⁽³⁾	172.0 175.0	226.0 ⁽³⁾ 226.0 ⁽³⁾	158.0 160.0	197.0 ⁽³⁾ 197.0 ⁽³⁾	140.0 141.0	170.0 ⁽²⁾ 171.0 ⁽²⁾	128.0 132.0	151.0 ⁽²⁾ 154.0 ⁽³⁾	111.0 116.0	129.0 ⁽²⁾ 133.0 ⁽²⁾
280	B		210.0 ⁽⁷⁾	147.0	206.0 ⁽⁶⁾	163.0	200.0 ⁽⁷⁾	154.0	188.0 ⁽⁶⁾	141.0	174.0 ⁽⁴⁾	132.0	162.0 ⁽³⁾	122.0	146.0 ⁽³⁾	107.0	126.0 ⁽³⁾
	BV BW		272.0 ⁽²⁾	148.0 147.0	262.0 ⁽²⁾ 262.0 ⁽²⁾	167.0 167.0	243.0 ⁽³⁾ 243.0 ⁽³⁾	160.0 162.0	219.0 ⁽³⁾ 219.0 ⁽³⁾	147.0 148.0	192.0 ⁽³⁾ 192.0 ⁽³⁾	131.0 132.0	166.0 ⁽³⁾ 167.0 ⁽³⁾	119.0 124.0	147.0 ⁽³⁾ 150.0 ⁽³⁾	103.0 109.0	125.0 ⁽²⁾ 129.0 ⁽²⁾
300	B		189.0 ⁽¹⁰⁾		186.0 ⁽⁹⁾	129.0	182.0 ⁽⁸⁾	139.0	174.0 ⁽⁷⁾	132.0	163.0 ⁽⁵⁾	124.0	153.0 ⁽⁴⁾	114.0	139.0 ⁽⁴⁾	97.7	123.0 ⁽³⁾
	BV BW		251.0 ⁽⁴⁾ 249.0 ⁽⁴⁾		244.0 ⁽³⁾ 244.0 ⁽³⁾	128.0 129.0	234.0 ⁽³⁾ 234.0 ⁽³⁾	142.0 143.0	212.0 ⁽³⁾ 211.0 ⁽³⁾	138.0 139.0	187.0 ⁽³⁾ 187.0 ⁽³⁾	123.0 125.0	161.0 ⁽³⁾ 162.0 ⁽³⁾	111.0 117.0	143.0 ⁽³⁾ 146.0 ⁽³⁾	96.2 99.9	121.0 ⁽³⁾ 126.0 ⁽³⁾
320	B		165.0 ⁽¹⁰⁾		171.0 ⁽¹⁰⁾		166.0 ⁽⁹⁾	110.0	160.0 ⁽⁸⁾	121.0	153.0 ⁽⁷⁾	116.0	144.0 ⁽⁵⁾	107.0	133.0 ⁽⁴⁾	91.3	118.0 ⁽⁴⁾
	BV BW		229.0 ⁽⁵⁾ 228.0 ⁽⁵⁾		224.0 ⁽⁴⁾ 224.0 ⁽⁴⁾		222.0 ⁽³⁾	108.0 110.0	205.0 ⁽³⁾ 204.0 ⁽³⁾	121.0 123.0	181.0 ⁽³⁾ 181.0 ⁽³⁾	115.0 117.0	157.0 ⁽³⁾ 157.0 ⁽³⁾	104.0 110.0	139.0 ⁽³⁾ 142.0 ⁽³⁾	89.6 93.3	118.0 ⁽³⁾ 122.0 ⁽³⁾
340	B		141.0 ⁽¹¹⁾		147.0 ⁽¹⁰⁾		149.0 ⁽¹⁰⁾		147.0 ⁽⁹⁾	90.8	142.0 ⁽⁷⁾	104.0	135.0 ⁽⁵⁾	97.7	127.0 ⁽⁵⁾	85.8	112.0 ⁽⁵⁾
	BV BW		206.0 ⁽⁸⁾ 206.0 ⁽⁷⁾		200.0 ⁽⁵⁾ 200.0 ⁽⁴⁾		201.0 ⁽⁴⁾ 199.0 ⁽³⁾		193.0 ⁽⁵⁾ 191.0 ⁽⁵⁾	90.6 91.1	176.0 ⁽⁵⁾ 176.0 ⁽⁵⁾	102.0 102.0	152.0 ⁽⁵⁾ 152.0 ⁽⁴⁾	97.6 101.0	135.0 ⁽⁴⁾ 138.0 ⁽⁴⁾	83.8 87.9	114.0 ⁽⁵⁾ 119.0 ⁽⁵⁾
360	B		117.0 ⁽⁹⁾		124.0 ⁽¹¹⁾		130.0 ⁽¹⁰⁾		131.0 ⁽¹⁰⁾		130.0 ⁽⁹⁾	79.3	126.0 ⁽⁸⁾	88.4	119.0 ⁽⁶⁾	80.3	107.0 ⁽⁶⁾
	BV BW		184.0 ⁽⁸⁾ 185.0 ⁽⁸⁾		179.0 ⁽⁵⁾ 179.0 ⁽⁵⁾		180.0 ⁽⁴⁾ 178.0 ⁽⁴⁾		17								

SDWB/SDWBV/SDWBW


S 256



	ft	S 256 ft																	
		W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 138 ft		W 158 ft		W 177 ft		W 197 ft		W 217 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	866.0*	899.0 ^[1]	789.0*	789.0*														
	BW	876.0*	910.0 ^[1]	796.0*	797.0 ^[1]														
60	B	874.0	889.0 ^[1]	792.0	792.0	693.0*	714.0 ^[1]	632.0*	634.0 ^[1]										
	BW	886.0	914.0 ^[1]	745.0*	769.0 ^[1]	700.0*	722.0 ^[1]	637.0*	638.0 ^[1]										
70	B	818.0	887.0 ^[1]	753.0	763.0 ^[2]	706.0	708.0 ^[1]	605.0*	639.0 ^[1]	555.0*	567.0 ^[1]	506.0*	506.0*						
	BW	820.0	908.0 ^[1]	753.0	796.0 ^[1]	715.0	725.0 ^[1]	653.0	653										
80	B	766.0	884.0 ^[1]	707.0	755.0 ^[2]	669.0	704.0 ^[1]	615.0	629.0 ^[1]	565.0	565.0	485.0*	507.0 ^[1]	444.0*	453.0 ^[1]	405.0*	405.0*		
	BW	765.0	908.0 ^[1]	705.0	795.0 ^[1]	680.0	724.0 ^[1]	626.0	645.0 ^[1]	574.0	577.0 ^[1]								
90	B	591.0	827.0 ^[2]	659.0	749.0 ^[2]	628.0	703.0 ^[1]	582.0	626.0 ^[1]	538.0	560.0 ^[1]	496.0	501.0 ^[1]	453.0	453.0	390.0*	406.0 ^[1]	357.0*	363.0 ^[1]
	BW	595.0	894.0 ^[1]	658.0	793.0 ^[1]	642.0	723.0 ^[1]	594.0	643.0 ^[1]	548.0	575.0 ^[1]	504.0	515.0 ^[1]	461.0	461.0				
100	B	595.0	883.0 ^[2]	663.0	769.0 ^[2]	647.0	727.0 ^[1]	598.0	646.0 ^[1]	551.0	577.0 ^[1]	506.0	517.0 ^[1]	463.0	463.0	395.0*	412.0 ^[1]	360.0*	367.0 ^[1]
	BW		763.0 ^[4]	618.0	722.0 ^[2]	591.0	688.0 ^[1]	550.0	624.0 ^[1]	510.0	558.0 ^[1]	472.0	498.0 ^[1]	436.0	449.0 ^[1]	400.0	400.0	366.0	366.0
110	B		876.0 ^[1]	618.0	764.0 ^[2]	604.0	721.0 ^[1]	561.0	641.0 ^[1]	521.0	572.0 ^[1]	482.0	512.0 ^[1]	444.0	459.0 ^[1]	407.0	411.0 ^[1]	369.0	369
	BW		873.0 ^[2]	623.0	767.0 ^[2]	608.0	724.0 ^[1]	565.0	644.0 ^[1]	524.0	574.0 ^[1]	485.0	515.0 ^[1]	446.0	446.0	409.0	409.0	371.0	371.0
120	B		698.0 ^[9]	470.0	670.0 ^[3]	557.0	643.0 ^[2]	518.0	604.0 ^[1]	485.0	557.0 ^[1]	450.0	497.0 ^[1]	417.0	446.0 ^[1]	386.0	386.0	354.0	354.0
	BW		853.0 ^[1]	474.0	763.0 ^[2]	567.0	716.0 ^[1]	530.0	640.0 ^[1]	494.0	569.0 ^[1]	460.0	510.0 ^[1]	425.0	456.0 ^[1]	392.0	409.0 ^[1]	359.0	366.0 ^[1]
130	B		863.0 ^[2]	473.0	768.0 ^[2]	571.0	723.0 ^[1]	534.0	641.0 ^[1]	498.0	572.0 ^[1]	462.0	512.0 ^[1]	429.0	438.0 ^[2]	394.0	394.0	362.0	362.0
	BW		636.0 ^[9]		629.0 ^[7]	529.0	602.0 ^[4]	491.0	573.0 ^[2]	458.0	533.0 ^[2]	429.0	495.0 ^[1]	398.0	444.0 ^[1]	370.0	379.0 ^[2]	342.0	342.0
140	B		804.0 ^[4]		761.0 ^[2]	537.0	711.0 ^[1]	499.0	640.0 ^[1]	468.0	569.0 ^[1]	438.0	507.0 ^[1]	407.0	454.0 ^[1]	377.0	407.0 ^[1]	348.0	364.0 ^[1]
	BW		810.0 ^[4]		770.0 ^[2]	542.0	723.0 ^[1]	503.0	640.0 ^[1]	472.0	555.0 ^[1]	441.0	507.0 ^[1]	410.0	438.0 ^[2]	380.0	392.0 ^[2]	350.0	351.0 ^[2]
150	B		574.0 ^[9]		583.0 ^[9]	426.0	561.0 ^[4]	469.0	537.0 ^[3]	435.0	511.0 ^[2]	407.0	475.0 ^[2]	381.0	435.0 ^[1]	355.0	379.0 ^[2]	329.0	340.0 ^[2]
	BW		756.0 ^[4]		736.0 ^[3]	430.0	695.0 ^[1]	474.0	641.0 ^[1]	442.0	569.0 ^[1]	415.0	505.0 ^[1]	389.0	452.0 ^[1]	362.0	406.0 ^[1]	335.0	362.0 ^[1]
160	B		732.0 ^[8]		742.0 ^[3]	430.0	709.0 ^[1]	478.0	639.0 ^[1]	446.0	549.0 ^[2]	418.0	489.0 ^[2]	391.0	437.0 ^[2]	364.0	392.0 ^[2]	337.0	350.0 ^[2]
	BW				534.0 ^[9]		529.0 ^[8]	445.0	508.0 ^[5]	414.0	483.0 ^[3]	388.0	455.0 ^[2]	365.0	426.0 ^[2]	339.0	380.0 ^[2]	316.0	339.0 ^[2]
170	B				692.0 ^[4]		663.0 ^[3]	449.0	627.0 ^[1]	419.0	568.0 ^[1]	394.0	504.0 ^[1]	370.0	449.0 ^[1]	346.0	394.0 ^[1]	322.0	361.0 ^[1]
	BW				693.0 ^[4]		678.0 ^[2]	452.0	625.0 ^[1]	423.0	550.0 ^[2]	396.0	489.0 ^[2]	373.0	436.0 ^[2]	348.0	391.0 ^[2]	325.0	350.0 ^[2]
180	B				485.0 ^[9]		496.0 ^[10]	362.0	476.0 ^[4]	396.0	456.0 ^[3]	369.0	437.0 ^[3]	346.0	407.0 ^[2]	325.0	380.0 ^[2]	304.0	340.0 ^[2]
	BW				647.0 ^[5]		631.0 ^[4]	366.0	606.0 ^[2]	400.0	555.0 ^[1]	374.0	502.0 ^[1]	352.0	446.0 ^[1]	331.0	389.0 ^[2]	309.0	348.0 ^[2]
190	B				647.0 ^[4]		637.0 ^[5]	366.0	605.0 ^[3]	403.0	552.0 ^[2]	377.0	490.0 ^[2]	354.0	437.0 ^[2]	333.0	390.0 ^[2]	311.0	350.0 ^[2]
	BW				450.0 ^[1]		457.0 ^[10]		449.0 ^[8]	379.0	434.0 ^[4]	352.0	415.0 ^[4]	331.0	392.0 ^[3]	311.0	365.0 ^[2]	290.0	338.0 ^[2]
200	B				602.0 ^[5]		596.0 ^[4]		585.0 ^[4]	381.0	541.0 ^[2]	357.0	492.0 ^[2]	335.0	442.0 ^[1]	315.0	389.0 ^[2]	296.0	348.0 ^[2]
	BW				602.0 ^[5]		596.0 ^[5]		587.0 ^[4]	384.0	539.0 ^[2]	360.0	492.0 ^[2]	337.0	438.0 ^[2]	318.0	390.0 ^[2]	298.0	349.0 ^[2]
210	B				416.0 ^[1]		419.0 ^[11]		427.0 ^[11]	308.0	411.0 ^[7]	338.0	394.0 ^[5]	317.0	375.0 ^[4]	296.0	353.0 ^[3]	279.0	326.0 ^[3]
	BW				557.0 ^[5]		559.0 ^[8]		553.0 ^[5]	312.0	524.0 ^[3]	341.0	483.0 ^[2]	319.0	439.0 ^[2]	301.0	390.0 ^[2]	283.0	347.0 ^[2]
220	B				557.0 ^[5]		559.0 ^[8]		553.0 ^[4]	313.0	522.0 ^[3]	343.0	483.0 ^[2]	322.0	439.0 ^[2]	302.0	390.0 ^[2]	285.0	348.0 ^[2]
	BW				382.0 ^[1]		386.0 ^[10]		396.0 ^[11]		388.0 ^[8]	323.0	373.0 ^[5]	302.0	359.0 ^[5]	284.0	341.0 ^[4]	268.0	318.0 ^[3]
230	B				516.0 ^[1]		524.0 ^[8]		521.0 ^[7]		507.0 ^[5]	326.0	471.0 ^[3]	306.0	433.0 ^[2]	288.0	390.0 ^[2]	270.0	347.0 ^[2]
	BW				512.0 ^[5]		524.0 ^[6]		521.0 ^[7]		505.0 ^[5]	329.0	469.0 ^[3]	309.0	432.0 ^[2]	289.0	390.0 ^[2]	273.0	347.0 ^[2]
240	B				348.0 ^[1]		357.0 ^[10]		365.0 ^[11]		369.0 ^[11]		355.0 ^[8]	291.0	341.0 ^[5]	272.0	327.0 ^[5]	255.0	308.0 ^[4]
	BW				469.0 ^[7]		486.0 ^[8]		492.0 ^[9]		486.0 ^[4]		457.0 ^[4]	293.0	342.0 ^[5]	276.0	336.0 ^[2]	259.0	347.0 ^[2]
250	B				473.0 ^[7]		488.0 ^[8]		492.0 ^[9]		486.0 ^[4]		454.0 ^[4]	295.0	423.0 ^[5]	279.0	385.0 ^[2]	261.0	347.0 ^[2]
	BW				314.0 ^[8]		328.0 ^[10]		337.0 ^[10]		344.0 ^[11]		338.0 ^[9]	279.0	326.0 ^[7]	262.0	313.0 ^[5]	244.0	294.0 ^[4]
260	B				455.0 ^[1]		453.0 ^[9]		462.0 ^[9]		460.0 ^[7]		441.0 ^[5]	280.0	413.0 ^[4]	264.0	381.0 ^[3]	249.0	344.0 ^[2]
	BW				443.0 ^[8]		454.0 ^[9]		462.0 ^[9]		459.0 ^[9]		439.0 ^[5]	282.0	412.0 ^[4]	266.0	381.0 ^[3]	251.0	343.0 ^[2]
270	B				268.0 ^[8]		269.0 ^[8]		288.0 ^[10]		297.0 ^[10]		303.0 ^[11]		298.0 ^[9]	235.0	285.0 ^[4]	227.0	272.0 ^[4]
	BW				370.0 ^[5]		387.0 ^[8]		403.0 ^[10]		409.0 ^[9]		403.0 ^[7]		387.0 ^[6]	238.0	359.0 ^[4]	229.0	332.0 ^[5]
280	B				387.0 ^[8]		388.0 ^[8]		403.0 ^[10]		409.0 ^[9]		403.0 ^[7]		385.0 ^[6]	238.0	359.0 ^[4]	231.0	331.0 ^[5]
	BW						223.0 ^[4]		237.0 ^[8]		253.0 ^[10]		262.0 ^[10]		266.0 ^[10]		262.0 ^[9]	203.0	251.0 ^[8]
290	B						338.0 ^[8]		345.0 ^[8]		358.0 ^[9]		359.0 ^[7]		351.0 ^[4]		335.0 ^[5]	205.0	318.0 ^[5]
	BW						339.0 ^[8]		346.0 ^[8]		358.0 ^[9]		359.0 ^[7]		349.0 ^[4]		334.0 ^[5]	206.0	317.0 ^[5]
300	B								19										

SDWB/SDWBV/SDWBW


S 256



	ft	S 256 ft															
		W 236 ft		W 256 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		W 354 ft		W 374 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
90	B	324.0*	324.0*														
	BV BW	326.0* 314.0*	326.0* 324.0 ⁽¹⁾														
100	B	317.0*	317.0*	288.0*	291.0 ⁽¹⁾	260.0*	260.0*										
	BV BW	322.0 325.0 327.0	322.0 326.0 ⁽¹⁾ 327.0	291.0 293.0 294.0	291.0 293.0 294.0	251.0*	258.0 ⁽¹⁾	227.0*	229.0 ⁽¹⁾	203.0*	203.0*	183.0*	183.0*				
110	B	312.0	312.0	285.0	285.0	257.0	257.0	230.0	230.0	198.0*	202.0 ⁽¹⁾	180.0*	181.0 ⁽¹⁾	161.0*	161.0*	140.0*	
	BV BW	317.0 319.0	324.0 ⁽¹⁾ 319.0	288.0 289.0	290.0 ⁽¹⁾ 289.0	258.0 259.0	258.0 259.0	230.0 232.0	230.0 232.0	199.0*	203.0 ⁽¹⁾	180.0*	181.0 ⁽¹⁾	162.0*	162.0*	141.0*	
120	B	303.0	303.0	278.0	278.0	251.0	251.0	227.0	227.0	201.0	201.0	176.0*	179.0 ⁽¹⁾	159.0*	160.0 ⁽¹⁾	138.0*	
	BV BW	308.0 310.0	323.0 ⁽¹⁾ 313.0 ⁽²⁾	281.0 283.0	288.0 ⁽¹⁾ 283.0	254.0 255.0	257.0 ⁽¹⁾ 255.0	227.0 229.0	228.0 ⁽¹⁾ 229.0	202.0 202.0	202.0 202.0	178.0 177.0*	178.0 181.0 ⁽¹⁾	154.0 159.0*	154.0 161.0 ⁽¹⁾	134.0 138.0 ⁽¹⁾	
130	B	292.0	303.0 ⁽²⁾	269.0	272.0 ⁽²⁾	246.0	246.0	222.0	222.0	198.0	198.0	178.0	178.0	160.0	160.0	136.0*	
	BV BW	297.0 299.0	321.0 ⁽¹⁾ 313.0 ⁽²⁾	273.0 275.0	286.0 ⁽¹⁾ 280.0 ⁽²⁾	248.0 250.0	255.0 ⁽¹⁾ 250.0	224.0 226.0	226.0 ⁽¹⁾ 226.0	199.0 200.0	200.0 ⁽¹⁾ 200.0	176.0 180.0	176.0 180.0	156.0 161.0	156.0 161.0	138.0 ⁽¹⁾	
140	B	281.0	304.0 ⁽²⁾	261.0	272.0 ⁽²⁾	239.0	242.0 ⁽²⁾	218.0	218.0	194.0	194.0	176.0	176.0	157.0	157.0	137.0	
	BV BW	287.0 288.0	311.0 ⁽²⁾ 313.0 ⁽²⁾	265.0 267.0	284.0 ⁽¹⁾ 280.0 ⁽²⁾	242.0 244.0	253.0 ⁽¹⁾ 249.0 ⁽²⁾	219.0 221.0	224.0 ⁽¹⁾ 222.0 ⁽²⁾	196.0 197.0	198.0 ⁽¹⁾ 197.0	173.0 177.0	174.0 ⁽¹⁾ 177.0	154.0 159.0	154.0 159.0	134.0 138.0	
150	B	271.0	304.0 ⁽²⁾	250.0	272.0 ⁽²⁾	232.0	242.0 ⁽²⁾	211.0	216.0 ⁽²⁾	190.0	191.0 ⁽²⁾	173.0	173.0	154.0	154.0	135.0	
	BV BW	276.0 278.0	311.0 ⁽²⁾ 312.0 ⁽²⁾	256.0 257.0	278.0 ⁽²⁾ 280.0 ⁽²⁾	235.0 237.0	251.0 ⁽¹⁾ 248.0 ⁽²⁾	213.0 216.0	222.0 ⁽¹⁾ 221.0 ⁽²⁾	192.0 193.0	197.0 ⁽¹⁾ 195.0 ⁽²⁾	171.0 175.0	172.0 ⁽¹⁾ 175.0	152.0 156.0	152.0 156.0	132.0 136.0	
160	B	259.0	300.0 ⁽²⁾	242.0	272.0 ⁽²⁾	224.0	242.0 ⁽²⁾	208.0	215.0 ⁽²⁾	185.0	189.0 ⁽²⁾	170.0	171.0 ⁽²⁾	151.0	151.0	133.0	
	BV BW	264.0 266.0	310.0 ⁽²⁾ 312.0 ⁽²⁾	246.0 248.0	278.0 ⁽²⁾ 279.0 ⁽²⁾	228.0 230.0	247.0 ⁽²⁾ 248.0 ⁽²⁾	208.0 210.0	221.0 ⁽¹⁾ 221.0 ⁽²⁾	187.0 189.0	195.0 ⁽¹⁾ 194.0 ⁽²⁾	167.0 172.0	171.0 ⁽¹⁾ 173.0 ⁽²⁾	149.0 152.0	149.0 152.0	130.0 134.0	
170	B	248.0	291.0 ⁽²⁾	233.0	269.0 ⁽²⁾	217.0	241.0 ⁽²⁾	198.0	215.0 ⁽²⁾	180.0	189.0 ⁽²⁾	165.0	169.0 ⁽²⁾	147.0	149.0 ⁽²⁾	131.0	
	BV BW	253.0 255.0	309.0 ⁽²⁾ 310.0 ⁽²⁾	237.0 239.0	277.0 ⁽²⁾ 278.0 ⁽²⁾	220.0 222.0	246.0 ⁽²⁾ 248.0 ⁽²⁾	202.0 203.0	218.0 ⁽²⁾ 220.0 ⁽²⁾	183.0 184.0	193.0 ⁽²⁾ 194.0 ⁽²⁾	163.0 168.0	169.0 ⁽²⁾ 173.0 ⁽²⁾	146.0 149.0	148.0 ⁽²⁾ 151.0 ⁽²⁾	128.0 132.0	
180	B	239.0	284.0 ⁽³⁾	224.0	261.0 ⁽³⁾	209.0	238.0 ⁽³⁾	191.0	215.0 ⁽³⁾	175.0	188.0 ⁽³⁾	161.0	168.0 ⁽³⁾	144.0	148.0 ⁽³⁾	128.0	
	BV BW	242.0 244.0	308.0 ⁽²⁾ 308.0 ⁽²⁾	227.0 229.0	275.0 ⁽²⁾ 276.0 ⁽²⁾	212.0 214.0	245.0 ⁽²⁾ 246.0 ⁽²⁾	195.0 196.0	218.0 ⁽²⁾ 220.0 ⁽²⁾	177.0 179.0	192.0 ⁽²⁾ 193.0 ⁽²⁾	159.0 165.0	168.0 ⁽²⁾ 172.0 ⁽²⁾	143.0 147.0	148.0 ⁽²⁾ 151.0 ⁽²⁾	125.0 130.0	
190	B	230.0	275.0 ⁽³⁾	216.0	255.0 ⁽³⁾	201.0	234.0 ⁽³⁾	185.0	211.0 ⁽²⁾	170.0	188.0 ⁽²⁾	157.0	167.0 ⁽²⁾	141.0	147.0 ⁽²⁾	125.0	
	BV BW	232.0 234.0	306.0 ⁽²⁾ 307.0 ⁽²⁾	218.0 220.0	273.0 ⁽³⁾ 274.0 ⁽²⁾	203.0 205.0	243.0 ⁽²⁾ 244.0 ⁽²⁾	188.0 190.0	216.0 ⁽²⁾ 219.0 ⁽²⁾	172.0 174.0	191.0 ⁽²⁾ 192.0 ⁽²⁾	155.0 160.0	167.0 ⁽²⁾ 171.0 ⁽²⁾	139.0 143.0	147.0 ⁽²⁾ 150.0 ⁽²⁾	122.0 127.0	
200	B	211.0	258.0 ⁽³⁾	199.0	240.0 ⁽³⁾	186.0	226.0 ⁽³⁾	173.0	202.0 ⁽²⁾	158.0	183.0 ⁽²⁾	146.0	164.0 ⁽²⁾	133.0	145.0 ⁽²⁾	119.0	
	BV BW	215.0 218.0	302.0 ⁽³⁾ 302.0 ⁽³⁾	201.0 202.0	269.0 ⁽³⁾ 270.0 ⁽²⁾	188.0 189.0	239.0 ⁽²⁾ 240.0 ⁽²⁾	174.0 176.0	212.0 ⁽²⁾ 215.0 ⁽²⁾	161.0 163.0	188.0 ⁽²⁾ 189.0 ⁽²⁾	146.0 149.0	164.0 ⁽²⁾ 169.0 ⁽²⁾	132.0 137.0	145.0 ⁽²⁾ 148.0 ⁽²⁾	115.0 121.0	
220	B	195.0	240.0 ⁽⁴⁾	183.0	225.0 ⁽⁴⁾	174.0	212.0 ⁽³⁾	161.0	193.0 ⁽³⁾	146.0	178.0 ⁽³⁾	137.0	160.0 ⁽³⁾	125.0	141.0 ⁽²⁾	112.0	
	BV BW	198.0 199.0	293.0 ⁽⁴⁾ 293.0 ⁽⁴⁾	186.0 188.0	267.0 ⁽³⁾ 268.0 ⁽³⁾	174.0 176.0	237.0 ⁽³⁾ 238.0 ⁽³⁾	161.0 164.0	209.0 ⁽³⁾ 211.0 ⁽³⁾	149.0 150.0	184.0 ⁽²⁾ 185.0 ⁽²⁾	136.0 140.0	160.0 ⁽²⁾ 165.0 ⁽²⁾	124.0 129.0	142.0 ⁽²⁾ 145.0 ⁽²⁾	108.0 113.0	
240	B	175.0	222.0 ⁽⁸⁾	171.0	212.0 ⁽⁷⁾	159.0	195.0 ⁽⁴⁾	148.0	182.0 ⁽³⁾	137.0	170.0 ⁽³⁾	128.0	155.0 ⁽²⁾	118.0	138.0 ⁽³⁾	102.0	
	BV BW	176.0 177.0	278.0 ⁽⁵⁾ 277.0 ⁽⁵⁾	172.0 174.0	257.0 ⁽⁴⁾ 258.0 ⁽⁴⁾	161.0 164.0	233.0 ⁽³⁾ 233.0 ⁽³⁾	149.0 151.0	208.0 ⁽³⁾ 210.0 ⁽³⁾	137.0 139.0	181.0 ⁽³⁾ 182.0 ⁽³⁾	126.0 130.0	156.0 ⁽²⁾ 161.0 ⁽³⁾	115.0 121.0	138.0 ⁽²⁾ 142.0 ⁽²⁾	100.0 104.0	
260	B		203.0 ⁽⁹⁾	152.0	192.0 ⁽⁷⁾	146.0	183.0 ⁽⁷⁾	137.0	171.0 ⁽⁴⁾	128.0	161.0 ⁽⁴⁾	120.0	149.0 ⁽³⁾	110.0	135.0 ⁽³⁾	95.0	
	BV BW		262.0 ⁽²⁾	153.0	244.0 ⁽³⁾	149.0	225.0 ⁽³⁾	138.0	203.0 ⁽³⁾	127.0	177.0 ⁽³⁾	116.0	153.0 ⁽³⁾	107.0	135.0 ⁽³⁾	93.4	
280	B		262.0 ⁽²⁾	153.0	245.0 ⁽³⁾	150.0	226.0 ⁽³⁾	140.0	204.0 ⁽³⁾	129.0	178.0 ⁽³⁾	121.0	158.0 ⁽³⁾	112.0	139.0 ⁽³⁾	96.9	
	BV BW		182.0 ⁽¹⁰⁾		177.0 ⁽⁶⁾	131.0	172.0 ⁽⁶⁾	127.0	160.0 ⁽³⁾	118.0	150.0 ⁽³⁾	112.0	141.0 ⁽⁴⁾	101.0	130.0 ⁽³⁾	88.8	
300	B		241.0 ⁽⁵⁾		233.0 ⁽⁵⁾	132.0	218.0 ⁽⁵⁾	128.0	197.0 ⁽³⁾	119.0	173.0 ⁽³⁾	108.0	149.0 ⁽³⁾	98.2	132.0 ⁽³⁾	86.7	
	BV BW		241.0 ⁽⁵⁾		233.0 ⁽⁵⁾	133.0	219.0 ⁽⁵⁾	130.0	198.0 ⁽³⁾	121.0	174.0 ⁽³⁾	113.0	153.0 ⁽³⁾	103.0	136.0 ⁽³⁾	90.9	
320	B		163.0 ⁽¹¹⁾		163.0 ⁽¹⁰⁾		158.0 ⁽⁹⁾	113.0	150.0 ⁽⁸⁾	110.0	141.0 ⁽⁶⁾	103.0	133.0 ⁽³⁾	93.1	126.0 ⁽⁴⁾	83.1	
	BV BW		222.0 ⁽⁵⁾		217.0 ⁽⁴⁾		211.0 ⁽³⁾	112.0	192.0 ⁽³⁾	110.0	169.0 ⁽⁴⁾	100.0	145.0 ⁽³⁾	91.5	128.0 ⁽³⁾	80.3	
340	B		223.0 ⁽⁵⁾		217.0 ⁽⁴⁾		211.0 ⁽³⁾	114.0	192.0 ⁽³⁾	113.0	170.0 ⁽⁴⁾	104.0	149.0 ⁽³⁾	95.1	132.0 ⁽³⁾	85.2	
	BV BW		139.0 ⁽¹¹⁾		145.0 ⁽¹¹⁾		145.0 ⁽¹⁰⁾		140.0 ⁽⁹⁾	93.9	133.0 ⁽⁷⁾	93.1	126.0 ⁽⁶⁾	87.2	120.0 ⁽⁵⁾	77.6	
360	B		205.0 ⁽⁷⁾		200.0 ⁽⁵⁾		197.0 ⁽⁴⁾		186.0 ⁽³⁾	94.8	166.0 ⁽⁴⁾	92.6	142.0 ⁽⁴⁾	84.4	125.0 ⁽⁴⁾	74.8	
	BV BW		204.0 ⁽⁷⁾		200.0 ⁽⁵⁾		196.0 ⁽⁴⁾		186.0 ⁽³⁾	95.0	167.0 ⁽⁴⁾	95.8	144.0 ⁽³⁾	88.5	129.0 ⁽³⁾	80.0	
380	B		113.0 ⁽¹¹⁾		123.0 ⁽¹¹⁾		128.0 ⁽¹¹⁾		131.0 ⁽¹⁰⁾		125.0 ⁽⁹⁾	81.9	119.0 ⁽⁷⁾	79.8	113.0 ⁽⁶⁾	72.1	
	BV BW		185.0 ⁽⁹⁾		185.0 ⁽⁷⁾		180.0 ⁽⁵⁾		175.0 ⁽⁴⁾		163.0 ⁽⁴⁾	78.5	139.0 ⁽⁴⁾	78.0	122.0 ⁽⁴⁾	68.7	
400	B		184.0 ⁽⁹⁾		185.0 ⁽⁷⁾		180.0 ⁽⁵⁾		176.0 ⁽⁴⁾		164.0 ⁽⁴⁾	82.9	142.0 ⁽⁴⁾	82.4	126.0 ⁽⁴⁾	74.1	
	BV BW		93.0 ⁽⁹⁾		99.4 ⁽⁹⁾		108.0 ⁽¹¹⁾		112.0 ⁽¹⁰⁾		117.0 ⁽¹⁰⁾		111.0 ⁽⁹⁾	68.7	104.0 ⁽⁷⁾	66.2	
420	B		161.0 ⁽⁹⁾		165.0 ⁽⁹⁾		163.0 ⁽⁸⁾		159.0 ⁽⁸⁾		154.0 ⁽⁸⁾		136.0 ⁽⁴⁾	63.9	120.0 ⁽⁴⁾	63.4	
	BV BW		160.0 ⁽⁹⁾		166.0 ⁽⁹⁾		163.0 ⁽⁸⁾		159.0 ⁽⁸⁾		155.0 ⁽⁸⁾		139.0 ⁽⁴⁾	69.4	124.0 ⁽⁴⁾	68.9	

SDWB/SDWBV/SDWBW


S 276



ft		S 276 ft																	
		W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 138 ft		W 158 ft		W 177 ft		W 197 ft		W 217 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	774.0*	797.0 ⁽¹⁾	705.0*	705.0*														
	BV																		
	BW	782.0*	805.0 ⁽¹⁾	709.0*	709.0*														
60	B	784.0	793.0 ⁽¹⁾	660.0*	673.0 ⁽²⁾	622.0*	635.0 ⁽³⁾	567.0*	567.0*										
	BV	787.0	803.0 ⁽¹⁾																
	BW	791.0	797.0 ⁽¹⁾	666.0*	681.0 ⁽²⁾	626.0*	640.0 ⁽³⁾	569.0*	569.0*										
70	B	742.0	789.0 ⁽¹⁾	678.0	681.0 ⁽²⁾	631.0	634.0 ⁽³⁾	545.0*	566.0 ⁽³⁾	497.0*	505.0 ⁽¹⁾	455.0*	455.0*						
	BV	737.0	803.0 ⁽¹⁾	676.0	704.0 ⁽¹⁾	639.0	643.0 ⁽¹⁾												
	BW	741.0	782.0 ⁽²⁾	678.0	682.0 ⁽²⁾	641.0	645.0 ⁽¹⁾	548.0*	573.0 ⁽¹⁾	500.0*	508.0 ⁽¹⁾	457.0*	457.0*						
80	B	697.0	787.0 ⁽¹⁾	640.0	675.0 ⁽²⁾	599.0	628.0 ⁽³⁾	551.0	564.0 ⁽¹⁾	504.0	504.0	437.0*	453.0 ⁽¹⁾	398.0*	404.0 ⁽¹⁾	365.0*	365.0*		
	BV	690.0	803.0 ⁽¹⁾	636.0	703.0 ⁽¹⁾	610.0	641.0 ⁽¹⁾	560.0	573.0 ⁽¹⁾	512.0	512.0								
	BW	693.0	783.0 ⁽²⁾	638.0	681.0 ⁽²⁾	612.0	643.0 ⁽¹⁾	562.0	574.0 ⁽¹⁾	514.0	514.0	442.0*	459.0 ⁽¹⁾	401.0*	408.0 ⁽¹⁾	368.0*	368.0*		
90	B	637.0	765.0 ⁽¹⁾	600.0	669.0 ⁽²⁾	563.0	626.0 ⁽³⁾	522.0	558.0 ⁽¹⁾	480.0	499.0 ⁽¹⁾	444.0	449.0 ⁽¹⁾	405.0	405.0	353.0*	364.0 ⁽¹⁾	320.0*	324.0 ⁽¹⁾
	BV	638.0	802.0 ⁽¹⁾	593.0	701.0 ⁽¹⁾	576.0	640.0 ⁽¹⁾	532.0	570.0 ⁽¹⁾	489.0	509.0 ⁽¹⁾	451.0	458.0 ⁽¹⁾	411.0	411.0				
	BW	639.0	783.0 ⁽²⁾	596.0	680.0 ⁽²⁾	579.0	641.0 ⁽¹⁾	535.0	572.0 ⁽¹⁾	491.0	511.0 ⁽¹⁾	452.0	459.0 ⁽¹⁾	413.0	413.0	355.0*	368.0 ⁽¹⁾	323.0*	327.0 ⁽¹⁾
100	B		716.0 ⁽¹⁾	563.0	660.0 ⁽²⁾	533.0	624.0 ⁽³⁾	494.0	555.0 ⁽¹⁾	457.0	495.0 ⁽¹⁾	424.0	447.0 ⁽¹⁾	389.0	399.0 ⁽¹⁾	360.0	360.0	327.0	327.0
	BV		802.0 ⁽¹⁾	559.0	684.0 ⁽¹⁾	543.0	638.0 ⁽¹⁾	504.0	568.0 ⁽¹⁾	466.0	506.0 ⁽¹⁾	432.0	455.0 ⁽¹⁾	396.0	407.0 ⁽¹⁾	365.0	367.0 ⁽¹⁾	330.0	330.0
	BW		782.0 ⁽²⁾	563.0	678.0 ⁽²⁾	546.0	639.0 ⁽¹⁾	506.0	570.0 ⁽¹⁾	468.0	508.0 ⁽¹⁾	434.0	457.0 ⁽¹⁾	397.0	398.0 ⁽¹⁾	367.0	367.0	332.0	332.0
110	B		667.0 ⁽¹⁾	518.0	623.0 ⁽⁴⁾	505.0	594.0 ⁽²⁾	468.0	547.0 ⁽¹⁾	433.0	492.0 ⁽¹⁾	405.0	445.0 ⁽¹⁾	374.0	397.0 ⁽¹⁾	347.0	347.0	317.0	317.0
	BV		802.0 ⁽¹⁾	514.0	680.0 ⁽²⁾	511.0	638.0 ⁽¹⁾	477.0	566.0 ⁽¹⁾	443.0	504.0 ⁽¹⁾	413.0	453.0 ⁽¹⁾	380.0	405.0 ⁽¹⁾	352.0	366.0 ⁽¹⁾	321.0	326.0 ⁽¹⁾
	BW		784.0 ⁽²⁾	519.0	680.0 ⁽²⁾	514.0	637.0 ⁽¹⁾	479.0	567.0 ⁽¹⁾	444.0	505.0 ⁽¹⁾	414.0	454.0 ⁽¹⁾	382.0	388.0 ⁽²⁾	353.0	353.0	322.0	322.0
120	B		617.0 ⁽¹⁾		586.0 ⁽⁴⁾	478.0	562.0 ⁽³⁾	444.0	524.0 ⁽²⁾	411.0	478.0 ⁽¹⁾	386.0	442.0 ⁽¹⁾	358.0	395.0 ⁽¹⁾	333.0	342.0 ⁽²⁾	305.0	305.0
	BV		775.0 ⁽²⁾		683.0 ⁽²⁾	485.0	637.0 ⁽¹⁾	450.0	565.0 ⁽¹⁾	420.0	502.0 ⁽¹⁾	393.0	451.0 ⁽¹⁾	364.0	403.0 ⁽¹⁾	339.0	364.0 ⁽¹⁾	310.0	324.0 ⁽¹⁾
	BW		776.0 ⁽²⁾		682.0 ⁽²⁾	487.0	636.0 ⁽¹⁾	452.0	566.0 ⁽¹⁾	422.0	495.0 ⁽¹⁾	395.0	452.0 ⁽¹⁾	365.0	388.0 ⁽²⁾	340.0	349.0 ⁽²⁾	312.0	312.0
130	B		568.0 ⁽¹⁾		551.0 ⁽⁵⁾	459.0	530.0 ⁽³⁾	422.0	500.0 ⁽³⁾	391.0	464.0 ⁽²⁾	367.0	425.0 ⁽¹⁾	342.0	394.0 ⁽¹⁾	320.0	342.0 ⁽²⁾	294.0	304.0 ⁽²⁾
	BV		737.0 ⁽⁵⁾		681.0 ⁽²⁾	462.0	637.0 ⁽¹⁾	428.0	565.0 ⁽¹⁾	397.0	502.0 ⁽¹⁾	374.0	450.0 ⁽¹⁾	348.0	401.0 ⁽¹⁾	325.0	362.0 ⁽¹⁾	299.0	323.0 ⁽¹⁾
	BW		735.0 ⁽⁵⁾		679.0 ⁽²⁾	464.0	636.0 ⁽¹⁾	430.0	566.0 ⁽¹⁾	398.0	485.0 ⁽²⁾	376.0	438.0 ⁽¹⁾	349.0	387.0 ⁽²⁾	327.0	348.0 ⁽²⁾	301.0	311.0 ⁽²⁾
140	B		519.0 ⁽¹⁾		518.0 ⁽¹⁰⁾		500.0 ⁽⁷⁾	402.0	474.0 ⁽⁴⁾	373.0	444.0 ⁽³⁾	349.0	415.0 ⁽²⁾	325.0	377.0 ⁽²⁾	306.0	341.0 ⁽²⁾	283.0	304.0 ⁽²⁾
	BV		690.0 ⁽⁶⁾		648.0 ⁽⁴⁾		618.0 ⁽²⁾	406.0	564.0 ⁽¹⁾	376.0	501.0 ⁽¹⁾	355.0	449.0 ⁽¹⁾	331.0	400.0 ⁽¹⁾	311.0	360.0 ⁽¹⁾	288.0	321.0 ⁽¹⁾
	BW		690.0 ⁽⁶⁾		646.0 ⁽⁴⁾		616.0 ⁽²⁾	408.0	565.0 ⁽¹⁾	378.0	486.0 ⁽²⁾	356.0	434.0 ⁽²⁾	333.0	387.0 ⁽²⁾	313.0	348.0 ⁽²⁾	289.0	311.0 ⁽²⁾
150	B		478.0 ⁽⁸⁾		480.0 ⁽¹⁰⁾		469.0 ⁽⁹⁾	389.0	449.0 ⁽²⁾	356.0	425.0 ⁽⁴⁾	334.0	401.0 ⁽³⁾	311.0	368.0 ⁽²⁾	293.0	340.0 ⁽²⁾	272.0	303.0 ⁽²⁾
	BV		642.0 ⁽⁷⁾		617.0 ⁽⁶⁾		591.0 ⁽⁵⁾	388.0	548.0 ⁽²⁾	359.0	500.0 ⁽¹⁾	337.0	448.0 ⁽¹⁾	315.0	399.0 ⁽¹⁾	298.0	358.0 ⁽¹⁾	276.0	309.0 ⁽²⁾
	BW		642.0 ⁽⁷⁾		614.0 ⁽⁶⁾		589.0 ⁽⁵⁾	391.0	547.0 ⁽²⁾	362.0	487.0 ⁽²⁾	339.0	435.0 ⁽²⁾	317.0	386.0 ⁽²⁾	299.0	347.0 ⁽²⁾	278.0	310.0 ⁽²⁾
160	B		440.0 ⁽⁹⁾		443.0 ⁽¹⁰⁾		443.0 ⁽¹¹⁾		425.0 ⁽⁷⁾	341.0	407.0 ⁽⁵⁾	321.0	384.0 ⁽⁴⁾	297.0	357.0 ⁽³⁾	280.0	331.0 ⁽³⁾	261.0	303.0 ⁽²⁾
	BV		596.0 ⁽⁸⁾		582.0 ⁽⁷⁾		569.0 ⁽⁶⁾		528.0 ⁽³⁾	343.0	487.0 ⁽²⁾	322.0	445.0 ⁽¹⁾	300.0	398.0 ⁽¹⁾	284.0	356.0 ⁽¹⁾	264.0	308.0 ⁽²⁾
	BW		596.0 ⁽⁸⁾		580.0 ⁽⁷⁾		566.0 ⁽⁶⁾		527.0 ⁽³⁾	344.0	488.0 ⁽²⁾	325.0	435.0 ⁽²⁾	301.0	387.0 ⁽²⁾	285.0	347.0 ⁽²⁾	266.0	310.0 ⁽²⁾
170	B		401.0 ⁽⁹⁾		411.0 ⁽¹⁰⁾		412.0 ⁽¹¹⁾		407.0 ⁽¹¹⁾	326.0	385.0 ⁽³⁾	307.0	368.0 ⁽⁵⁾	284.0	344.0 ⁽³⁾	268.0	322.0 ⁽³⁾	250.0	294.0 ⁽²⁾
	BV		549.0 ⁽⁸⁾		546.0 ⁽⁷⁾		547.0 ⁽⁷⁾		507.0 ⁽⁴⁾	327.0	472.0 ⁽³⁾	307.0	436.0 ⁽²⁾	285.0	387.0 ⁽²⁾	271.0	355.0 ⁽¹⁾	252.0	309.0 ⁽²⁾
	BW		550.0 ⁽⁸⁾		544.0 ⁽⁷⁾		545.0 ⁽⁷⁾		505.0 ⁽⁴⁾	329.0	471.0 ⁽³⁾	309.0	436.0 ⁽²⁾	287.0	387.0 ⁽²⁾	273.0	348.0 ⁽²⁾	253.0	310.0 ⁽²⁾
180	B		363.0 ⁽⁹⁾		380.0 ⁽¹⁰⁾		382.0 ⁽¹⁰⁾		383.0 ⁽¹¹⁾		365.0 ⁽⁸⁾	295.0	351.0 ⁽⁵⁾	274.0	331.0 ⁽³⁾	257.0	311.0 ⁽⁴⁾	239.0	286.0 ⁽³⁾
	BV		502.0 ⁽⁸⁾		510.0 ⁽⁸⁾		517.0 ⁽⁹⁾		491.0 ⁽⁴⁾		456.0 ⁽⁴⁾	294.0	422.0 ⁽³⁾	274.0	388.0 ⁽²⁾	259.0	348.0 ⁽²⁾	241.0	309.0 ⁽²⁾
	BW		504.0 ⁽⁸⁾		509.0 ⁽⁸⁾		516.0 ⁽¹⁰⁾		489.0 ⁽⁶⁾		455.0 ⁽⁴⁾	296.0	424.0 ⁽³⁾	276.0	388.0 ⁽²⁾	261.0	348.0 ⁽²⁾	242.0	310.0 ⁽²⁾
190	B				348.0 ⁽¹⁰⁾		354.0 ⁽¹⁰⁾		358.0 ⁽¹¹⁾		348.0 ⁽¹¹⁾	277.0	335.0 ⁽⁷⁾	264.0	319.0 ⁽³⁾	248.0	300.0 ⁽²⁾	230.0	279.0 ⁽²⁾
	BV		463.0 ⁽⁷⁾		475.0 ⁽⁸⁾		485.0 ⁽⁹⁾		473.0 ⁽⁸⁾		439.0 ⁽⁵⁾	278.0	409.0 ⁽³⁾	262.0	377.0 ⁽²⁾	249.0	349.0 ⁽²⁾	230.0	310.0 ⁽²⁾
	BW				475.0 ⁽⁸⁾		484.0 ⁽¹⁰⁾		471.0 ⁽⁸⁾		437.0 ⁽⁵⁾	280.0	409.0 ⁽³⁾	265.0	377.0 ⁽²⁾	249.0	349.0 ⁽²⁾	232.0	311.0 ⁽²⁾
200	B				317.0 ⁽¹⁰⁾		327.0 ⁽¹⁰⁾		334.0 ⁽¹⁰⁾		331.0 ⁽¹¹⁾		322.0 ⁽⁹⁾	254.0	304.0 ⁽⁶⁾	239.0	288.0 ⁽⁵⁾	222.0	271.0 ⁽²⁾
	BV		433.0 ⁽⁷⁾		439.0 ⁽⁹⁾		452.0 ⁽⁹⁾		453.0 ⁽¹⁰⁾		425.0 ⁽⁷⁾		397.0 ⁽⁵⁾	252.0	368.0 ⁽⁵⁾	238.0	341.0 ⁽²⁾	222.0	310.0 ⁽²⁾
	BW				440.0 ⁽⁹⁾		452.0 ⁽¹⁰⁾		449.0 ⁽¹⁰⁾		424.0 ⁽⁷⁾		396.0 ⁽⁵⁾	253.0	368.0 ⁽⁵⁾	239.0	341.0 ⁽²⁾	223.0	311.0 ⁽²⁾
220	B				272.0 ⁽¹⁰⁾		272.0 ⁽¹⁰⁾		287.0 ⁽¹⁰⁾		290.0 ⁽¹¹⁾		293.0 ⁽¹¹⁾		278.0 ⁽⁹⁾	222.0	267.0 ⁽⁷⁾	206.0	251.0 ⁽⁴⁾
	BV		373.0 ⁽⁷⁾				388.0 ⁽¹⁰⁾		399.0 ⁽¹⁰⁾		393.0 ⁽¹⁰⁾		371.0 ⁽⁷⁾		347.0 ⁽⁵⁾	219.0	325.0 ⁽⁴⁾	204.	

SDWB/SDWBV/SDWBW


S 276



 ft	S 276 ft															
	W 236 ft		W 256 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		W 354 ft		W 374 ft	
	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
90	B	293.0*	293.0*													
	BV															
	BW	294.0*	294.0*													
100	B	284.0*	291.0 ^[1]	257.0*	259.0 ^[1]	232.0*	232.0*									
	BV															
	BW	286.0*	294.0 ^[1]	257.0*	261.0 ^[1]	233.0*	233.0*									
110	B	290.0	290.0	249.0	259.0 ^[1]	226.0*	231.0 ^[1]	203.0*	205.0 ^[1]	185.0*	185.0*					
	BV															
	BW	293.0	294.0 ^[1]	264.0	264.0											
120	B	294.0	294.0	250.0	262.0 ^[1]	228.0*	233.0 ^[1]	204.0*	206.0 ^[1]	186.0*	186.0*					
	BV															
	BW	281.0	281.0	255.0	255.0	231.0	231.0	197.0*	205.0 ^[1]	181.0*	184.0 ^[1]	162.0*	163.0 ^[1]	144.0*	144.0*	123.0*
130	B	285.0	292.0 ^[1]	257.0	260.0 ^[1]	233.0	233.0									
	BV															
	BW	286.0	286.0	259.0	259.0	234.0	234.0	198.0*	207.0 ^[1]	182.0*	185.0 ^[1]	163.0*	164.0 ^[1]	144.0*	144.0*	91.3*
140	B	272.0	274.0 ^[2]	247.0	247.0	226.0	226.0	203.0	203.0	185.0	185.0	158.0*	163.0 ^[1]	140.0*	143.0 ^[1]	124.0*
	BV															
	BW	276.0	290.0 ^[1]	250.0	258.0 ^[1]	227.0	231.0 ^[1]	205.0	206.0 ^[1]	183.0	183.0					
150	B	278.0	279.0 ^[2]	251.0	251.0	229.0	229.0	205.0	205.0	186.0	186.0	159.0*	164.0 ^[1]	141.0*	143.0 ^[1]	124.0*
	BV															
	BW	263.0	274.0 ^[2]	239.0	242.0 ^[2]	219.0	219.0	198.0	198.0	181.0	181.0	162.0	162.0	143.0	143.0	122.0*
160	B	267.0	289.0 ^[1]	243.0	257.0 ^[1]	221.0	229.0 ^[1]	200.0	204.0 ^[1]	179.0	181.0 ^[1]	159.0	159.0	141.0	141.0	
	BV															
	BW	269.0	279.0 ^[2]	244.0	247.0 ^[2]	223.0	223.0	200.0	200.0	183.0	183.0	164.0	164.0	144.0	144.0	122.0*
170	B	253.0	274.0 ^[2]	232.0	242.0 ^[2]	213.0	217.0 ^[2]	192.0	192.0	177.0	177.0	159.0	159.0	141.0	141.0	124.0
	BV															
	BW	258.0	287.0 ^[1]	236.0	255.0 ^[1]	215.0	228.0 ^[1]	195.0	203.0 ^[1]	175.0	179.0 ^[1]	156.0	157.0 ^[1]	138.0	139.0 ^[1]	120.0
180	B	259.0	278.0 ^[2]	237.0	247.0 ^[2]	217.0	221.0 ^[2]	196.0	196.0	179.0	179.0	161.0	161.0	142.0	142.0	125.0
	BV															
	BW	244.0	274.0 ^[2]	224.0	242.0 ^[2]	206.0	217.0 ^[2]	187.0	191.0 ^[2]	172.0	173.0 ^[2]	154.0	154.0	138.0	138.0	122.0
190	B	248.0	284.0 ^[1]	228.0	246.0 ^[2]	209.0	226.0 ^[1]	190.0	201.0 ^[1]	171.0	178.0 ^[1]	152.0	156.0 ^[1]	136.0	138.0 ^[1]	118.0
	BV															
	BW	248.0	278.0 ^[2]	229.0	246.0 ^[2]	211.0	221.0 ^[2]	191.0	195.0 ^[2]	175.0	176.0 ^[2]	157.0	157.0	140.0	140.0	124.0
200	B	235.0	274.0 ^[2]	217.0	242.0 ^[2]	198.0	217.0 ^[2]	182.0	191.0 ^[2]	168.0	173.0 ^[2]	149.0	150.0 ^[2]	135.0	135.0	120.0
	BV															
	BW	238.0	282.0 ^[1]	219.0	245.0 ^[2]	202.0	219.0 ^[2]	184.0	200.0 ^[1]	166.0	176.0 ^[1]	149.0	155.0 ^[1]	133.0	136.0 ^[1]	116.0
210	B	239.0	278.0 ^[2]	221.0	246.0 ^[2]	203.0	220.0 ^[2]	186.0	195.0 ^[2]	171.0	176.0 ^[2]	153.0	155.0 ^[2]	137.0	137.0	121.0
	BV															
	BW	226.0	265.0 ^[2]	209.0	242.0 ^[2]	192.0	217.0 ^[2]	176.0	191.0 ^[2]	163.0	173.0 ^[2]	145.0	150.0 ^[2]	132.0	133.0 ^[2]	117.0
220	B	227.0	279.0 ^[1]	211.0	245.0 ^[2]	195.0	218.0 ^[2]	179.0	194.0 ^[2]	162.0	175.0 ^[1]	145.0	153.0 ^[1]	130.0	135.0 ^[1]	113.0
	BV															
	BW	229.0	278.0 ^[2]	213.0	245.0 ^[2]	196.0	220.0 ^[2]	180.0	194.0 ^[2]	167.0	175.0 ^[2]	148.0	154.0 ^[2]	134.0	136.0 ^[2]	119.0
230	B	217.0	259.0 ^[2]	200.0	236.0 ^[2]	185.0	216.0 ^[2]	171.0	191.0 ^[2]	158.0	173.0 ^[2]	141.0	150.0 ^[2]	129.0	133.0 ^[2]	114.0
	BV															
	BW	218.0	277.0 ^[1]	202.0	245.0 ^[2]	188.0	218.0 ^[2]	173.0	193.0 ^[2]	157.0	171.0 ^[2]	141.0	149.0 ^[2]	126.0	133.0 ^[1]	110.0
240	B	219.0	278.0 ^[2]	203.0	246.0 ^[2]	189.0	219.0 ^[2]	174.0	194.0 ^[2]	162.0	174.0 ^[2]	144.0	153.0 ^[2]	131.0	135.0 ^[2]	115.0
	BV															
	BW	208.0	252.0 ^[2]	192.0	232.0 ^[2]	179.0	209.0 ^[2]	165.0	189.0 ^[2]	153.0	172.0 ^[2]	137.0	149.0 ^[2]	125.0	132.0 ^[2]	111.0
250	B	208.0	277.0 ^[2]	193.0	244.0 ^[2]	180.0	217.0 ^[2]	166.0	193.0 ^[2]	152.0	170.0 ^[2]	137.0	149.0 ^[2]	123.0	131.0 ^[2]	108.0
	BV															
	BW	210.0	278.0 ^[2]	194.0	245.0 ^[2]	182.0	219.0 ^[2]	168.0	193.0 ^[2]	156.0	174.0 ^[2]	140.0	152.0 ^[2]	128.0	135.0 ^[2]	112.0
260	B	193.0	237.0 ^[3]	178.0	224.0 ^[2]	166.0	201.0 ^[2]	152.0	183.0 ^[2]	142.0	167.0 ^[2]	129.0	147.0 ^[2]	118.0	132.0 ^[2]	103.0
	BV															
	BW	193.0	272.0 ^[2]	178.0	244.0 ^[2]	166.0	216.0 ^[2]	153.0	191.0 ^[2]	141.0	168.0 ^[2]	128.0	147.0 ^[2]	116.0	130.0 ^[2]	102.0
270	B	193.0	273.0 ^[2]	179.0	245.0 ^[2]	168.0	218.0 ^[2]	155.0	192.0 ^[2]	144.0	172.0 ^[2]	132.0	150.0 ^[2]	121.0	134.0 ^[2]	106.0
	BV															
	BW	180.0	222.0 ^[4]	166.0	209.0 ^[3]	154.0	190.0 ^[3]	141.0	178.0 ^[2]	133.0	164.0 ^[2]	121.0	143.0 ^[2]	111.0	129.0 ^[2]	96.3
280	B	177.0	264.0 ^[3]	164.0	240.0 ^[3]	153.0	212.0 ^[2]	141.0	189.0 ^[2]	130.0	166.0 ^[2]	118.0	145.0 ^[2]	108.0	127.0 ^[2]	95.1
	BV															
	BW	179.0	265.0 ^[3]	167.0	241.0 ^[3]	155.0	214.0 ^[3]	142.0	190.0 ^[2]	134.0	170.0 ^[2]	123.0	147.0 ^[2]	113.0	131.0 ^[2]	98.7
290	B	166.0	206.0 ^[5]	153.0	189.0 ^[3]	142.0	179.0 ^[4]	131.0	169.0 ^[3]	123.0	157.0 ^[2]	113.0	140.0 ^[2]	103.0	125.0 ^[2]	90.4
	BV															
	BW	164.0	252.0 ^[4]	151.0	231.0 ^[4]	141.0	210.0 ^[3]	130.0	188.0 ^[3]	120.0	163.0 ^[2]	109.0	142.0 ^[2]	99.2	125.0 ^[2]	87.9
300	B	166.0	253.0 ^[4]	152.0	232.0 ^[4]	143.0	211.0 ^[3]	132.0	189.0 ^[3]	124.0	167.0 ^[3]	114.0	145.0 ^[2]	104.0	129.0 ^[2]	92.0
	BV															
	BW	189.0 ^[10]	140.0	177.0 ^[4]	133.0	169.0 ^[4]	125.0	159.0 ^[4]	115.0	148.0 ^[3]	105.0	136.0 ^[3]	93.7	122.0 ^[3]	84.1	106.0 ^[2]
310	B	241.0 ^[4]	140.0	222.0 ^[4]	130.0	203.0 ^[4]	120.0	183.0 ^[4]	110.0	162.0 ^[3]	99.9	139.0 ^[3]	91.0	122.0 ^[3]	80.5	104.0 ^[2]
	BV															
	BW	241.0 ^[4]	141.0	222.0 ^[4]	132.0	204.0 ^[4]	123.0	183.0 ^[4]	115.0	166.0 ^[3]	105.0	142.0 ^[3]	94.7	126.0 ^[3]	85.3	109.0 ^[3]
320	B	175.0 ^[10]	166.0 ^[10]	122.0	158.0 ^[4]	118.0	149.0 ^[5]	107.0	149.0 ^[5]	95.4	129.0 ^[4]	87.5	121.0 ^[3]	78.3	102.0 ^[3]	
	BV	</														

SDWB/SDWBV/SDWBW


S 295



 ft	S 295 ft																	
	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 138 ft		W 158 ft		W 177 ft		W 197 ft		W 217 ft	
	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	691.0*	703.0 ^[1]	616.0*	616.0*													
	BV BW	695.0* 694.0	710.0 ^[1] 698.0 ^[1]															
60	B	700.0	705.0 ^[1]	589.0*	597.0 ^[2]	556.0*	563.0 ^[1]	504.0*	504.0*									
	BV BW	704.0 661.0	704.0 685.0 ^[2]	594.0*	609.0 ^[1]	558.0*	566.0 ^[1]	506.0*	506.0*									
70	B	659.0	697.0 ^[1]	602.0	602.0	563.0	563.0	485.0*	500.0 ^[1]	445.0*	448.0 ^[1]	405.0*	405.0*					
	BV BW	658.0 661.0	697.0 ^[1] 685.0 ^[2]	603.0 605.0	618.0 ^[1] 605.0	568.0 570.0	568.0 570.0											
80	B	618.0	696.0 ^[1]	568.0	598.0 ^[2]	534.0	555.0 ^[1]	490.0	496.0 ^[1]	449.0	449.0	390.0*	399.0 ^[1]	356.0*	360.0 ^[1]	326.0*	326.0*	
	BV BW	617.0 621.0	690.0 ^[1] 679.0 ^[2]	568.0 571.0	610.0 ^[1] 596.0 ^[2]	542.0 545.0	560.0 ^[1] 563.0 ^[1]	497.0 499.0	503.0 ^[1] 505.0 ^[1]	453.0 455.0	453.0 455.0							
90	B	586.0	692.0 ^[1]	532.0	596.0 ^[2]	505.0	552.0 ^[1]	466.0	492.0 ^[1]	430.0	440.0 ^[1]	393.0	397.0 ^[1]	342.0*	357.0 ^[1]	314.0*	322.0 ^[1]	288.0*
	BV BW	583.0 587.0	683.0 ^[1] 672.0 ^[2]	530.0 534.0	601.0 ^[1] 589.0 ^[2]	513.0 516.0	553.0 ^[1] 556.0 ^[1]	472.0 476.0	495.0 ^[1] 498.0 ^[1]	434.0 436.0	444.0 ^[1] 447.0 ^[1]	398.0 399.0	400.0 ^[1] 402.0 ^[1]	363.0 346.0*	363.0 361.0 ^[1]	327.0*	327.0*	
100	B		656.0 ^[3]	503.0	595.0 ^[2]	477.0	549.0 ^[1]	440.0	490.0 ^[1]	409.0	438.0 ^[1]	378.0	391.0 ^[1]	347.0	347.0	319.0	319.0	278.0*
	BV BW		680.0 ^[1] 666.0 ^[2]	501.0 504.0	595.0 ^[1] 582.0 ^[2]	484.0 488.0	545.0 ^[1] 548.0 ^[1]	448.0 450.0	488.0 ^[1] 491.0 ^[1]	414.0 417.0	438.0 ^[1] 441.0 ^[1]	381.0 384.0	395.0 ^[1] 397.0 ^[1]	350.0 352.0	356.0 ^[1] 353.0 ^[1]	321.0 323.0	322.0 ^[1] 323.0	
110	B		618.0 ^[4]	477.0	573.0 ^[2]	451.0	534.0 ^[2]	419.0	488.0 ^[1]	388.0	436.0 ^[1]	362.0	390.0 ^[1]	334.0	336.0 ^[1]	307.0	307.0	283.0
	BV BW		677.0 ^[1] 663.0 ^[2]	470.0 474.0	593.0 ^[1] 578.0 ^[2]	457.0 459.0	542.0 ^[1] 544.0 ^[1]	424.0 427.0	480.0 ^[1] 484.0 ^[1]	394.0 396.0	432.0 ^[1] 435.0 ^[1]	365.0 367.0	389.0 ^[1] 391.0 ^[1]	336.0 338.0	351.0 ^[1] 342.0 ^[1]	310.0 311.0	317.0 ^[1] 312.0 ^[1]	284.0 285.0
120	B		582.0 ^[11]		545.0 ^[2]	430.0	512.0 ^[1]	395.0	471.0 ^[1]	370.0	432.0 ^[1]	343.0	389.0 ^[1]	321.0	336.0 ^[1]	295.0	299.0 ^[2]	273.0
	BV BW		672.0 ^[1] 661.0 ^[2]		591.0 ^[1] 577.0 ^[2]	434.0 437.0	541.0 ^[1] 543.0 ^[1]	401.0 403.0	479.0 ^[1] 481.0 ^[1]	375.0 377.0	426.0 ^[1] 427.0 ^[1]	349.0 351.0	384.0 ^[1] 386.0 ^[1]	323.0 325.0	347.0 ^[1] 337.0 ^[2]	298.0 300.0	313.0 ^[1] 304.0 ^[2]	274.0 276.0
130	B		544.0 ^[11]		517.0 ^[2]	413.0	488.0 ^[5]	377.0	453.0 ^[1]	351.0	418.0 ^[1]	328.0	381.0 ^[1]	306.0	335.0 ^[2]	284.0	299.0 ^[2]	263.0
	BV BW		640.0 ^[1] 634.0 ^[4]		585.0 ^[1] 575.0 ^[2]	413.0 417.0	540.0 ^[1] 541.0 ^[1]	381.0 384.0	478.0 ^[1] 480.0 ^[1]	355.0 357.0	426.0 ^[1] 415.0 ^[1]	332.0 334.0	380.0 ^[1] 378.0 ^[1]	309.0 311.0	342.0 ^[1] 334.0 ^[2]	286.0 288.0	309.0 ^[1] 301.0 ^[2]	265.0 267.0
140	B		506.0 ^[11]		487.0 ^[9]		463.0 ^[5]	360.0	434.0 ^[1]	334.0	403.0 ^[9]	312.0	372.0 ^[2]	291.0	335.0 ^[2]	272.0	299.0 ^[2]	253.0
	BV BW		608.0 ^[1] 599.0 ^[8]		562.0 ^[1] 559.0 ^[2]		533.0 ^[1] 533.0 ^[1]	361.0 364.0	478.0 ^[1] 479.0 ^[1]	336.0 339.0	425.0 ^[1] 413.0 ^[2]	315.0 318.0	379.0 ^[1] 367.0 ^[2]	295.0 297.0	339.0 ^[1] 331.0 ^[2]	275.0 277.0	305.0 ^[1] 298.0 ^[2]	255.0 256.0
150	B				460.0 ^[9]		440.0 ^[6]	348.0	416.0 ^[2]	320.0	386.0 ^[4]	298.0	359.0 ^[2]	279.0	332.0 ^[2]	261.0	300.0 ^[2]	243.0
	BV BW		579.0 ^[9]		540.0 ^[1] 537.0 ^[2]		514.0 ^[2] 514.0 ^[2]	346.0 349.0	471.0 ^[1] 472.0 ^[1]	321.0 324.0	424.0 ^[1] 413.0 ^[2]	300.0 301.0	378.0 ^[1] 368.0 ^[2]	281.0 284.0	338.0 ^[1] 328.0 ^[2]	263.0 266.0	304.0 ^[1] 295.0 ^[2]	245.0 246.0
160	B				434.0 ^[10]		420.0 ^[11]		395.0 ^[1]	307.0	371.0 ^[2]	286.0	348.0 ^[2]	267.0	321.0 ^[1]	249.0	296.0 ^[1]	233.0
	BV BW		548.0 ^[9]		517.0 ^[1] 514.0 ^[2]		495.0 ^[4] 494.0 ^[4]		457.0 ^[2] 457.0 ^[2]	306.0 309.0	416.0 ^[1] 414.0 ^[2]	286.0 289.0	377.0 ^[1] 368.0 ^[2]	268.0 270.0	337.0 ^[1] 328.0 ^[2]	251.0 253.0	302.0 ^[1] 293.0 ^[2]	235.0 237.0
170	B				405.0 ^[10]		396.0 ^[10]		375.0 ^[9]	298.0	356.0 ^[4]	274.0	337.0 ^[2]	255.0	310.0 ^[2]	239.0	289.0 ^[2]	224.0
	BV BW		517.0 ^[9]		494.0 ^[1] 492.0 ^[2]		475.0 ^[4] 474.0 ^[4]		442.0 ^[1] 442.0 ^[1]	294.0 297.0	408.0 ^[2] 408.0 ^[2]	273.0 276.0	368.0 ^[2] 369.0 ^[2]	255.0 257.0	336.0 ^[1] 328.0 ^[2]	240.0 241.0	301.0 ^[1] 293.0 ^[2]	225.0 227.0
180	B				376.0 ^[10]		373.0 ^[11]		360.0 ^[11]		340.0 ^[4]	264.0	324.0 ^[3]	244.0	300.0 ^[2]	230.0	281.0 ^[2]	216.0
	BV BW		486.0 ^[9]		472.0 ^[1] 470.0 ^[2]		461.0 ^[9] 460.0 ^[9]		427.0 ^[1] 427.0 ^[1]		396.0 ^[2] 397.0 ^[2]	261.0 264.0	364.0 ^[2] 365.0 ^[2]	244.0 246.0	328.0 ^[2] 329.0 ^[2]	229.0 231.0	300.0 ^[1] 293.0 ^[2]	215.0 217.0
190	B				346.0 ^[10]		347.0 ^[10]		343.0 ^[11]		326.0 ^[10]	255.0	311.0 ^[3]	236.0	289.0 ^[3]	221.0	274.0 ^[2]	206.0
	BV BW		455.0 ^[9]		449.0 ^[1] 447.0 ^[2]		441.0 ^[10] 440.0 ^[10]		412.0 ^[1] 413.0 ^[1]		385.0 ^[2] 385.0 ^[2]	252.0 253.0	356.0 ^[2] 357.0 ^[2]	234.0 236.0	326.0 ^[2] 326.0 ^[2]	220.0 222.0	293.0 ^[2] 293.0 ^[2]	205.0 207.0
200	B				316.0 ^[10]		322.0 ^[10]		326.0 ^[10]		314.0 ^[11]		294.0 ^[4]	228.0	278.0 ^[3]	212.0	265.0 ^[2]	197.0
	BV BW		426.0 ^[7]		426.0 ^[1] 424.0 ^[4]		419.0 ^[10] 418.0 ^[10]		397.0 ^[1] 398.0 ^[1]		374.0 ^[2] 374.0 ^[2]		348.0 ^[2] 349.0 ^[2]	224.0 226.0	320.0 ^[2] 320.0 ^[2]	210.0 213.0	261.0 ^[2] 262.0 ^[2]	197.0 198.0
220	B				271.0 ^[10]		282.0 ^[10]		282.0 ^[10]		281.0 ^[11]		273.0 ^[11]		257.0 ^[5]	196.0	246.0 ^[4]	184.0
	BV BW		371.0 ^[7]		381.0 ^[1]		375.0 ^[10] 375.0 ^[10]		364.0 ^[10] 364.0 ^[2]		351.0 ^[2] 351.0 ^[2]		332.0 ^[2] 332.0 ^[2]		309.0 ^[2] 309.0 ^[2]	193.0 195.0	284.0 ^[2] 284.0 ^[2]	181.0 183.0
240	B						224.0 ^[8]		237.0 ^[10]		243.0 ^[10]		249.0 ^[11]		240.0 ^[11]	228.0 ^[4]	277.0 ^[2]	217.0
	BV BW		315.0 ^[5]		335.0 ^[1]		331.0 ^[10] 332.0 ^[9]		331.0 ^[10] 331.0 ^[10]		324.0 ^[3] 325.0 ^[3]		315.0 ^[2] 316.0 ^[2]		298.0 ^[2] 297.0 ^[2]	222.0 ^[11] 222.0 ^[11]	277.0 ^[2] 276.0 ^[2]	217.0 217.0
260	B						189.0 ^[8]		196.0 ^[8]		207.0 ^[10]		215.0 ^[10]		222.0 ^[11]	211.0 ^[8]	271.0 ^[2]	211.0
	BV BW		276.0 ^[5]		290.0 ^[1]		294.0 ^[8] 290.0 ^[8]		288.0 ^[8] 290.0 ^[8]		295.0 ^[8] 295.0 ^[8]		289.0 ^[3] 289.0 ^[3]		285.0 ^[2] 284.0 ^[2]	269.0 ^[2] 268.0 ^[2]	269.0 ^[2] 268.0 ^[2]	246.0 ^[2] 246.0 ^[2]
280	B				244.0 ^[1]		245.0 ^[6]		257.0 ^[8]		264.0 ^[8]		265.0 ^[7]		261.0 ^[4]	196.0 ^[10]	254.0 ^[5]	183.0 ^[11]
	BV BW								258.0 ^[8]		265.0 ^[8]		265.0 ^[8]		261.0 ^[4]	254.0 ^[6]	254.0 ^[6]	240.0 ^[2]
300	B																	
	BV BW						209.0 ^[4]				218.0 ^[6]		152.0 ^[8]		164.0 ^[11]	170.0 ^[10]	234.0 ^[4]	171.0 ^[11]
320	B																	
	BV BW				</													

SDWB/SDWBV/SDWBW


S 295



 ft	S 295 ft															
	W 236 ft		W 256 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		W 354 ft		W 374 ft	
	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
90	B	261.0*	261.0*													
	BV	262.0*	262.0*													
100	B	253.0*	267.0 ⁽¹⁾	229.0*	230.0 ⁽¹⁾	207.0*	207.0*									
	BV	253.0*	260.0 ⁽¹⁾	229.0*	231.0 ⁽¹⁾	208.0*	208.0*									
110	B	256.0	256.0	222.0*	228.0 ⁽¹⁾	200.0*	204.0 ⁽¹⁾	183.0*	184.0 ⁽¹⁾	166.0*	166.0*					
	BV	258.0	258.0													
120	B	248.0	260.0	223.0*	230.0 ⁽¹⁾	201.0*	206.0 ⁽¹⁾	184.0*	185.0 ⁽¹⁾	166.0*	166.0*					
	BV	250.0	254.0 ⁽¹⁾	226.0	228.0 ⁽¹⁾	205.0	205.0									
130	B	240.0	240.0	219.0	219.0	198.0	198.0	181.0	181.0	164.0	164.0	139.0*	143.0 ⁽¹⁾	128.0*	128.0*	
	BV	242.0	251.0 ⁽¹⁾	220.0	225.0 ⁽¹⁾	200.0	202.0 ⁽¹⁾	180.0	180.0	161.0	161.0					
140	B	232.0	239.0 ⁽²⁾	212.0	213.0 ⁽²⁾	192.0	192.0	177.0	177.0	160.0	160.0	141.0	141.0	127.0	127.0	110.0*
	BV	234.0	248.0 ⁽¹⁾	213.0	222.0 ⁽¹⁾	194.0	199.0 ⁽¹⁾	175.0	178.0 ⁽¹⁾	157.0	158.0 ⁽¹⁾	139.0	139.0	123.0	123.0	107.0*
150	B	225.0	239.0 ⁽²⁾	204.0	212.0 ⁽²⁾	186.0	189.0 ⁽²⁾	172.0	172.0	155.0	155.0	138.0	138.0	124.0	124.0	110.0
	BV	227.0	239.0 ⁽²⁾	206.0	214.0 ⁽²⁾	188.0	191.0 ⁽²⁾	170.0	175.0 ⁽¹⁾	153.0	156.0 ⁽¹⁾	136.0	137.0 ⁽¹⁾	121.0	121.0	104.0
160	B	217.0	239.0 ⁽²⁾	197.0	212.0 ⁽²⁾	181.0	188.0 ⁽²⁾	168.0	171.0 ⁽²⁾	150.0	150.0	134.0	134.0	121.0	121.0	107.0
	BV	217.0	243.0 ⁽¹⁾	198.0	216.0 ⁽¹⁾	182.0	194.0 ⁽¹⁾	165.0	173.0 ⁽¹⁾	148.0	154.0 ⁽¹⁾	132.0	135.0 ⁽¹⁾	118.0	119.0 ⁽¹⁾	103.0 ⁽¹⁾
170	B	208.0	239.0 ⁽²⁾	190.0	212.0 ⁽²⁾	175.0	188.0 ⁽²⁾	162.0	170.0 ⁽²⁾	146.0	149.0 ⁽²⁾	131.0	132.0 ⁽²⁾	119.0	119.0	103.0
	BV	209.0	241.0 ⁽¹⁾	191.0	214.0 ⁽¹⁾	176.0	192.0 ⁽¹⁾	159.0	171.0 ⁽¹⁾	144.0	152.0 ⁽¹⁾	128.0	133.0 ⁽¹⁾	114.0	118.0 ⁽¹⁾	99.4
180	B	199.0	236.0 ⁽²⁾	183.0	213.0 ⁽²⁾	169.0	188.0 ⁽²⁾	156.0	170.0 ⁽²⁾	141.0	149.0 ⁽²⁾	128.0	131.0 ⁽²⁾	116.0	117.0 ⁽²⁾	98.8
	BV	200.0	240.0 ⁽¹⁾	184.0	218.0 ⁽¹⁾	169.0	184.0 ⁽²⁾	154.0	164.0 ⁽²⁾	139.0	150.0 ⁽²⁾	124.0	132.0 ⁽¹⁾	111.0	116.0 ⁽¹⁾	96.5
190	B	191.0	232.0 ⁽²⁾	176.0	209.0 ⁽²⁾	163.0	188.0 ⁽²⁾	150.0	170.0 ⁽²⁾	137.0	149.0 ⁽²⁾	124.0	131.0 ⁽²⁾	112.0	116.0 ⁽²⁾	96.2
	BV	192.0	238.0 ⁽¹⁾	177.0	211.0 ⁽¹⁾	163.0	183.0 ⁽²⁾	149.0	163.0 ⁽²⁾	135.0	144.0 ⁽²⁾	120.0	130.0 ⁽¹⁾	108.0	114.0 ⁽¹⁾	93.6
200	B	184.0	228.0 ⁽²⁾	170.0	204.0 ⁽²⁾	157.0	186.0 ⁽²⁾	145.0	170.0 ⁽²⁾	133.0	149.0 ⁽²⁾	120.0	131.0 ⁽²⁾	108.0	116.0 ⁽²⁾	93.7
	BV	183.0	232.0 ⁽²⁾	169.0	210.0 ⁽¹⁾	157.0	182.0 ⁽²⁾	144.0	161.0 ⁽²⁾	130.0	143.0 ⁽²⁾	117.0	125.0 ⁽¹⁾	104.0	110.0 ⁽²⁾	90.7
220	B	171.0	219.0 ⁽²⁾	157.0	197.0 ⁽²⁾	144.0	181.0 ⁽²⁾	135.0	165.0 ⁽²⁾	125.0	147.0 ⁽²⁾	113.0	131.0 ⁽²⁾	99.6	116.0 ⁽²⁾	87.8
	BV	169.0	231.0 ⁽¹⁾	155.0	205.0 ⁽²⁾	144.0	182.0 ⁽²⁾	133.0	160.0 ⁽²⁾	121.0	141.0 ⁽²⁾	109.0	122.0 ⁽²⁾	97.4	107.0 ⁽²⁾	84.7
240	B	158.0	203.0 ⁽³⁾	145.0	186.0 ⁽³⁾	134.0	175.0 ⁽²⁾	126.0	161.0 ⁽²⁾	116.0	144.0 ⁽²⁾	103.0	128.0 ⁽²⁾	93.3	114.0 ⁽²⁾	82.6
	BV	156.0	227.0 ⁽²⁾	144.0	203.0 ⁽²⁾	134.0	182.0 ⁽²⁾	126.0	164.0 ⁽²⁾	117.0	143.0 ⁽²⁾	101.0	126.0 ⁽²⁾	94.4	112.0 ⁽²⁾	82.4
260	B	146.0	185.0 ⁽⁵⁾	135.0	175.0 ⁽⁴⁾	125.0	166.0 ⁽³⁾	118.0	152.0 ⁽³⁾	108.0	141.0 ⁽²⁾	95.5	126.0 ⁽²⁾	87.1	112.0 ⁽²⁾	77.0
	BV	143.0	221.0 ⁽²⁾	131.0	197.0 ⁽²⁾	122.0	177.0 ⁽²⁾	111.0	158.0 ⁽²⁾	102.0	139.0 ⁽²⁾	92.1	121.0 ⁽²⁾	83.3	105.0 ⁽²⁾	72.6
280	B	144.0	222.0 ⁽²⁾	133.0	198.0 ⁽²⁾	125.0	178.0 ⁽²⁾	117.0	161.0 ⁽²⁾	108.0	142.0 ⁽²⁾	96.3	125.0 ⁽²⁾	88.0	110.0 ⁽²⁾	76.6
	BV		173.0 ⁽⁷⁾	126.0	164.0 ⁽⁵⁾	117.0	156.0 ⁽⁴⁾	109.0	143.0 ⁽⁴⁾	97.4	135.0 ⁽³⁾	88.6	121.0 ⁽³⁾	81.2	110.0 ⁽²⁾	71.7
300	B		216.0 ⁽³⁾	122.0	193.0 ⁽²⁾	112.0	173.0 ⁽²⁾	103.0	154.0 ⁽²⁾	93.0	136.0 ⁽²⁾	83.8	119.0 ⁽²⁾	75.7	104.0 ⁽²⁾	66.1
	BV		217.0 ⁽³⁾	124.0	193.0 ⁽²⁾	115.0	174.0 ⁽²⁾	108.0	157.0 ⁽²⁾	96.7	139.0 ⁽²⁾	88.4	123.0 ⁽²⁾	81.2	109.0 ⁽²⁾	70.7
320	B		162.0 ⁽⁸⁾		152.0 ⁽⁷⁾	110.0	143.0 ⁽⁴⁾	99.1	135.0 ⁽³⁾	91.0	128.0 ⁽⁴⁾	82.4	116.0 ⁽³⁾	75.1	108.0 ⁽³⁾	66.4
	BV		212.0 ⁽³⁾		189.0 ⁽³⁾	104.0	170.0 ⁽³⁾	94.1	151.0 ⁽³⁾	86.0	133.0 ⁽³⁾	76.6	116.0 ⁽³⁾	68.5	101.0 ⁽²⁾	60.1
340	B		150.0 ⁽¹¹⁾		142.0 ⁽⁹⁾		136.0 ⁽⁷⁾	92.8	128.0 ⁽⁴⁾	85.0	121.0 ⁽³⁾	76.5	111.0 ⁽⁴⁾	69.4	99.4 ⁽⁴⁾	61.2
	BV		203.0 ⁽⁴⁾		186.0 ⁽³⁾		167.0 ⁽³⁾	87.3	148.0 ⁽³⁾	78.6	131.0 ⁽³⁾	70.3	114.0 ⁽³⁾	62.8	99.8 ⁽³⁾	54.7
360	B		130.0 ⁽¹¹⁾		133.0 ⁽¹¹⁾		128.0 ⁽⁹⁾		120.0 ⁽⁷⁾	79.8	114.0 ⁽⁴⁾	71.6	105.0 ⁽³⁾	64.4	93.1 ⁽⁵⁾	56.5
	BV		190.0 ⁽⁵⁾		182.0 ⁽⁴⁾		164.0 ⁽³⁾		146.0 ⁽³⁾	72.8	129.0 ⁽³⁾	64.2	112.0 ⁽³⁾	57.7	98.0 ⁽³⁾	50.4
380	B		110.0 ⁽¹¹⁾		114.0 ⁽¹¹⁾		120.0 ⁽¹¹⁾		114.0 ⁽⁹⁾		105.0 ⁽⁷⁾	66.9	94.9 ⁽⁶⁾	59.6	87.8 ⁽⁴⁾	50.4
	BV		175.0 ⁽⁸⁾		168.0 ⁽⁵⁾		159.0 ⁽³⁾		143.0 ⁽⁴⁾		126.0 ⁽⁴⁾	59.7	110.0 ⁽³⁾	52.9	96.1 ⁽³⁾	45.8
400	B		87.2 ⁽⁹⁾		94.0 ⁽¹¹⁾		101.0 ⁽¹¹⁾		106.0 ⁽¹¹⁾		97.6 ⁽⁶⁾		90.0 ⁽⁸⁾	55.9	83.2 ⁽⁷⁾	45.9
	BV		157.0 ⁽⁹⁾		157.0 ⁽⁸⁾		153.0 ⁽⁶⁾		143.0 ⁽⁵⁾		128.0 ⁽⁴⁾		113.0 ⁽³⁾	49.1	94.6 ⁽⁴⁾	41.6
420	B		67.9 ⁽⁹⁾		71.6 ⁽¹¹⁾		81.2 ⁽¹¹⁾		87.4 ⁽¹¹⁾		84.9 ⁽⁶⁾		84.9 ⁽⁶⁾		79.6 ⁽⁸⁾	42.7
	BV		135.0 ⁽⁹⁾		140.0 ⁽⁹⁾		142.0 ⁽⁸⁾		137.0 ⁽⁶⁾		123.0 ⁽⁶⁾		107.0 ⁽⁴⁾	93.6 ⁽⁴⁾	87.3 ⁽⁴⁾	38.4
440	B		46.5 ⁽⁷⁾		53.6 ⁽¹¹⁾		59.3 ⁽¹¹⁾		69.3 ⁽¹¹⁾		73.8 ⁽¹¹⁾		78.7 ⁽¹¹⁾		74.1 ⁽¹⁰⁾	69.0 ⁽⁸⁾
	BV		112.0 ⁽⁷⁾		119.0 ⁽⁷⁾		126.0 ⁽⁶⁾		126.0 ⁽⁶⁾		122.0 ⁽⁶⁾		110.0 ⁽⁵⁾	94.8 ⁽⁴⁾		76.0 ⁽⁵⁾
460	B		31.2 ⁽⁷⁾				42.5 ⁽¹¹⁾		48.5 ⁽¹¹⁾		57.3 ⁽¹¹⁾		62.1 ⁽¹¹⁾		68.2 ⁽¹¹⁾	62.9 ⁽¹⁰⁾
	BV		93.7 ⁽⁷⁾		96.8 ⁽⁷⁾		106.0 ⁽⁹⁾		110.0 ⁽⁹⁾		112.0 ⁽⁸⁾		103.0 ⁽⁷⁾	90.2 ⁽⁶⁾		75.3 ⁽⁵⁾
480	B		94.8 ⁽⁷⁾		97.8 ⁽⁷⁾		107.0 ⁽⁹⁾		113.0 ⁽⁹⁾		115.0 ⁽⁸⁾		100.0 ⁽⁸⁾	92.8 ⁽⁶⁾		79.7 ⁽⁵⁾
	BV				80.0 ⁽⁷⁾		84.9 ⁽⁷⁾		85.8 ⁽⁷⁾		92.4 ⁽⁹⁾		97.8 ⁽⁹⁾		88.7 ⁽⁷⁾	74.3 ⁽⁶⁾
500	B															
	BV															
520	B															
	BV															
540	B															
	BV															
560	B															
	BV															
580	B															
	BV															
112°	21.17°	31.22°	41.27°	51.32°	61.37°	71.42°	81.47°	91.52°	101.57°	111.62°						

SDWB/SDWBV/SDWBW


S 315



	ft	S 315 ft																	
		W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 138 ft		W 158 ft		W 177 ft		W 197 ft		W 217 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	617.0*	621.0 ⁽¹⁾																
	BV BW	620.0* 621.0	629.0 ⁽¹⁾ 621.0																
60	B	626.0	626.0																
	BV BW	628.0 628.0	628.0 628.0	529.0*	533.0 ⁽¹⁾	496.0*	499.0 ⁽¹⁾												
70	B	590.0	616.0 ⁽¹⁾	539.0	539.0	474.0*	497.0 ⁽¹⁾	433.0*	443.0 ⁽¹⁾	396.0*	398.0 ⁽¹⁾	363.0*	363.0*						
	BV BW	591.0 593.0	614.0 ⁽¹⁾ 605.0 ⁽²⁾	539.0 540.0	546.0 ⁽¹⁾ 540.0	503.0 476.0*	501.0 ⁽¹⁾ 501.0 ⁽¹⁾	436.0*	447.0 ⁽¹⁾	398.0*	400.0 ⁽¹⁾	365.0*	365.0*						
80	B	555.0	613.0 ⁽¹⁾	508.0	530.0 ⁽²⁾	477.0	491.0 ⁽¹⁾	436.0	439.0 ⁽¹⁾	378.0*	393.0 ⁽¹⁾	347.0*	354.0 ⁽¹⁾	317.0*	318.0 ⁽¹⁾	291.0*	291.0*		
	BV BW	556.0 557.0	602.0 ⁽¹⁾ 594.0 ⁽²⁾	508.0 509.0	536.0 ⁽¹⁾ 526.0 ⁽²⁾	480.0 482.0	492.0 ⁽¹⁾ 494.0 ⁽¹⁾	439.0 441.0	442.0 ⁽¹⁾ 444.0 ⁽¹⁾	380.0*	396.0 ⁽¹⁾	350.0*	358.0 ⁽¹⁾	319.0*	321.0 ⁽¹⁾	293.0*	293.0*		
90	B	526.0	610.0 ⁽¹⁾	479.0	527.0 ⁽²⁾	453.0	489.0 ⁽¹⁾	415.0	436.0 ⁽¹⁾	382.0	390.0 ⁽¹⁾	350.0	350.0	303.0*	314.0 ⁽¹⁾	280.0*	285.0 ⁽¹⁾	255.0*	256.0 ⁽¹⁾
	BV BW	526.0 529.0	591.0 ⁽¹⁾ 583.0 ⁽²⁾	475.0 477.0	525.0 ⁽¹⁾ 516.0 ⁽²⁾	456.0 458.0	483.0 ⁽¹⁾ 485.0 ⁽¹⁾	419.0 421.0	434.0 ⁽¹⁾ 436.0 ⁽¹⁾	384.0 384.0	391.0 ⁽¹⁾ 391.0 ⁽¹⁾	352.0 353.0	353.0 ⁽¹⁾ 354.0 ⁽¹⁾	305.0*	318.0 ⁽¹⁾	283.0*	288.0 ⁽¹⁾	256.0*	257.0 ⁽¹⁾
100	B	590.0 ⁽²⁾	452.0	525.0 ⁽²⁾	429.0	486.0 ⁽¹⁾	396.0	433.0 ⁽¹⁾	365.0	388.0 ⁽¹⁾	336.0	348.0 ⁽¹⁾	307.0	308.0 ⁽¹⁾	283.0	283.0	245.0*	252.0 ⁽¹⁾	
	BV BW	588.0 ⁽¹⁾ 576.0 ⁽²⁾	450.0 451.0	514.0 ⁽¹⁾ 506.0 ⁽²⁾	432.0 434.0	475.0 ⁽¹⁾ 477.0 ⁽¹⁾	399.0 400.0	427.0 ⁽¹⁾ 429.0 ⁽¹⁾	367.0 368.0	384.0 ⁽¹⁾ 384.0 ⁽¹⁾	338.0 340.0	347.0 ⁽¹⁾ 348.0 ⁽¹⁾	309.0 311.0	312.0 ⁽¹⁾ 311.0	284.0 286.0	284.0 286.0	248.0 247.0*	250.0 255.0 ⁽¹⁾	
110	B	563.0 ⁽²⁾	430.0	515.0 ⁽²⁾	408.0	478.0 ⁽¹⁾	375.0	431.0 ⁽¹⁾	349.0	386.0 ⁽¹⁾	322.0	346.0 ⁽¹⁾	295.0	307.0 ⁽¹⁾	274.0	274.0	248.0	248.0	
	BV BW	562.0 ⁽¹⁾ 576.0 ⁽²⁾	425.0 427.0	513.0 ⁽¹⁾ 499.0 ⁽²⁾	409.0 411.0	468.0 ⁽¹⁾ 469.0 ⁽¹⁾	379.0 380.0	419.0 ⁽¹⁾ 421.0 ⁽¹⁾	350.0 350.0	377.0 ⁽¹⁾ 378.0 ⁽¹⁾	324.0 326.0	341.0 ⁽¹⁾ 343.0 ⁽¹⁾	297.0 297.0	307.0 ⁽¹⁾ 302.0 ⁽¹⁾	275.0 276.0	280.0 ⁽¹⁾ 276.0	250.0 250.0	251.0 ⁽¹⁾ 250.0	
120	B	536.0 ⁽¹⁾		494.0 ⁽²⁾	388.0	461.0 ⁽¹⁾	357.0	421.0 ⁽¹⁾	332.0	383.0 ⁽¹⁾	308.0	344.0 ⁽¹⁾	283.0	305.0 ⁽¹⁾	263.0	267.0 ⁽²⁾	240.0	240.0	
	BV BW	587.0 ⁽¹⁾ 576.0 ⁽²⁾		512.0 ⁽¹⁾ 498.0 ⁽²⁾	390.0 392.0	466.0 ⁽¹⁾ 467.0 ⁽¹⁾	359.0 362.0	414.0 ⁽¹⁾ 416.0 ⁽¹⁾	333.0 334.0	371.0 ⁽¹⁾ 372.0 ⁽¹⁾	309.0 311.0	335.0 ⁽¹⁾ 337.0 ⁽¹⁾	285.0 286.0	302.0 ⁽¹⁾ 294.0 ⁽²⁾	264.0 266.0	275.0 ⁽¹⁾ 268.0 ⁽²⁾	241.0 242.0	247.0 ⁽¹⁾ 242.0	
130	B	511.0 ⁽¹⁾		473.0 ⁽²⁾	373.0	445.0 ⁽¹⁾	340.0	407.0 ⁽¹⁾	318.0	373.0 ⁽¹⁾	294.0	341.0 ⁽¹⁾	272.0	304.0 ⁽¹⁾	253.0	266.0 ⁽²⁾	232.0	237.0 ⁽²⁾	
	BV BW	574.0 ⁽¹⁾ 563.0 ⁽¹⁾		511.0 ⁽¹⁾ 498.0 ⁽²⁾	371.0 374.0	464.0 ⁽¹⁾ 465.0 ⁽¹⁾	344.0 344.0	412.0 ⁽¹⁾ 414.0 ⁽¹⁾	318.0 318.0	368.0 ⁽¹⁾ 362.0 ⁽¹⁾	295.0 296.0	330.0 ⁽¹⁾ 331.0 ⁽¹⁾	272.0 274.0	297.0 ⁽¹⁾ 290.0 ⁽²⁾	254.0 256.0	271.0 ⁽¹⁾ 265.0 ⁽²⁾	232.0 234.0	243.0 ⁽¹⁾ 237.0 ⁽²⁾	
140	B	482.0 ⁽¹⁾		451.0 ⁽²⁾		428.0 ⁽¹⁾	326.0	394.0 ⁽¹⁾	303.0	363.0 ⁽¹⁾	281.0	331.0 ⁽¹⁾	260.0	299.0 ⁽¹⁾	242.0	266.0 ⁽²⁾	223.0	237.0 ⁽²⁾	
	BV BW	553.0 ⁽¹⁾ 535.0 ⁽¹⁾		498.0 ⁽¹⁾ 496.0 ⁽²⁾		462.0 ⁽¹⁾ 462.0 ⁽¹⁾	327.0 329.0	410.0 ⁽¹⁾ 411.0 ⁽¹⁾	303.0 302.0	366.0 ⁽¹⁾ 354.0 ⁽²⁾	282.0 283.0	328.0 ⁽¹⁾ 319.0 ⁽²⁾	260.0 262.0	293.0 ⁽¹⁾ 286.0 ⁽²⁾	244.0 245.0	266.0 ⁽¹⁾ 261.0 ⁽²⁾	223.0 225.0	239.0 ⁽¹⁾ 234.0 ⁽²⁾	
150	B	453.0 ⁽¹⁾		429.0 ⁽²⁾		408.0 ⁽²⁾	315.0	381.0 ⁽¹⁾	289.0	353.0 ⁽¹⁾	270.0	323.0 ⁽²⁾	248.0	294.0 ⁽²⁾	233.0	266.0 ⁽²⁾	215.0	236.0 ⁽²⁾	
	BV BW	531.0 ⁽¹⁾ 522.0 ⁽¹⁾		483.0 ⁽²⁾ 482.0 ⁽²⁾		452.0 ⁽¹⁾ 451.0 ⁽¹⁾	312.0 315.0	408.0 ⁽¹⁾ 409.0 ⁽¹⁾	290.0 289.0	364.0 ⁽¹⁾ 353.0 ⁽²⁾	269.0 271.0	326.0 ⁽¹⁾ 317.0 ⁽²⁾	249.0 250.0	291.0 ⁽¹⁾ 282.0 ⁽²⁾	233.0 235.0	263.0 ⁽¹⁾ 257.0 ⁽²⁾	215.0 217.0	235.0 ⁽¹⁾ 231.0 ⁽²⁾	
160	B			408.0 ⁽²⁾		385.0 ⁽¹⁾		365.0 ⁽²⁾	278.0	343.0 ⁽¹⁾	258.0	313.0 ⁽²⁾	238.0	287.0 ⁽²⁾	224.0	265.0 ⁽²⁾	205.0	236.0 ⁽²⁾	
	BV BW		510.0 ⁽¹⁾	469.0 ⁽²⁾ 468.0 ⁽²⁾		440.0 ⁽¹⁾ 440.0 ⁽¹⁾		401.0 ⁽¹⁾ 401.0 ⁽¹⁾	277.0 277.0	362.0 ⁽¹⁾ 353.0 ⁽²⁾	258.0 259.0	324.0 ⁽¹⁾ 317.0 ⁽²⁾	238.0 239.0	289.0 ⁽¹⁾ 280.0 ⁽²⁾	223.0 225.0	261.0 ⁽¹⁾ 253.0 ⁽²⁾	206.0 208.0	233.0 ⁽¹⁾ 228.0 ⁽²⁾	
170	B			384.0 ⁽¹⁾		369.0 ⁽¹⁾		347.0 ⁽¹⁾	270.0	331.0 ⁽²⁾	247.0	304.0 ⁽²⁾	229.0	281.0 ⁽²⁾	216.0	260.0 ⁽²⁾	197.0	235.0 ⁽²⁾	
	BV BW		488.0 ⁽¹⁾	454.0 ⁽²⁾ 454.0 ⁽²⁾		428.0 ⁽¹⁾ 428.0 ⁽¹⁾		393.0 ⁽¹⁾ 393.0 ⁽¹⁾	265.0 266.0	353.0 ⁽²⁾ 352.0 ⁽²⁾	246.0 248.0	321.0 ⁽¹⁾ 316.0 ⁽²⁾	227.0 229.0	287.0 ⁽¹⁾ 280.0 ⁽²⁾	214.0 216.0	260.0 ⁽¹⁾ 252.0 ⁽²⁾	197.0 199.0	231.0 ⁽¹⁾ 225.0 ⁽²⁾	
180	B			358.0 ⁽¹⁾		352.0 ⁽¹⁾		334.0 ⁽¹⁾		317.0 ⁽¹⁾	237.0	295.0 ⁽²⁾	219.0	274.0 ⁽²⁾	206.0	254.0 ⁽²⁾	190.0	231.0 ⁽²⁾	
	BV BW		467.0 ⁽¹⁾	440.0 ⁽²⁾ 440.0 ⁽²⁾		416.0 ⁽¹⁾ 416.0 ⁽¹⁾		385.0 ⁽¹⁾ 385.0 ⁽¹⁾		348.0 ⁽¹⁾ 346.0 ⁽²⁾	235.0 237.0	314.0 ⁽²⁾ 315.0 ⁽²⁾	218.0 220.0	282.0 ⁽¹⁾ 279.0 ⁽²⁾	205.0 206.0	258.0 ⁽¹⁾ 251.0 ⁽²⁾	189.0 190.0	230.0 ⁽¹⁾ 224.0 ⁽²⁾	
190	B			334.0 ⁽¹⁾		333.0 ⁽¹⁾		319.0 ⁽¹⁾		299.0 ⁽¹⁾	232.0	284.0 ⁽¹⁾	211.0	268.0 ⁽²⁾	198.0	249.0 ⁽²⁾	183.0	227.0 ⁽²⁾	
	BV BW		442.0 ⁽²⁾	426.0 ⁽²⁾ 427.0 ⁽²⁾		404.0 ⁽¹⁾ 405.0 ⁽¹⁾		378.0 ⁽¹⁾ 378.0 ⁽¹⁾		343.0 ⁽¹⁾ 340.0 ⁽¹⁾	227.0 229.0	311.0 ⁽²⁾ 311.0 ⁽²⁾	209.0 210.0	278.0 ⁽²⁾ 279.0 ⁽²⁾	197.0 198.0	252.0 ⁽¹⁾ 250.0 ⁽²⁾	182.0 183.0	228.0 ⁽¹⁾ 224.0 ⁽²⁾	
200	B			309.0 ⁽¹⁾		311.0 ⁽¹⁾		304.0 ⁽¹⁾		288.0 ⁽¹⁾		273.0 ⁽¹⁾	203.0	257.0 ⁽¹⁾	191.0	244.0 ⁽¹⁾	176.0	224.0 ⁽¹⁾	
	BV BW		418.0 ⁽¹⁾	411.0 ⁽²⁾ 413.0 ⁽²⁾		392.0 ⁽¹⁾ 393.0 ⁽¹⁾		370.0 ⁽¹⁾ 370.0 ⁽¹⁾		337.0 ⁽¹⁾ 335.0 ⁽¹⁾		308.0 ⁽¹⁾ 307.0 ⁽¹⁾	200.0 201.0	250.0 ⁽²⁾ 276.0 ⁽²⁾	189.0 190.0	238.0 ⁽²⁾ 250.0 ⁽²⁾	175.0 176.0	221.0 ⁽²⁾ 223.0 ⁽²⁾	
220	B			260.0 ⁽¹⁾		267.0 ⁽¹⁾		267.0 ⁽¹⁾		264.0 ⁽¹⁾		251.0 ⁽¹⁾		238.0 ⁽¹⁾	178.0	227.0 ⁽¹⁾	165.0	212.0 ⁽¹⁾	
	BV BW		368.0 ⁽¹⁾	371.0 ⁽¹⁾ 372.0 ⁽¹⁾		360.0 ⁽¹⁾ 360.0 ⁽¹⁾		354.0 ⁽¹⁾ 355.0 ⁽¹⁾		326.0 ⁽¹⁾ 324.0 ⁽¹⁾		301.0 ⁽¹⁾ 299.0 ⁽¹⁾		271.0 ⁽¹⁾ 270.0 ⁽¹⁾	173.0 176.0	246.0 ⁽¹⁾ 246.0 ⁽¹⁾	160.0 163.0	219.0 ⁽¹⁾ 220.0 ⁽¹⁾	
240	B					222.0 ⁽¹⁾		230.0 ⁽¹⁾		234.0 ⁽¹⁾		235.0 ⁽¹⁾		222.0 ⁽¹⁾		213.0 ⁽¹⁾	152.0	196.0 ⁽¹⁾	
	BV BW		317.0 ⁽¹⁾		327.0 ⁽¹⁾	324.0 ⁽¹⁾ 325.0 ⁽¹⁾		320.0 ⁽¹⁾ 321.0 ⁽¹⁾		315.0 ⁽¹⁾ 313.0 ⁽¹⁾		295.0 ⁽¹⁾ 290.0 ⁽¹⁾		266.0 ⁽¹⁾ 265.0 ⁽¹⁾		242.0 ⁽¹⁾ 242.0 ⁽¹⁾	148.0 149.0	216.0 ⁽¹⁾ 216.0 ⁽¹⁾	
260	B					188.0 ⁽¹⁾		194.0 ⁽¹⁾		203.0 ⁽¹⁾		208.0 ⁽¹⁾		205.0 ⁽¹⁾		192.0 ⁽¹⁾		180.0 ⁽¹⁾	
	BV BW		272.0 ⁽¹⁾		283.0 ⁽¹⁾	285.0 ⁽¹⁾ 286.0 ⁽¹⁾		291.0 ⁽¹⁾ 292.0 ⁽¹⁾		286.0 ⁽¹⁾ 285.0 ⁽¹⁾		262.0 ⁽¹⁾ 279.0 ⁽¹⁾		262.0 ⁽¹⁾ 259.0 ⁽¹⁾		238.0 ⁽¹⁾ 238.0 ⁽¹⁾		212.0 ⁽¹⁾ 213.0 ⁽¹⁾	
280	B					155.0 ⁽¹⁾		163.0 ⁽¹⁾		172.0 ⁽¹⁾		180.0 ⁽¹⁾		184.0 ⁽¹⁾	</				

SDWB/SDWBV/SDWBW


S 315



 ft	S 315 ft															
	W 236 ft		W 256 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		W 354 ft		W 374 ft	
	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
90	B	232.0*	232.0*													
	BV	232.0*	232.0*													
	BW	224.0*	227.0 ^[1]	202.0*	202.0*	185.0*	185.0*									
100	B	225.0*	229.0 ^[1]	202.0*	202.0*	186.0*	186.0*									
	BV	226.0	226.0	196.0*	201.0 ^[1]	180.0*	182.0 ^[1]	163.0*	163.0*	145.0*	145.0*					
	BW	228.0	228.0	196.0*	201.0 ^[1]	181.0*	183.0 ^[1]	163.0*	164.0 ^[1]	145.0*	145.0*					
110	B	219.0	219.0	199.0	199.0	181.0	181.0	157.0*	161.0 ^[1]	141.0*	142.0 ^[1]	126.0*	126.0*	113.0*	113.0*	
	BV	219.0	222.0 ^[1]	198.0	198.0	179.0	179.0									
	BW	222.0	222.0	199.0	199.0	183.0	183.0	158.0*	163.0 ^[1]	141.0*	143.0 ^[1]	126.0*	126.0*	113.0*	113.0*	
120	B	212.0	212.0	193.0	193.0	177.0	177.0	160.0	160.0	140.0	140.0	123.0*	125.0 ^[1]	110.0*	111.0 ^[1]	93.3*
	BV	212.0	219.0 ^[1]	192.0	195.0 ^[1]	174.0	175.0 ^[1]	156.0	156.0	139.0	139.0					93.4 ^[1]
	BW	214.0	214.0	193.0	193.0	178.0	178.0	161.0	161.0	137.0*	142.0 ^[1]	123.0*	125.0 ^[1]	110.0*	111.0 ^[1]	92.6*
130	B	203.0	211.0 ^[2]	187.0	188.0 ^[2]	172.0	172.0	155.0	155.0	138.0	138.0	123.0	123.0	105.0*	105.0*	91.1*
	BV	205.0	215.0 ^[1]	185.0	192.0 ^[1]	169.0	173.0 ^[1]	152.0	154.0 ^[1]	136.0	136.0	119.0	119.0	105.0	105.0	92.8 ^[1]
	BW	206.0	210.0 ^[2]	187.0	187.0	173.0	173.0	156.0	156.0	139.0	139.0	125.0	125.0	106.0*	110.0 ^[1]	89.5*
140	B	196.0	211.0 ^[2]	181.0	188.0 ^[2]	167.0	168.0 ^[2]	149.0	149.0	135.0	135.0	121.0	121.0	108.0	108.0	91.6
	BV	197.0	212.0 ^[1]	179.0	189.0 ^[1]	163.0	170.0 ^[1]	147.0	151.0 ^[1]	132.0	134.0 ^[1]	116.0	117.0 ^[1]	103.0	103.0	91.6
	BW	198.0	207.0 ^[2]	180.0	185.0 ^[2]	168.0	169.0 ^[2]	151.0	151.0	136.0	136.0	122.0	122.0	109.0	109.0	90.7
150	B	189.0	211.0 ^[2]	176.0	188.0 ^[2]	161.0	168.0 ^[2]	144.0	147.0 ^[2]	131.0	131.0	117.0	117.0	105.0	105.0	89.5
	BV	189.0	208.0 ^[1]	172.0	186.0 ^[1]	157.0	167.0 ^[1]	142.0	149.0 ^[1]	128.0	132.0 ^[1]	113.0	115.0 ^[1]	99.8	101.0 ^[1]	88.1
	BW	190.0	204.0 ^[2]	174.0	182.0 ^[2]	162.0	167.0 ^[2]	146.0	147.0 ^[2]	132.0	132.0	118.0	118.0	106.0	106.0	88.1
160	B	182.0	210.0 ^[2]	169.0	187.0 ^[2]	154.0	168.0 ^[2]	140.0	147.0 ^[2]	127.0	130.0 ^[2]	114.0	115.0 ^[2]	99.9	99.9	87.2
	BV	182.0	207.0 ^[1]	166.0	184.0 ^[1]	152.0	164.0 ^[1]	137.0	146.0 ^[1]	123.0	130.0 ^[1]	109.0	113.0 ^[1]	96.7	99.3 ^[1]	83.0
	BW	183.0	201.0 ^[2]	168.0	180.0 ^[2]	155.0	164.0 ^[2]	141.0	145.0 ^[2]	128.0	130.0 ^[2]	115.0	115.0	101.0	101.0	85.6
170	B	176.0	209.0 ^[2]	163.0	187.0 ^[2]	149.0	168.0 ^[2]	136.0	146.0 ^[2]	123.0	130.0 ^[2]	111.0	114.0 ^[2]	96.5	97.5 ^[2]	84.6
	BV	175.0	205.0 ^[1]	160.0	182.0 ^[1]	146.0	162.0 ^[1]	132.0	144.0 ^[1]	119.0	127.0 ^[1]	106.0	111.0 ^[1]	93.6	97.4 ^[1]	80.4
	BW	176.0	199.0 ^[2]	162.0	178.0 ^[2]	149.0	162.0 ^[2]	136.0	144.0 ^[2]	124.0	129.0 ^[2]	112.0	114.0 ^[2]	97.2	97.9 ^[2]	83.1
180	B	169.0	204.0 ^[2]	156.0	186.0 ^[2]	143.0	167.0 ^[2]	131.0	146.0 ^[2]	119.0	130.0 ^[2]	107.0	114.0 ^[2]	93.9	97.3 ^[2]	82.3
	BV	168.0	203.0 ^[1]	153.0	180.0 ^[1]	141.0	161.0 ^[1]	127.0	142.0 ^[1]	115.0	122.0 ^[1]	102.0	109.0 ^[1]	90.4	95.6 ^[1]	81.2 ^[1]
	BW	170.0	198.0 ^[2]	155.0	176.0 ^[2]	144.0	160.0 ^[2]	132.0	142.0 ^[2]	120.0	127.0 ^[2]	107.0	112.0 ^[2]	94.4	96.6 ^[2]	80.5
190	B	163.0	201.0 ^[2]	150.0	183.0 ^[2]	138.0	166.0 ^[2]	127.0	146.0 ^[2]	115.0	130.0 ^[2]	101.0	114.0 ^[2]	91.1	97.0 ^[2]	79.9
	BV	161.0	201.0 ^[1]	147.0	178.0 ^[1]	135.0	159.0 ^[1]	123.0	140.0 ^[1]	111.0	120.0 ^[1]	98.2	105.0 ^[1]	87.1	93.7 ^[1]	74.7
	BW	163.0	197.0 ^[2]	148.0	175.0 ^[2]	139.0	158.0 ^[2]	127.0	140.0 ^[2]	116.0	125.0 ^[2]	102.0	111.0 ^[2]	91.5	95.3 ^[2]	77.7
200	B	149.0	193.0 ^[2]	139.0	178.0 ^[2]	129.0	162.0 ^[2]	118.0	144.0 ^[2]	107.0	129.0 ^[2]	94.1	113.0 ^[2]	85.1	96.6 ^[2]	74.5
	BV	149.0	195.0 ^[1]	136.0	172.0 ^[1]	125.0	156.0 ^[1]	113.0	137.0 ^[1]	102.0	117.0 ^[1]	90.9	102.0 ^[1]	80.6	88.5 ^[1]	69.1
	BW	150.0	194.0 ^[2]	137.0	174.0 ^[2]	129.0	157.0 ^[2]	119.0	138.0 ^[2]	108.0	123.0 ^[2]	94.6	108.0 ^[2]	85.5	92.8 ^[2]	71.6
220	B	139.0	183.0 ^[3]	130.0	169.0 ^[3]	119.0	158.0 ^[3]	109.0	142.0 ^[3]	97.4	127.0 ^[3]	87.7	112.0 ^[3]	79.4	95.8 ^[3]	69.6
	BV	136.0	193.0 ^[2]	125.0	171.0 ^[2]	115.0	151.0 ^[2]	104.0	133.0 ^[2]	94.4	116.0 ^[2]	83.7	100.0 ^[2]	74.2	86.3 ^[2]	63.7
	BW	137.0	193.0 ^[2]	127.0	172.0 ^[2]	120.0	155.0 ^[2]	110.0	136.0 ^[2]	97.6	121.0 ^[2]	88.2	105.0 ^[2]	79.8	90.7 ^[2]	66.1
240	B	131.0	170.0 ^[4]	122.0	159.0 ^[4]	113.0	149.0 ^[4]	99.1	136.0 ^[4]	90.4	125.0 ^[4]	81.7	110.0 ^[4]	73.8	94.5 ^[4]	64.7
	BV	126.0	190.0 ^[2]	114.0	168.0 ^[2]	106.0	149.0 ^[2]	95.3	131.0 ^[2]	86.5	115.0 ^[2]	76.8	98.8 ^[2]	68.0	85.1 ^[2]	58.8
	BW	127.0	190.0 ^[2]	117.0	170.0 ^[2]	111.0	153.0 ^[2]	98.9	135.0 ^[2]	90.5	120.0 ^[2]	82.1	104.0 ^[2]	74.1	89.3 ^[2]	60.4
260	B	161.0 ^[4]	114.0	149.0 ^[3]	102.0	141.0 ^[4]	92.8	130.0 ^[3]	84.1	120.0 ^[3]	75.6	106.0 ^[3]	67.9	93.3 ^[3]	59.4	79.9 ^[3]
	BV	187.0 ^[2]	106.0	165.0 ^[2]	96.7	147.0 ^[2]	87.7	129.0 ^[2]	78.6	113.0 ^[2]	69.9	97.4 ^[2]	62.3	83.9 ^[2]	54.1	69.5 ^[2]
	BW	187.0 ^[2]	109.0	167.0 ^[2]	99.7	150.0 ^[2]	91.4	133.0 ^[2]	83.4	118.0 ^[2]	75.7	102.0 ^[2]	68.5	87.8 ^[2]	55.1	71.6 ^[2]
280	B	148.0 ^[8]		139.0 ^[8]	95.8	133.0 ^[8]	86.2	123.0 ^[4]	78.9	114.0 ^[4]	70.1	104.0 ^[3]	62.8	89.4 ^[3]	53.1	77.0 ^[3]
	BV	184.0 ^[2]		165.0 ^[2]	89.3	145.0 ^[2]	80.0	127.0 ^[2]	72.2	111.0 ^[2]	63.4	94.0 ^[2]	56.9	82.4 ^[2]	49.4	68.3 ^[2]
	BW	184.0 ^[2]		165.0 ^[2]	92.5	147.0 ^[2]	84.1	131.0 ^[2]	77.5	115.0 ^[2]	69.3	97.8 ^[2]	62.8	86.6 ^[3]	50.3	70.8 ^[3]
300	B	140.0 ^[11]		131.0 ^[8]		123.0 ^[7]	81.5	115.0 ^[6]	73.3	108.0 ^[6]	66.0	97.3 ^[4]	58.3	85.4 ^[4]	47.4	76.4 ^[4]
	BV	181.0 ^[3]		160.0 ^[2]		142.0 ^[2]	73.7	125.0 ^[2]	65.6	109.0 ^[2]	58.5	94.0 ^[2]	52.0	80.8 ^[2]	44.4	66.9 ^[2]
	BW	181.0 ^[3]		162.0 ^[2]		145.0 ^[2]	78.3	129.0 ^[2]	71.1	113.0 ^[3]	64.1	95.9 ^[3]	57.5	83.7 ^[3]	45.7	69.9 ^[3]
320	B	123.0 ^[11]		124.0 ^[11]		117.0 ^[8]		109.0 ^[7]	69.3	98.8 ^[6]	60.9	92.1 ^[5]	53.2	82.1 ^[4]	44.3	72.5 ^[4]
	BV	175.0 ^[5]		156.0 ^[4]		140.0 ^[3]		123.0 ^[3]	60.8	108.0 ^[3]	53.5	92.2 ^[5]	47.5	79.3 ^[3]	40.3	65.6 ^[3]
	BW	175.0 ^[5]		158.0 ^[4]		143.0 ^[3]		127.0 ^[2]	65.9	110.0 ^[3]	58.7	95.1 ^[5]	51.6	82.2 ^[3]	41.8	67.8 ^[3]
340	B	104.0 ^[11]		108.0 ^[11]		111.0 ^[11]		100.0 ^[8]		93.8 ^[6]	57.1	86.6 ^[6]	48.0	78.3 ^[5]	41.0	68.1 ^[5]
	BV	167.0 ^[6]		153.0 ^[5]		138.0 ^[4]		122.0 ^[4]		107.0 ^[5]	49.5	91.2 ^[5]	43.0	78.1 ^[5]	36.2	

SDWB/SDWBV/SDWBW


S 335



ft	S 335 ft																	
	W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 138 ft		W 158 ft		W 177 ft		W 197 ft		W 217 ft	
	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	547.0*	550.0 ⁽¹⁾															
	BV																	
60	B	550.0*	554.0 ⁽¹⁾															
	BV	517.0*	545.0 ⁽¹⁾	471.0*	485.0 ⁽¹⁾	439.0*	440.0 ⁽¹⁾											
70	B	520.0*	549.0 ⁽¹⁾	473.0*	487.0 ⁽¹⁾	441.0*	443.0 ⁽¹⁾											
	BV	526.0	544.0 ⁽¹⁾	480.0	480.0	419.0*	435.0 ⁽¹⁾	384.0*	390.0 ⁽¹⁾	349.0*	350.0 ⁽¹⁾							
80	B	522.0	535.0 ⁽¹⁾	476.0	479.0 ⁽¹⁾													
	BV	525.0	540.0 ⁽¹⁾	478.0	479.0 ⁽¹⁾	422.0*	440.0 ⁽¹⁾	385.0*	393.0 ⁽¹⁾	352.0*	353.0 ⁽¹⁾							
90	B	494.0	541.0 ⁽¹⁾	453.0	467.0 ⁽²⁾	421.0	431.0 ⁽¹⁾	385.0	386.0 ⁽¹⁾	333.0*	345.0 ⁽¹⁾	305.0*	311.0 ⁽¹⁾	281.0*	281.0*	249.0*	249.0*	
	BV	490.0	523.0 ⁽¹⁾	448.0	467.0 ⁽¹⁾	423.0	430.0 ⁽¹⁾	387.0	387.0									
100	B	492.0	530.0 ⁽¹⁾	451.0	461.0 ⁽²⁾	425.0	433.0 ⁽¹⁾	388.0	388.0	336.0*	348.0 ⁽¹⁾	309.0*	314.0 ⁽¹⁾	282.0*	283.0 ⁽¹⁾			
	BV	469.0	537.0 ⁽¹⁾	426.0	465.0 ⁽²⁾	402.0	428.0 ⁽¹⁾	369.0	383.0 ⁽¹⁾	336.0	341.0 ⁽¹⁾	308.0	308.0	270.0*	277.0 ⁽¹⁾	246.0*	250.0 ⁽¹⁾	225.0*
110	B	465.0	511.0 ⁽¹⁾	419.0	456.0 ⁽¹⁾	402.0	421.0 ⁽¹⁾	369.0	379.0 ⁽¹⁾	337.0	341.0 ⁽¹⁾	309.0	309.0					
	BV	468.0	521.0 ⁽¹⁾	422.0	450.0 ⁽²⁾	404.0	423.0 ⁽¹⁾	370.0	380.0 ⁽¹⁾	339.0	343.0 ⁽¹⁾	311.0	311.0	271.0*	280.0 ⁽¹⁾	248.0*	253.0 ⁽¹⁾	226.0*
120	B																	
	BV	528.0 ⁽¹⁾	402.0	462.0 ⁽²⁾	382.0	424.0 ⁽¹⁾	352.0	380.0 ⁽¹⁾	323.0	338.0 ⁽¹⁾	295.0	304.0 ⁽¹⁾	272.0	274.0 ⁽¹⁾	248.0	248.0	216.0*	222.0 ⁽¹⁾
130	B	502.0 ⁽¹⁾	394.0	445.0 ⁽¹⁾	380.0	412.0 ⁽¹⁾	351.0	372.0 ⁽¹⁾	322.0	334.0 ⁽¹⁾	296.0	302.0 ⁽¹⁾	272.0	274.0 ⁽¹⁾	249.0	249.0		
	BV	512.0 ⁽¹⁾	396.0	440.0 ⁽²⁾	383.0	414.0 ⁽¹⁾	351.0	373.0 ⁽¹⁾	324.0	336.0 ⁽¹⁾	298.0	304.0 ⁽¹⁾	274.0	275.0 ⁽¹⁾	250.0	250.0	218.0*	224.0 ⁽¹⁾
140	B	508.0 ⁽¹⁾	384.0	459.0 ⁽²⁾	364.0	421.0 ⁽¹⁾	336.0	377.0 ⁽¹⁾	309.0	336.0 ⁽¹⁾	285.0	302.0 ⁽¹⁾	262.0	273.0 ⁽¹⁾	240.0	240.0	218.0	218.0
	BV	499.0 ⁽¹⁾	376.0	439.0 ⁽¹⁾	360.0	403.0 ⁽¹⁾	333.0	364.0 ⁽¹⁾	307.0	327.0 ⁽¹⁾	283.0	297.0 ⁽¹⁾	261.0	269.0 ⁽¹⁾	240.0	244.0 ⁽¹⁾	218.0	219.0 ⁽¹⁾
150	B	502.0 ⁽¹⁾	378.0	429.0 ⁽²⁾	363.0	405.0 ⁽¹⁾	334.0	365.0 ⁽¹⁾	309.0	330.0 ⁽¹⁾	286.0	298.0 ⁽¹⁾	263.0	267.0 ⁽¹⁾	242.0	243.0 ⁽¹⁾	221.0	221.0
	BV																	
160	B	488.0 ⁽¹⁾		445.0 ⁽²⁾	347.0	410.0 ⁽¹⁾	321.0	373.0 ⁽¹⁾	295.0	334.0 ⁽¹⁾	273.0	300.0 ⁽¹⁾	252.0	271.0 ⁽¹⁾	232.0	233.0 ⁽¹⁾	211.0	211.0
	BV	496.0 ⁽¹⁾		436.0 ⁽¹⁾	345.0	399.0 ⁽¹⁾	316.0	357.0 ⁽¹⁾	292.0	321.0 ⁽¹⁾	271.0	291.0 ⁽¹⁾	250.0	263.0 ⁽¹⁾	231.0	239.0 ⁽¹⁾	210.0	210.0
170	B	493.0 ⁽¹⁾		427.0 ⁽²⁾	347.0	401.0 ⁽¹⁾	317.0	357.0 ⁽¹⁾	294.0	324.0 ⁽¹⁾	273.0	292.0 ⁽¹⁾	251.0	258.0 ⁽¹⁾	233.0	236.0 ⁽¹⁾	213.0	213.0
	BV																	
180	B	468.0 ⁽¹⁾		431.0 ⁽²⁾	334.0	397.0 ⁽¹⁾	306.0	364.0 ⁽¹⁾	282.0	329.0 ⁽¹⁾	261.0	299.0 ⁽¹⁾	242.0	270.0 ⁽¹⁾	224.0	232.0 ⁽¹⁾	203.0	207.0 ⁽¹⁾
	BV	492.0 ⁽¹⁾		433.0 ⁽¹⁾	331.0	396.0 ⁽¹⁾	304.0	354.0 ⁽¹⁾	278.0	316.0 ⁽¹⁾	258.0	285.0 ⁽¹⁾	239.0	258.0 ⁽¹⁾	222.0	235.0 ⁽¹⁾	202.0	211.0 ⁽¹⁾
190	B	486.0 ⁽¹⁾		424.0 ⁽²⁾	334.0	397.0 ⁽¹⁾	304.0	354.0 ⁽¹⁾	280.0	317.0 ⁽¹⁾	261.0	287.0 ⁽¹⁾	241.0	254.0 ⁽¹⁾	224.0	230.0 ⁽¹⁾	204.0	207.0 ⁽¹⁾
	BV																	
200	B	443.0 ⁽¹⁾		417.0 ⁽²⁾		385.0 ⁽¹⁾	293.0	355.0 ⁽¹⁾	270.0	322.0 ⁽¹⁾	249.0	290.0 ⁽¹⁾	232.0	268.0 ⁽¹⁾	216.0	232.0 ⁽¹⁾	196.0	206.0 ⁽¹⁾
	BV	481.0 ⁽¹⁾		428.0 ⁽¹⁾		393.0 ⁽¹⁾	291.0	351.0 ⁽¹⁾	265.0	313.0 ⁽¹⁾	246.0	282.0 ⁽¹⁾	229.0	253.0 ⁽¹⁾	212.0	231.0 ⁽¹⁾	194.0	207.0 ⁽¹⁾
210	B	477.0 ⁽¹⁾		422.0 ⁽²⁾		394.0 ⁽¹⁾	292.0	351.0 ⁽¹⁾	267.0	311.0 ⁽¹⁾	247.0	279.0 ⁽¹⁾	231.0	249.0 ⁽¹⁾	215.0	226.0 ⁽¹⁾	195.0	203.0 ⁽¹⁾
	BV																	
220	B	423.0 ⁽¹⁾		397.0 ⁽²⁾		371.0 ⁽¹⁾	283.0	345.0 ⁽¹⁾	258.0	315.0 ⁽¹⁾	239.0	285.0 ⁽¹⁾	223.0	259.0 ⁽¹⁾	206.0	231.0 ⁽¹⁾	189.0	206.0 ⁽¹⁾
	BV	470.0 ⁽¹⁾		416.0 ⁽²⁾		389.0 ⁽¹⁾	278.0	348.0 ⁽¹⁾	254.0	310.0 ⁽¹⁾	235.0	279.0 ⁽¹⁾	218.0	251.0 ⁽¹⁾	203.0	227.0 ⁽¹⁾	186.0	203.0 ⁽¹⁾
230	B	466.0 ⁽¹⁾		417.0 ⁽²⁾		390.0 ⁽¹⁾	279.0	347.0 ⁽¹⁾	255.0	305.0 ⁽¹⁾	236.0	272.0 ⁽¹⁾	220.0	245.0 ⁽¹⁾	204.0	223.0 ⁽¹⁾	188.0	200.0 ⁽¹⁾
	BV																	
240	B	399.0 ⁽¹⁾		374.0 ⁽²⁾		355.0 ⁽¹⁾		334.0 ⁽¹⁾	247.0	308.0 ⁽¹⁾	229.0	279.0 ⁽¹⁾	214.0	255.0 ⁽¹⁾	197.0	231.0 ⁽¹⁾	182.0	205.0 ⁽¹⁾
	BV	459.0 ⁽¹⁾		410.0 ⁽²⁾		384.0 ⁽¹⁾		345.0 ⁽¹⁾	246.0	307.0 ⁽¹⁾	227.0	276.0 ⁽¹⁾	209.0	248.0 ⁽¹⁾	194.0	224.0 ⁽¹⁾	178.0	200.0 ⁽¹⁾
250	B	455.0 ⁽¹⁾		411.0 ⁽²⁾		384.0 ⁽¹⁾		344.0 ⁽¹⁾	247.0	301.0 ⁽¹⁾	228.0	271.0 ⁽¹⁾	211.0	242.0 ⁽¹⁾	195.0	219.0 ⁽¹⁾	180.0	196.0 ⁽¹⁾
	BV																	
260	B	372.0 ⁽¹⁾		359.0 ⁽¹⁾		339.0 ⁽¹⁾		321.0 ⁽¹⁾	240.0	296.0 ⁽¹⁾	220.0	274.0 ⁽¹⁾	204.0	251.0 ⁽¹⁾	190.0	228.0 ⁽¹⁾	174.0	205.0 ⁽¹⁾
	BV	448.0 ⁽¹⁾		404.0 ⁽²⁾		378.0 ⁽¹⁾		342.0 ⁽¹⁾	236.0	305.0 ⁽¹⁾	218.0	273.0 ⁽¹⁾	199.0	246.0 ⁽¹⁾	186.0	222.0 ⁽¹⁾	171.0	198.0 ⁽¹⁾
270	B	445.0 ⁽¹⁾		405.0 ⁽²⁾		379.0 ⁽¹⁾		340.0 ⁽¹⁾	238.0	299.0 ⁽¹⁾	220.0	269.0 ⁽¹⁾	201.0	240.0 ⁽¹⁾	187.0	217.0 ⁽¹⁾	173.0	193.0 ⁽¹⁾
	BV																	
280	B	346.0 ⁽¹⁾		340.0 ⁽¹⁾		326.0 ⁽¹⁾		306.0 ⁽¹⁾	230.0	285.0 ⁽¹⁾	213.0	268.0 ⁽¹⁾	196.0	246.0 ⁽¹⁾	183.0	225.0 ⁽¹⁾	168.0	202.0 ⁽¹⁾
	BV	437.0 ⁽¹⁾		398.0 ⁽¹⁾		373.0 ⁽¹⁾		340.0 ⁽¹⁾	230.0	303.0 ⁽¹⁾	209.0	271.0 ⁽¹⁾	192.0	243.0 ⁽¹⁾	177.0	219.0 ⁽¹⁾	163.0	196.0 ⁽¹⁾
290	B	436.0 ⁽¹⁾		399.0 ⁽¹⁾		373.0 ⁽¹⁾		337.0 ⁽¹⁾	230.0	297.0 ⁽¹⁾	211.0	267.0 ⁽¹⁾	195.0	239.0 ⁽¹⁾	179.0	216.0 ⁽¹⁾	166.0	191.0 ⁽¹⁾
	BV																	
300	B	319.0 ⁽¹⁾		319.0 ⁽¹⁾		313.0 ⁽¹⁾		291.0 ⁽¹⁾	210.0	274.0 ⁽¹⁾	206.0	259.0 ⁽¹⁾	188.0	241.0 ⁽¹⁾	175.0	222.0 ⁽¹⁾	162.0	199.0 ⁽¹⁾
	BV	426.0 ⁽¹⁾		392.0 ⁽¹⁾		368.0 ⁽¹⁾		338.0 ⁽¹⁾	210.0	301.0 ⁽¹⁾	201.0	270.0 ⁽¹⁾	186.0	241.0 ⁽¹⁾	172.0	217.0 ⁽¹⁾	156.0	193.0 ⁽¹⁾
310	B	426.0 ⁽¹⁾		393.0 ⁽¹⁾		368.0 ⁽¹⁾		334.0 ⁽¹⁾	210.0	294.0 ⁽¹⁾	202.0	265.0 ⁽¹⁾	188.0	237.0 ⁽¹⁾	174.0	214.0 ⁽¹⁾	158.0	190.0 ⁽¹⁾
	BV																	
320	B	293.0 ⁽¹⁾		297.0 ⁽¹⁾		294.0 ⁽¹⁾		280.0 ⁽¹⁾	210.0	264.0 ⁽¹⁾	200.0	250.0 ⁽¹⁾	182.0	234.0 ⁽¹⁾	169.0	219.0 ⁽¹⁾	155.0	195.0 ⁽¹⁾
	BV	406.0 ⁽¹⁾		386.0 ⁽¹⁾		363.0 ⁽¹⁾		335.0 ⁽¹⁾	210.0	299.0 ⁽¹⁾	200.0	268.0 ⁽¹⁾	178.0	240.0 ⁽¹⁾	166.0	211.0 ⁽¹⁾	150.0	191.0 ⁽¹⁾
330	B	405.0 ⁽¹⁾		387.0 ⁽¹⁾		362.0 ⁽¹⁾		330.0 ⁽¹⁾	210.0	292.0 ⁽¹⁾	200.0	264.0 ⁽¹⁾	180.0					


SDWB/SDWBV/SDWBW

S 335



 ft	S 335 ft															
	W 236 ft		W 256 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		W 354 ft		W 374 ft	
	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
90	B BV BW	203.0* 203.0* 203.0*														
100	B BV BW	198.0* 199.0 ⁽¹⁾ 197.0*		179.0* 180.0* 180.0*	180.0 ⁽¹⁾ 180.0* 164.0*	164.0* 164.0* 164.0*										
110	B BV BW	199.0 199.0 199.0		173.0* 177.0 ⁽¹⁾ 174.0*	177.0 ⁽¹⁾ 177.0* 178.0 ⁽¹⁾	158.0* 160.0 ⁽¹⁾ 159.0*	140.0* 141.0 ⁽¹⁾ 141.0*	141.0* 141.0* 141.0*	127.0* 127.0* 127.0*							
120	B BV BW	193.0 191.0 192.0		175.0 172.0 176.0	175.0 172.0 176.0	151.0* 155.0 152.0	136.0* 139.0 ⁽¹⁾ 140.0 ⁽¹⁾	136.0* 139.0 ⁽¹⁾ 140.0 ⁽¹⁾	123.0* 123.0* 125.0 ⁽¹⁾							
130	B BV BW	187.0 184.0 186.0		170.0 166.0 171.0	170.0 169.0 ⁽¹⁾ 171.0	153.0 150.0 154.0	138.0 134.0 139.0	138.0 134.0 139.0	119.0* 122.0 ⁽¹⁾ 120.0*							
140	B BV BW	181.0 178.0 179.0		165.0 160.0 165.0	165.0 166.0 ⁽¹⁾ 165.0	148.0 145.0 149.0	148.0 149.0 ⁽¹⁾ 149.0	133.0 130.0 135.0	121.0 116.0 122.0							
150	B BV BW	176.0 171.0 173.0		159.0 154.0 160.0	164.0 ⁽²⁾ 163.0 ⁽¹⁾ 162.0 ⁽²⁾	143.0 140.0 144.0	144.0 ⁽²⁾ 146.0 ⁽¹⁾ 145.0 ⁽²⁾	130.0 126.0 131.0	117.0 112.0 118.0							
160	B BV BW	170.0 164.0 166.0		153.0 148.0 153.0	164.0 ⁽²⁾ 160.0 ⁽¹⁾ 159.0 ⁽²⁾	139.0 135.0 139.0	144.0 ⁽²⁾ 143.0 ⁽¹⁾ 142.0 ⁽²⁾	126.0 121.0 126.0	114.0 108.0 115.0							
170	B BV BW	164.0 157.0 160.0		147.0 142.0 146.0	164.0 ⁽²⁾ 156.0 ⁽¹⁾ 156.0 ⁽²⁾	135.0 130.0 134.0	144.0 ⁽²⁾ 140.0 ⁽¹⁾ 140.0 ⁽²⁾	122.0 117.0 122.0	110.0 110.0 ⁽¹⁾ 111.0							
180	B BV BW	156.0 150.0 152.0		142.0 136.0 140.0	163.0 ⁽²⁾ 155.0 ⁽¹⁾ 153.0 ⁽²⁾	130.0 124.0 129.0	144.0 ⁽²⁾ 138.0 ⁽¹⁾ 138.0 ⁽²⁾	118.0 112.0 118.0	106.0 100.0 107.0							
190	B BV BW	149.0 143.0 145.0		137.0 130.0 135.0	163.0 ⁽²⁾ 153.0 ⁽¹⁾ 150.0 ⁽²⁾	126.0 119.0 124.0	143.0 ⁽²⁾ 136.0 ⁽¹⁾ 136.0 ⁽²⁾	114.0 107.0 113.0	101.0 96.2 101.0							
200	B BV BW	144.0 137.0 132.0		131.0 125.0 129.0	161.0 ⁽²⁾ 151.0 ⁽¹⁾ 149.0 ⁽²⁾	121.0 114.0 120.0	143.0 ⁽²⁾ 134.0 ⁽¹⁾ 134.0 ⁽²⁾	110.0 103.0 109.0	96.8 92.2 96.4							
220	B BV BW	133.0 128.0 130.0		122.0 114.0 119.0	157.0 ⁽²⁾ 144.0 ⁽¹⁾ 147.0 ⁽²⁾	112.0 104.0 110.0	141.0 ⁽²⁾ 130.0 ⁽¹⁾ 132.0 ⁽²⁾	99.7 94.0 98.1	89.9 84.3 88.9							
240	B BV BW	124.0 118.0 121.0		113.0 107.0 113.0	152.0 ⁽²⁾ 142.0 ⁽¹⁾ 144.0 ⁽²⁾	101.0 95.7 99.0	138.0 ⁽²⁾ 125.0 ⁽¹⁾ 129.0 ⁽²⁾	91.4 85.7 90.1	82.9 76.7 81.9							
260	B BV BW	117.0 108.0 112.0		103.0 97.7 102.0	142.0 ⁽³⁾ 141.0 ⁽²⁾ 143.0 ⁽²⁾	94.1 89.5 93.3	132.0 ⁽³⁾ 124.0 ⁽¹⁾ 128.0 ⁽²⁾	84.5 78.0 83.8	76.8 69.6 75.4							
280	B BV BW			96.0 89.7 93.1	133.0 ⁽⁵⁾ 140.0 ⁽²⁾ 142.0 ⁽²⁾	87.0 81.4 85.8	125.0 ⁽⁴⁾ 123.0 ⁽²⁾ 127.0 ⁽²⁾	78.8 72.6 78.1	116.0 ⁽³⁾ 106.0 ⁽²⁾ 111.0 ⁽²⁾	70.8 63.4 69.6						
300	B BV BW			127.0 ⁽⁶⁾ 139.0 ⁽²⁾ 141.0 ⁽²⁾	142.0 ⁽⁶⁾ 139.0 ⁽²⁾ 141.0 ⁽²⁾	82.1 74.5 79.3	119.0 ⁽⁵⁾ 122.0 ⁽²⁾ 126.0 ⁽²⁾	73.7 65.9 71.8	110.0 ⁽⁴⁾ 106.0 ⁽³⁾ 110.0 ⁽²⁾	66.0 59.3 65.2						
320	B BV BW			118.0 ⁽⁸⁾ 138.0 ⁽²⁾ 140.0 ⁽²⁾	118.0 ⁽⁸⁾ 138.0 ⁽²⁾ 140.0 ⁽²⁾		112.0 ⁽⁶⁾ 121.0 ⁽²⁾ 125.0 ⁽²⁾	69.1 60.7 66.1	102.0 ⁽⁶⁾ 105.0 ⁽²⁾ 109.0 ⁽²⁾	61.4 54.0 59.4						
340	B BV BW			103.0 ⁽⁸⁾ 120.0 ⁽³⁾ 125.0 ⁽²⁾	103.0 ⁽⁸⁾ 120.0 ⁽³⁾ 125.0 ⁽²⁾		103.0 ⁽⁸⁾ 120.0 ⁽³⁾ 125.0 ⁽²⁾	93.1 ⁽⁶⁾ 104.0 ⁽²⁾ 108.0 ⁽²⁾	57.7 49.8 53.7							
360	B BV BW			81.6 ⁽⁷⁾ 103.0 ⁽³⁾ 108.0 ⁽³⁾	81.6 ⁽⁷⁾ 103.0 ⁽³⁾ 108.0 ⁽³⁾		81.6 ⁽⁷⁾ 103.0 ⁽³⁾ 108.0 ⁽³⁾	81.6 ⁽⁷⁾ 103.0 ⁽³⁾ 108.0 ⁽³⁾	81.6 ⁽⁷⁾ 103.0 ⁽³⁾ 108.0 ⁽³⁾							
380	B BV BW			77.3 ⁽⁸⁾ 101.0 ⁽⁴⁾ 106.0 ⁽⁴⁾	77.3 ⁽⁸⁾ 101.0 ⁽⁴⁾ 106.0 ⁽⁴⁾		77.3 ⁽⁸⁾ 101.0 ⁽⁴⁾ 106.0 ⁽⁴⁾	77.3 ⁽⁸⁾ 101.0 ⁽⁴⁾ 106.0 ⁽⁴⁾	77.3 ⁽⁸⁾ 101.0 ⁽⁴⁾ 106.0 ⁽⁴⁾							
400	B BV BW			73.2 ⁽¹⁰⁾ 86.6 ⁽⁴⁾ 89.9 ⁽⁴⁾	73.2 ⁽¹⁰⁾ 86.6 ⁽⁴⁾ 89.9 ⁽⁴⁾		73.2 ⁽¹⁰⁾ 86.6 ⁽⁴⁾ 89.9 ⁽⁴⁾	73.2 ⁽¹⁰⁾ 86.6 ⁽⁴⁾ 89.9 ⁽⁴⁾	73.2 ⁽¹⁰⁾ 86.6 ⁽⁴⁾ 89.9 ⁽⁴⁾							
420	B BV BW			62.3 ⁽¹¹⁾ 84.9 ⁽⁵⁾ 88.5 ⁽⁵⁾	62.3 ⁽¹¹⁾ 84.9 ⁽⁵⁾ 88.5 ⁽⁵⁾		62.3 ⁽¹¹⁾ 84.9 ⁽⁵⁾ 88.5 ⁽⁵⁾	62.3 ⁽¹¹⁾ 84.9 ⁽⁵⁾ 88.5 ⁽⁵⁾	62.3 ⁽¹¹⁾ 84.9 ⁽⁵⁾ 88.5 ⁽⁵⁾							
440	B BV BW			47.3 ⁽¹¹⁾ 81.5 ⁽⁷⁾ 84.9 ⁽⁷⁾	47.3 ⁽¹¹⁾ 81.5 ⁽⁷⁾ 84.9 ⁽⁷⁾		47.3 ⁽¹¹⁾ 81.5 ⁽⁷⁾ 84.9 ⁽⁷⁾	47.3 ⁽¹¹⁾ 81.5 ⁽⁷⁾ 84.9 ⁽⁷⁾	47.3 ⁽¹¹⁾ 81.5 ⁽⁷⁾ 84.9 ⁽⁷⁾							
460	B BV BW			32.2 ⁽¹¹⁾ 79.8 ⁽⁹⁾ 83.1 ⁽⁷⁾	32.2 ⁽¹¹⁾ 79.8 ⁽⁹⁾ 83.1 ⁽⁷⁾		32.2 ⁽¹¹⁾ 79.8 ⁽⁹⁾ 83.1 ⁽⁷⁾	32.2 ⁽¹¹⁾ 79.8 ⁽⁹⁾ 83.1 ⁽⁷⁾	32.2 ⁽¹¹⁾ 79.8 ⁽⁹⁾ 83.1 ⁽⁷⁾							
480	B BV BW			68.4 ⁽⁵⁾ 73.1 ⁽⁷⁾	68.4 ⁽⁵⁾ 73.1 ⁽⁷⁾		68.4 ⁽⁵⁾ 73.1 ⁽⁷⁾	68.4 ⁽⁵⁾ 73.1 ⁽⁷⁾	68.4 ⁽⁵⁾ 73.1 ⁽⁷⁾							
500	B BV BW			58.8 ⁽⁹⁾ 60.2 ⁽⁹⁾	58.8 ⁽⁹⁾ 60.2 ⁽⁹⁾		58.8 ⁽⁹⁾ 60.2 ⁽⁹⁾	58.8 ⁽⁹⁾ 60.2 ⁽⁹⁾	58.8 ⁽⁹⁾ 60.2 ⁽⁹⁾							
520	B BV BW			44.9 ⁽⁹⁾	44.9 ⁽⁹⁾		44.9 ⁽⁹⁾	44.9 ⁽⁹⁾	44.9 ⁽⁹⁾							
540	B BV BW			38.9 ⁽⁹⁾	38.9 ⁽⁹⁾		38.9 ⁽⁹⁾	38.9 ⁽⁹⁾	38.9 ⁽⁹⁾							
560	B BV BW			27.8 ⁽⁹⁾	27.8 ⁽⁹⁾		27.8 ⁽⁹⁾	27.8 ⁽⁹⁾	27.8 ⁽⁹⁾							
112°	21.17°	31.22°	41.27°	51.32°	61.37°	71.42°	81.47°	91.52°	101.57°	111.62°						


S 354



		S 354 ft																	
		W 59 ft		W 79 ft		W 98 ft		W 118 ft		W 138 ft		W 158 ft		W 177 ft		W 197 ft		W 217 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	486.0*	487.0 ^[1]																
	BV	488.0*	489.0 ^[1]																
60	B	460.0*	482.0 ^[1]	418.0*	426.0 ^[1]														
	BV	462.0*	482.0 ^[1]	419.0*	428.0 ^[1]	390.0*	391.0 ^[1]												
70	B	471.0	480.0 ^[1]	425.0	425.0														
	BV	462.0	469.0 ^[1]	420.0	420.0														
80	B	463.0	465.0 ^[2]	422.0	422.0	374.0*	385.0 ^[1]	340.0*	345.0 ^[1]	309.0*	309.0*								
	BV	448.0	477.0 ^[1]	405.0	413.0 ^[2]														
90	B	433.0	455.0 ^[1]	395.0	408.0 ^[1]	372.0	375.0 ^[1]	338.0	338.0										
	BV	435.0	452.0 ^[2]	396.0	406.0 ^[1]	374.0	378.0 ^[1]	341.0	341.0	295.0*	304.0 ^[1]	273.0*	276.0 ^[1]	246.0*	246.0*				
100	B	425.0	474.0 ^[1]	386.0	410.0 ^[2]														
	BV	407.0	442.0 ^[1]	370.0	396.0 ^[1]	354.0	366.0 ^[1]	323.0	329.0 ^[1]	296.0	298.0 ^[1]	271.0	271.0	237.0*	243.0 ^[1]	218.0*	220.0 ^[1]	198.0*	198.0*
110	B	407.0	439.0 ^[2]	372.0	391.0 ^[1]	355.0	368.0 ^[1]	325.0	331.0 ^[1]	296.0	298.0 ^[1]	273.0	273.0	237.0*	243.0 ^[1]	218.0*	220.0 ^[1]	198.0*	198.0*
	BV	413.0	472.0 ^[1]	366.0	407.0 ^[2]														
120	B	389.0	429.0 ^[1]	346.0	383.0 ^[1]	336.0	357.0 ^[1]	308.0	321.0 ^[1]	283.0	290.0 ^[1]	260.0	264.0 ^[1]	237.0	237.0	217.0	217.0	191.0*	195.0 ^[1]
	BV	392.0	426.0 ^[2]	347.0	379.0 ^[2]	338.0	358.0 ^[1]	310.0	323.0 ^[1]	283.0	291.0 ^[1]	263.0	266.0 ^[1]	238.0	239.0 ^[1]	210.0*	217.0 ^[1]	191.0*	195.0 ^[1]
130	B		455.0 ^[1]	348.0	404.0 ^[2]														
	BV		433.0 ^[1]	332.0	376.0 ^[1]	318.0	347.0 ^[1]	293.0	313.0 ^[1]	270.0	283.0 ^[1]	249.0	258.0 ^[1]	227.0	232.0 ^[1]	209.0	211.0 ^[1]	189.0	189.0
140	B		424.0 ^[2]	334.0	368.0 ^[2]	320.0	349.0 ^[1]	294.0	315.0 ^[1]	271.0	284.0 ^[1]	251.0	259.0 ^[1]	229.0	232.0 ^[1]	211.0	212.0 ^[1]	192.0	192.0
	BV		441.0 ^[1]		395.0 ^[2]														
150	B		438.0 ^[1]		379.0 ^[1]	303.0	344.0 ^[1]	278.0	305.0 ^[1]	257.0	276.0 ^[1]	238.0	251.0 ^[1]	218.0	226.0 ^[1]	200.0	206.0 ^[1]	182.0	184.0 ^[1]
	BV		429.0 ^[2]		367.0 ^[2]	304.0	345.0 ^[1]	279.0	306.0 ^[1]	256.0	277.0 ^[1]	239.0	253.0 ^[1]	220.0	225.0 ^[1]	201.0	204.0 ^[1]	185.0	185.0
160	B		428.0 ^[1]		385.0 ^[2]														
	BV		442.0 ^[1]		382.0 ^[1]	293.0	346.0 ^[1]	265.0	305.0 ^[1]	244.0	270.0 ^[1]	227.0	245.0 ^[1]	208.0	221.0 ^[1]	192.0	201.0 ^[1]	174.0	180.0 ^[1]
170	B		434.0 ^[2]		371.0 ^[2]	295.0	347.0 ^[1]	267.0	306.0 ^[1]	244.0	270.0 ^[1]	228.0	247.0 ^[1]	210.0	218.0 ^[2]	193.0	197.0 ^[1]	178.0	179.0 ^[2]
	BV		409.0 ^[1]		374.0 ^[2]														
180	B		439.0 ^[1]		385.0 ^[1]		347.0 ^[1]	257.0	306.0 ^[1]	233.0	271.0 ^[1]	216.0	241.0 ^[1]	198.0	216.0 ^[1]	184.0	196.0 ^[1]	167.0	176.0 ^[1]
	BV		430.0 ^[1]		375.0 ^[2]		348.0 ^[1]	259.0	307.0 ^[1]	233.0	263.0 ^[1]	218.0	240.0 ^[1]	200.0	213.0 ^[2]	185.0	193.0 ^[2]	171.0	176.0 ^[2]
190	B		385.0 ^[1]		363.0 ^[2]		349.0 ^[1]	245.0	307.0 ^[1]	222.0	271.0 ^[1]	206.0	242.0 ^[1]	189.0	214.0 ^[1]	175.0	192.0 ^[1]	160.0	172.0 ^[1]
	BV		431.0 ^[1]		382.0 ^[1]		350.0 ^[1]	245.0	308.0 ^[1]	223.0	261.0 ^[2]	208.0	232.0 ^[2]	191.0	209.0 ^[2]	177.0	189.0 ^[2]	164.0	172.0 ^[2]
200	B		413.0 ^[1]		379.0 ^[2]														
	BV		371.0 ^[1]		346.0 ^[1]		345.0 ^[1]		308.0 ^[1]	217.0	272.0 ^[1]	198.0	242.0 ^[1]	181.0	214.0 ^[1]	167.0	191.0 ^[1]	153.0	168.0 ^[1]
210	B		423.0 ^[1]		376.0 ^[1]		345.0 ^[1]		309.0 ^[1]	217.0	263.0 ^[1]	199.0	234.0 ^[1]	182.0	205.0 ^[2]	170.0	185.0 ^[2]	156.0	168.0 ^[2]
	BV		409.0 ^[1]		372.0 ^[2]		345.0 ^[1]		309.0 ^[1]	217.0	263.0 ^[1]	199.0	234.0 ^[1]	182.0	205.0 ^[2]	170.0	185.0 ^[2]	156.0	168.0 ^[2]
220	B				331.0 ^[1]														
	BV		415.0 ^[1]		369.0 ^[1]		339.0 ^[1]		304.0 ^[1]	207.0	273.0 ^[1]	192.0	242.0 ^[1]	172.0	214.0 ^[1]	160.0	191.0 ^[1]	146.0	168.0 ^[1]
230	B				366.0 ^[1]		339.0 ^[1]		305.0 ^[1]	206.0	265.0 ^[1]	193.0	235.0 ^[2]	174.0	207.0 ^[2]	162.0	183.0 ^[2]	149.0	165.0 ^[2]
	BV				321.0 ^[1]														
240	B		407.0 ^[1]		363.0 ^[1]		333.0 ^[1]		299.0 ^[1]		269.0 ^[1]	183.0	242.0 ^[1]	165.0	214.0 ^[1]	153.0	191.0 ^[1]	139.0	168.0 ^[1]
	BV				360.0 ^[2]		333.0 ^[1]		300.0 ^[1]		267.0 ^[2]	184.0	237.0 ^[2]	171.0	208.0 ^[2]	154.0	184.0 ^[2]	142.0	163.0 ^[2]
250	B				301.0 ^[1]														
	BV		399.0 ^[1]		356.0 ^[1]		327.0 ^[1]		294.0 ^[1]		265.0 ^[1]	175.0	239.0 ^[1]	161.0	214.0 ^[1]	148.0	191.0 ^[1]	133.0	168.0 ^[1]
260	B				354.0 ^[1]		327.0 ^[1]		295.0 ^[1]		263.0 ^[1]	177.0	238.0 ^[1]	164.0	210.0 ^[1]	148.0	185.0 ^[1]	136.0	164.0 ^[2]
	BV				283.0 ^[1]														
270	B		391.0 ^[1]		350.0 ^[1]		322.0 ^[1]		289.0 ^[1]		261.0 ^[1]		235.0 ^[1]	154.0	211.0 ^[1]	143.0	190.0 ^[1]	128.0	167.0 ^[1]
	BV				347.0 ^[2]		321.0 ^[1]		290.0 ^[1]		260.0 ^[2]		235.0 ^[2]	157.0	211.0 ^[2]	144.0	186.0 ^[2]	131.0	165.0 ^[2]
280	B				247.0 ^[1]														
	BV		355.0 ^[1]		332.0 ^[2]		310.0 ^[1]		279.0 ^[1]		252.0 ^[1]		228.0 ^[1]		204.0 ^[1]	131.0	184.0 ^[1]	120.0	163.0 ^[2]
290	B				331.0 ^[1]		309.0 ^[1]		280.0 ^[1]		252.0 ^[1]		229.0 ^[2]		205.0 ^[2]	133.0	185.0 ^[2]	124.0	166.0 ^[2]
	BV																		
300	B		312.0 ^[1]		308.0 ^[1]		296.0 ^[1]		269.0 ^[1]		244.0 ^[1]		221.0 ^[1]		198.0 ^[2]		179.0 ^[1]	110.0	159.0 ^[1]
	BV						294.0 ^[1]		270.0 ^[2]		244.0 ^[2]		223.0 ^[2]		199.0 ^[2]		180.0 ^[2]	114.0	162.0 ^[2]
310	B		269.0 ^[1]		272.0 ^[1]		274.0 ^[1]		256.0 ^[1]		235.0 ^[1]		215.0 ^[2]		193.0 ^[2]		174.0 ^[2]		155.0 ^[2]
	BV								255.0 ^[1]		234.0 ^[2]		217.0 ^[2]		193.0 ^[2]		176.0 ^[2]		158.0 ^[2]
320	B		229.0 ^[1]		237.0 ^[1]		240.0 ^[1]		237.0 ^[1]		225.0 ^[1]		207.0 ^[1]		187.0 ^[2]		169.0 ^[2]		150.0 ^[2]
	BV								237.0 ^[1]		223.0 ^[1]		209.0 ^[1]		188.0 ^[2]		171.0 ^[2]		154.0 ^[2]
330	B		198.0 ^[1]		204.0 ^[1]		206.0 ^[1]		209.0 ^[1]		208.0 ^[1]		197.0 ^[1]		180.0 ^[1]		164.0 ^[1]		146.0 ^[2]
	BV								210.0 ^[1]		208.0 ^[1]		196.0 ^[1]		180.0 ^[1]		166.0 ^[1]		149.0 ^[2]
340	B		166.0 ^[1]		177.0 ^[1]		175.0 ^[1]		181.0 ^[1]		185.0 ^[1]		182.0 ^[1]		172.0 ^[1]		158.0 ^[1]		142.0 ^[1]
	BV								182.0 ^[1]		185.0 ^[1]		182.0 ^[1]		173.0 ^[1]		161.0 ^[1]		145.0 ^[1]
350	B				150.0 ^[1]		150.0 ^[1]		154.0 ^[1]		161.0 ^[1]		162.0 ^[1]		160.0 ^[1]		150.0 ^[1]		136.0 ^[1]
	BV										161.0 ^[1]		163.0 ^[1]		162.0 ^[1]		151.0 ^[1]		139.0 ^[1]
360	B						124.0 ^[1]		131.0 ^[1]		137.0 ^[1]		143.0 ^[1]		143.0 ^[1]		141.0 ^[1]		129.0 ^[1]
	BV												144.0 ^[1]		144.0 ^[1]		141.0 ^[1]		132.0 ^[1]
370	B										116.0 ^[1]		121.0 ^[1]		125.0 ^[1]		126.0 ^[1]		122.0 ^[1]
	BV														127.0 ^[1]		127.0 ^[1]		125.0 ^[1]
380	B																		
	BV																		
390	B																		
	BV																		
400	B																		
	BV																		


SDWB/SDWBV/SDWBW


S 354



ft	ft	S 354 ft															
		W 236 ft		W 256 ft		W 276 ft		W 295 ft		W 315 ft		W 335 ft		W 354 ft		W 374 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
100	B BV BW	174.0*	175.0 ⁽¹⁾	156.0*	156.0*	113.0*	113.0*										
110	B BV BW	168.0*	173.0 ⁽¹⁾	149.0*	153.0 ⁽¹⁾	136.0*	137.0 ⁽¹⁾	122.0*	122.0*	109.0*	109.0*						
120	B BV BW	164.0 169.0	165.0 ⁽¹⁾ 169.0	147.0 150.0	147.0 150.0	131.0*	135.0 ⁽¹⁾	118.0*	120.0 ⁽¹⁾	104.0*	106.0 ⁽¹⁾	90.9*	90.9*	77.9*	77.9*		
130	B BV BW	158.0 163.0	162.0 ⁽¹⁾ 163.0	142.0 145.0	143.0 ⁽¹⁾ 145.0	128.0 132.0	128.0 132.0	113.0 119.0	113.0 119.0	99.2*	104.0 ⁽¹⁾	88.0*	89.3 ⁽¹⁾	74.9*	75.4 ⁽¹⁾	58.4*	58.4*
140	B BV BW	152.0 156.0	158.0 ⁽¹⁾ 158.0 ⁽²⁾	136.0 140.0	140.0 ⁽¹⁾ 140.0	123.0 128.0	125.0 ⁽¹⁾ 128.0	109.0 115.0	110.0 ⁽¹⁾ 115.0	96.4 102.0	96.5 ⁽¹⁾ 102.0	83.4 88.4	83.4 88.4	71.7*	73.9 ⁽¹⁾	55.9*	56.9 ⁽¹⁾
150	B BV BW	146.0 149.0	154.0 ⁽¹⁾ 154.0 ⁽²⁾	131.0 135.0	137.0 ⁽¹⁾ 137.0 ⁽²⁾	118.0 124.0	122.0 ⁽¹⁾ 124.0	105.0 111.0	107.0 ⁽¹⁾ 111.0	92.9 96.9	94.0 ⁽¹⁾ 96.9	80.4 85.6	80.8 ⁽¹⁾ 85.6	69.3 72.4	69.3 72.4	58.4 55.9	58.4 55.9
160	B BV BW	139.0 143.0	150.0 ⁽¹⁾ 151.0 ⁽²⁾	125.0 130.0	133.0 ⁽¹⁾ 134.0 ⁽²⁾	113.0 119.0	119.0 ⁽¹⁾ 121.0 ⁽²⁾	101.0 106.0	104.0 ⁽¹⁾ 107.0 ⁽²⁾	89.3 93.5	91.5 ⁽¹⁾ 93.5	77.2 82.8	78.5 ⁽¹⁾ 82.8	66.6 69.8	67.4 ⁽¹⁾ 70.3 ⁽¹⁾	56.4 54.0	56.5 ⁽¹⁾ 54.0
170	B BV BW	133.0 137.0	148.0 ⁽¹⁾ 147.0 ⁽²⁾	120.0 125.0	130.0 ⁽¹⁾ 131.0 ⁽²⁾	109.0 114.0	116.0 ⁽¹⁾ 119.0 ⁽²⁾	96.6 101.0	102.0 ⁽¹⁾ 104.0 ⁽²⁾	85.5 90.1	89.0 ⁽¹⁾ 90.9 ⁽²⁾	74.0 80.0	76.2 ⁽¹⁾ 80.0	64.0 67.4	65.5 ⁽¹⁾ 68.3 ⁽¹⁾	54.3 51.8	54.9 ⁽¹⁾ 52.0 ⁽¹⁾
180	B BV BW	127.0 132.0	148.0 ⁽¹⁾ 144.0 ⁽²⁾	115.0 120.0	128.0 ⁽¹⁾ 128.0 ⁽²⁾	104.0 109.0	113.0 ⁽¹⁾ 116.0 ⁽²⁾	92.4 96.2	98.9 ⁽¹⁾ 102.0 ⁽²⁾	81.8 86.7	86.5 ⁽¹⁾ 88.9 ⁽²⁾	70.7 77.1	74.0 ⁽¹⁾ 78.0 ⁽²⁾	61.5 65.1	63.7 ⁽¹⁾ 66.3 ⁽¹⁾	52.1 49.4	53.3 ⁽¹⁾ 50.2 ⁽¹⁾
190	B BV BW	121.0 126.0	147.0 ⁽¹⁾ 142.0 ⁽²⁾	109.0 115.0	128.0 ⁽¹⁾ 126.0 ⁽²⁾	99.2 103.0	112.0 ⁽¹⁾ 113.0 ⁽²⁾	88.3 92.5	96.6 ⁽¹⁾ 98.9 ⁽²⁾	78.1 83.4	84.0 ⁽¹⁾ 87.0 ⁽²⁾	67.5 74.1	71.7 ⁽¹⁾ 76.2 ⁽²⁾	59.0 62.5	61.8 ⁽¹⁾ 64.3 ⁽¹⁾	49.9 47.1	51.7 ⁽¹⁾ 48.3 ⁽¹⁾
200	B BV BW	116.0 121.0	147.0 ⁽¹⁾ 143.0 ⁽²⁾	104.0 110.0	128.0 ⁽¹⁾ 125.0 ⁽²⁾	94.6 98.0	112.0 ⁽¹⁾ 111.0 ⁽²⁾	84.1 88.8	96.1 ⁽¹⁾ 96.2 ⁽²⁾	74.5 80.2	82.4 ⁽¹⁾ 86.0 ⁽²⁾	64.5 71.2	69.4 ⁽¹⁾ 74.3 ⁽²⁾	56.5 59.8	59.9 ⁽¹⁾ 62.9 ⁽²⁾	47.6 44.8	50.0 ⁽¹⁾ 46.4 ⁽¹⁾
220	B BV BW	108.0 113.0	141.0 ⁽²⁾ 144.0 ⁽²⁾	94.8 97.7	127.0 ⁽¹⁾ 126.0 ⁽²⁾	85.8 90.0	111.0 ⁽¹⁾ 111.0 ⁽²⁾	76.1 81.4	95.2 ⁽¹⁾ 93.4 ⁽²⁾	67.3 73.6	81.4 ⁽¹⁾ 81.1 ⁽²⁾	58.8 65.2	67.9 ⁽¹⁾ 70.7 ⁽²⁾	51.5 54.1	57.6 ⁽¹⁾ 60.6 ⁽²⁾	43.2 39.9	45.9 ⁽²⁾ 44.2 ⁽²⁾
240	B BV BW	99.6 104.0	141.0 ⁽²⁾ 144.0 ⁽²⁾	89.3 92.9	123.0 ⁽²⁾ 127.0 ⁽²⁾	77.9 82.8	106.0 ⁽²⁾ 112.0 ⁽²⁾	68.6 74.6	94.2 ⁽¹⁾ 93.2 ⁽²⁾	61.0 67.2	80.4 ⁽¹⁾ 81.5 ⁽²⁾	53.4 59.5	66.8 ⁽¹⁾ 68.3 ⁽²⁾	46.6 48.9	56.7 ⁽¹⁾ 58.1 ⁽²⁾	38.8 34.9	43.0 ⁽²⁾ 39.1 ⁽²⁾
260	B BV BW	91.1 94.0	137.0 ⁽²⁾ 140.0 ⁽²⁾	81.3 85.6	120.0 ⁽²⁾ 125.0 ⁽²⁾	73.3 78.6	106.0 ⁽²⁾ 111.0 ⁽²⁾	62.5 68.9	90.9 ⁽²⁾ 94.4 ⁽²⁾	55.5 61.2	76.7 ⁽²⁾ 81.9 ⁽²⁾	48.3 53.9	63.1 ⁽²⁾ 66.7 ⁽²⁾	41.9 43.6	55.7 ⁽¹⁾ 54.7 ⁽²⁾	34.4 29.9	42.2 ⁽²⁾ 39.1 ⁽²⁾
280	B BV BW		133.0 ⁽²⁾ 137.0 ⁽²⁾	74.2 78.6	117.0 ⁽²⁾ 122.0 ⁽²⁾	66.6 72.3	103.0 ⁽²⁾ 108.0 ⁽²⁾	58.9 64.8	89.0 ⁽²⁾ 92.2 ⁽²⁾	50.4 55.7	76.4 ⁽²⁾ 80.9 ⁽²⁾	43.5 47.1	63.5 ⁽²⁾ 65.2 ⁽²⁾	37.4 39.0	53.2 ⁽²⁾ 51.3 ⁽²⁾	30.2 25.1	42.3 ⁽²⁾ 37.7 ⁽³⁾
300	B BV BW		130.0 ⁽²⁾ 134.0 ⁽²⁾		114.0 ⁽²⁾ 119.0 ⁽²⁾	61.2 66.7	100.0 ⁽²⁾ 104.0 ⁽²⁾	54.1 59.4	86.4 ⁽²⁾ 89.2 ⁽²⁾	47.9 53.1	74.1 ⁽²⁾ 78.2 ⁽³⁾	39.1 41.9	62.2 ⁽²⁾ 65.7 ⁽³⁾	33.1 34.0	53.0 ⁽²⁾ 50.9 ⁽³⁾	26.3 20.7	42.5 ⁽²⁾ 35.9 ⁽³⁾
320	B BV BW		126.0 ⁽²⁾ 130.0 ⁽²⁾		110.0 ⁽²⁾ 116.0 ⁽²⁾		97.1 ⁽³⁾ 101.0 ⁽³⁾	49.8 54.7	83.8 ⁽²⁾ 87.4 ⁽³⁾	43.6 46.3	71.8 ⁽²⁾ 76.3 ⁽³⁾	37.2 39.9	60.4 ⁽²⁾ 64.5 ⁽³⁾	30.0 30.0	51.4 ⁽²⁾ 50.8 ⁽³⁾	22.7 16.7	41.5 ⁽³⁾ 34.5 ⁽⁴⁾
340	B BV BW		122.0 ⁽³⁾ 126.0 ⁽⁴⁾		107.0 ⁽³⁾ 113.0 ⁽³⁾		94.4 ⁽³⁾ 98.3 ⁽³⁾		81.2 ⁽²⁾ 85.6 ⁽³⁾	40.0 42.2	69.6 ⁽²⁾ 74.5 ⁽³⁾	33.4 36.0	58.6 ⁽²⁾ 62.6 ⁽⁴⁾	27.8 26.4	49.8 ⁽²⁾ 50.1 ⁽⁴⁾	20.5 13.1	40.1 ⁽²⁾ 34.3 ⁽⁴⁾
360	B BV BW		118.0 ⁽⁵⁾ 122.0 ⁽⁵⁾		104.0 ⁽⁴⁾ 109.0 ⁽⁴⁾		92.1 ⁽³⁾ 95.6 ⁽³⁾		79.2 ⁽³⁾ 83.8 ⁽³⁾		67.6 ⁽³⁾ 72.6 ⁽³⁾	30.4 32.9	57.0 ⁽³⁾ 61.6 ⁽⁴⁾	24.5 24.1	48.2 ⁽³⁾ 49.7 ⁽⁴⁾	18.1	38.6 ⁽²⁾ 33.1 ⁽⁴⁾
380	B BV BW		112.0 ⁽⁷⁾ 116.0 ⁽⁷⁾		99.8 ⁽⁵⁾ 104.0 ⁽⁵⁾		89.2 ⁽⁴⁾ 92.9 ⁽⁴⁾		77.1 ⁽³⁾ 82.1 ⁽³⁾		65.8 ⁽³⁾ 71.2 ⁽⁴⁾		55.7 ⁽³⁾ 60.5 ⁽⁴⁾	21.7 23.1	47.0 ⁽³⁾ 48.7 ⁽⁴⁾	15.1	37.3 ⁽³⁾ 34.1 ⁽⁵⁾
400	B BV BW		105.0 ⁽⁹⁾ 109.0 ⁽⁹⁾		94.3 ⁽⁷⁾ 97.1 ⁽⁷⁾		84.9 ⁽⁶⁾ 88.7 ⁽⁶⁾		74.1 ⁽⁴⁾ 79.0 ⁽⁴⁾		63.8 ⁽⁴⁾ 70.1 ⁽⁴⁾		54.3 ⁽³⁾ 59.5 ⁽⁴⁾		45.8 ⁽³⁾ 47.8 ⁽⁴⁾	12.7	36.2 ⁽³⁾ 34.7 ⁽⁶⁾
420	B BV BW		93.4 ⁽⁹⁾ 97.3 ⁽⁹⁾		88.5 ⁽⁹⁾ 91.1 ⁽⁹⁾		81.3 ⁽⁷⁾ 85.0 ⁽⁷⁾		70.9 ⁽⁶⁾ 76.4 ⁽⁶⁾		61.6 ⁽⁵⁾ 67.6 ⁽⁵⁾		52.7 ⁽⁴⁾ 58.5 ⁽⁴⁾		44.5 ⁽⁵⁾ 46.8 ⁽⁴⁾		35.1 ⁽⁵⁾ 34.3 ⁽⁶⁾
440	B BV BW		82.2 ⁽⁹⁾ 85.5 ⁽⁹⁾		78.7 ⁽⁹⁾ 81.4 ⁽⁹⁾		75.5 ⁽⁹⁾ 79.1 ⁽⁹⁾		67.6 ⁽⁸⁾ 72.4 ⁽⁸⁾		59.7 ⁽⁶⁾ 65.4 ⁽⁶⁾		50.9 ⁽⁵⁾ 56.4 ⁽⁵⁾		43.3 ⁽⁴⁾ 45.9 ⁽⁴⁾		33.9 ⁽⁴⁾ 34.1 ⁽⁶⁾
460	B BV BW		67.1 ⁽¹⁾ 70.3 ⁽⁷⁾		68.8 ⁽⁹⁾ 71.7 ⁽⁹⁾		66.9 ⁽⁹⁾ 70.3 ⁽⁹⁾		62.4 ⁽⁹⁾ 66.9 ⁽⁹⁾		57.1 ⁽⁸⁾ 61.9 ⁽⁸⁾		48.9 ⁽⁶⁾ 53.7 ⁽⁶⁾		41.6 ⁽⁵⁾ 44.6 ⁽⁵⁾		32.9 ⁽⁴⁾ 33.8 ⁽⁵⁾
480	B BV BW		51.5 ⁽⁷⁾ 54.8 ⁽⁷⁾		54.5 ⁽⁷⁾ 57.7 ⁽⁷⁾		58.4 ⁽⁹⁾ 61.5 ⁽⁹⁾		54.8 ⁽⁹⁾ 58.9 ⁽⁹⁾		52.2 ⁽⁹⁾ 56.9 ⁽⁹⁾		46.9 ⁽⁸⁾ 49.0 ⁽⁸⁾		39.3 ⁽⁷⁾ 41.7 ⁽⁶⁾		31.2 ⁽⁵⁾ 33.5 ⁽⁶⁾
500	B BV BW				39.8 ⁽⁷⁾ 43.0 ⁽⁷⁾		44.8 ⁽⁷⁾ 48.0 ⁽⁷⁾		47.2 ⁽⁹⁾ 50.4 ⁽⁹⁾		45.2 ⁽⁹⁾ 49.0 ⁽⁹⁾		41.9 ⁽⁹⁾ 44.2 ⁽⁹⁾		37.9 ⁽⁸⁾ 40.3 ⁽⁸⁾		29.7 ⁽⁷⁾ 32.1 ⁽⁷⁾
520	B BV BW						31.0 ⁽⁷⁾ 34.1 ⁽⁷⁾		26.7 ⁽⁴⁾ 37.3 ⁽⁷⁾		38.1 ⁽⁸⁾ 41.5 ⁽⁹⁾		35.1 ⁽⁹⁾ 37.6 ⁽⁹⁾		33.1 ⁽⁹⁾ 35.5 ⁽⁹⁾		28.0 ⁽⁹⁾ 30.4 ⁽⁸⁾
540	B BV BW								14.7 ⁽⁴⁾ 24.0 ⁽⁷⁾				28.3 ⁽⁹⁾ 31.1 ⁽⁹⁾		26.5 ⁽⁹⁾ 29.1 ⁽⁹⁾		17.1 ⁽⁵⁾ 24.5 ⁽⁸⁾
560	B BV BW														19.9 ⁽⁹⁾ 22.7 ⁽⁹⁾		12.4 ⁽⁵⁾ 18.7 ⁽⁸⁾
580	B BV BW																12.8 ⁽⁸⁾


1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°





PDW3B/PDW3BW

P 158




ft		P 158 ft													
		W3 59 ft		W3 79 ft		W3 98 ft		W3 118 ft		W3 138 ft		W3 158 ft		W3 177 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
40	B	1432.0*	1433.0 ⁽¹⁾												
	BW	1432.0*	1433.0 ⁽¹⁾												
50	B	1429.0	1429.0	1343.0*	1381.0 ⁽¹⁾	1281.0*	1282.0 ⁽¹⁾								
	BW	1429.0	1431.0 ⁽¹⁾	1352.0*	1393.0 ⁽¹⁾	1293.0*	1296.0 ⁽¹⁾								
60	B	1129.0	1273.0 ⁽²⁾	1207.0	1263.0 ⁽¹⁾	1248.0	1248.0	1108.0*	1129.0 ⁽¹⁾	1002.0*	1004.0 ⁽¹⁾				
	BW	1131.0	1423.0 ⁽¹⁾	1214.0	1317.0 ⁽¹⁾	1282.0	1282.0	1120.0*	1141.0 ⁽¹⁾	1011.0*	1012.0 ⁽¹⁾				
70	B	870.0	1105.0 ⁽¹⁾	928.0	1114.0 ⁽¹⁾	1103.0	1109.0 ⁽²⁾	1079.0	1079.0	998.0	998.0	878.0*	890.0 ⁽¹⁾	795.0*	796.0 ⁽¹⁾
	BW	871.0	1340.0 ⁽¹⁾	927.0	1222.0 ⁽¹⁾	1170.0	1200.0 ⁽³⁾	1120.0	1120.0	1012.0	1013.0 ⁽¹⁾	888.0*	900.0 ⁽¹⁾	804.0*	805.0 ⁽¹⁾
80	B	636.0	965.0 ⁽⁴⁾	743.0	965.0 ⁽¹⁾	973.0	977.0 ⁽³⁾	959.0	965.0 ⁽²⁾	942.0	942.0	879.0	879.0	798.0	798.0
	BW	637.0	1171.0 ⁽¹⁾	744.0	1128.0 ⁽¹⁾	1038.0	1122.0 ⁽¹⁾	1043.0	1079.0 ⁽¹⁾	978.0	978.0	892.0	894.0 ⁽¹⁾	808.0	808.0
90	B		838.0 ⁽⁴⁾	630.0	841.0 ⁽³⁾	865.0	866.0 ⁽⁴⁾	855.0	858.0 ⁽³⁾	844.0	848.0 ⁽²⁾	830.0	830.0	776.0	776.0
	BW		1043.0 ⁽¹⁾	632.0	1033.0 ⁽¹⁾	876.0	1036.0 ⁽²⁾	877.0	1023.0 ⁽¹⁾	873.0	939.0 ⁽¹⁾	845.0	879.0 ⁽¹⁾	790.0	790.0
100	B		735.0 ⁽⁵⁾	506.0	731.0 ⁽⁵⁾	748.0	772.0 ⁽⁶⁾	747.0	767.0 ⁽⁴⁾	746.0	760.0 ⁽³⁾	736.0	746.0 ⁽²⁾	724.0	724.0
	BW		937.0 ⁽²⁾	506.0	938.0 ⁽¹⁾	749.0	931.0 ⁽³⁾	749.0	922.0 ⁽²⁾	747.0	883.0 ⁽¹⁾	741.0	865.0 ⁽¹⁾	731.0	760.0 ⁽¹⁾
110	B		662.0 ⁽⁸⁾		650.0 ⁽²⁾	614.0	688.0 ⁽⁴⁾	649.0	682.0 ⁽⁵⁾	648.0	678.0 ⁽³⁾	643.0	669.0 ⁽³⁾	644.0	655.0 ⁽²⁾
	BW		838.0 ⁽²⁾		844.0 ⁽¹⁾	616.0	840.0 ⁽⁴⁾	649.0	832.0 ⁽²⁾	647.0	818.0 ⁽²⁾	644.0	817.0 ⁽¹⁾	644.0	747.0 ⁽¹⁾
120	B		592.0 ⁽⁸⁾		589.0 ⁽⁴⁾	453.0	623.0 ⁽⁷⁾	581.0	614.0 ⁽⁵⁾	568.0	606.0 ⁽⁴⁾	565.0	603.0 ⁽³⁾	566.0	594.0 ⁽³⁾
	BW		749.0 ⁽³⁾		749.0 ⁽¹⁾	453.0	757.0 ⁽⁴⁾	583.0	750.0 ⁽⁵⁾	569.0	748.0 ⁽²⁾	567.0	760.0 ⁽¹⁾	565.0	708.0 ⁽¹⁾
130	B		523.0 ⁽⁹⁾		532.0 ⁽⁴⁾		561.0 ⁽⁹⁾	510.0	559.0 ⁽⁷⁾	504.0	553.0 ⁽¹⁾	502.0	544.0 ⁽⁴⁾	502.0	543.0 ⁽⁵⁾
	BW		668.0 ⁽⁵⁾		670.0 ⁽²⁾		693.0 ⁽⁴⁾	511.0	687.0 ⁽²⁾	507.0	680.0 ⁽¹⁾	501.0	703.0 ⁽¹⁾	502.0	669.0 ⁽¹⁾
140	B				479.0 ⁽⁸⁾		495.0 ⁽⁹⁾	383.0	520.0 ⁽⁸⁾	463.0	504.0 ⁽⁵⁾	450.0	498.0 ⁽⁴⁾	447.0	494.0 ⁽⁵⁾
	BW				609.0 ⁽⁴⁾		637.0 ⁽⁶⁾	384.0	632.0 ⁽⁴⁾	463.0	627.0 ⁽²⁾	450.0	646.0 ⁽¹⁾	450.0	630.0 ⁽¹⁾
150	B				430.0 ⁽⁹⁾		445.0 ⁽¹⁰⁾		468.0 ⁽⁹⁾	416.0	467.0 ⁽⁷⁾	413.0	455.0 ⁽⁵⁾	405.0	453.0 ⁽⁴⁾
	BW				538.0 ⁽⁷⁾		583.0 ⁽⁴⁾		581.0 ⁽⁴⁾	416.0	578.0 ⁽⁵⁾	414.0	589.0 ⁽¹⁾	405.0	591.0 ⁽¹⁾
160	B						402.0 ⁽¹⁰⁾		424.0 ⁽¹⁰⁾	325.0	430.0 ⁽⁸⁾	374.0	421.0 ⁽⁶⁾	366.0	419.0 ⁽⁵⁾
	BW						530.0 ⁽⁷⁾		531.0 ⁽⁵⁾	325.0	532.0 ⁽⁵⁾	375.0	532.0 ⁽¹⁾	368.0	552.0 ⁽¹⁾
170	B						359.0 ⁽¹⁰⁾		385.0 ⁽¹⁰⁾		392.0 ⁽¹⁰⁾	339.0	382.0 ⁽⁸⁾	341.0	384.0 ⁽⁵⁾
	BW						481.0 ⁽⁸⁾		486.0 ⁽⁵⁾		486.0 ⁽³⁾	339.0	484.0 ⁽²⁾	342.0	513.0 ⁽¹⁾
180	B						315.0 ⁽⁸⁾		349.0 ⁽¹⁰⁾		357.0 ⁽¹¹⁾	274.0	358.0 ⁽⁸⁾	312.0	353.0 ⁽⁴⁾
	BW						436.0 ⁽⁸⁾		447.0 ⁽⁶⁾		448.0 ⁽⁴⁾	274.0	440.0 ⁽²⁾	312.0	474.0 ⁽¹⁾
190	B						278.0 ⁽⁸⁾		314.0 ⁽¹⁰⁾		325.0 ⁽¹⁰⁾		330.0 ⁽⁹⁾	285.0	326.0 ⁽⁷⁾
	BW						391.0 ⁽⁸⁾		419.0 ⁽⁹⁾		411.0 ⁽⁴⁾		403.0 ⁽⁴⁾	285.0	435.0 ⁽¹⁾
200	B								276.0 ⁽⁸⁾		294.0 ⁽¹⁰⁾		309.0 ⁽¹⁰⁾	231.0	306.0 ⁽⁷⁾
	BW								382.0 ⁽⁸⁾		382.0 ⁽⁶⁾		376.0 ⁽⁴⁾	231.0	396.0 ⁽¹⁾
220	B										234.0 ⁽⁸⁾		258.0 ⁽¹⁰⁾		264.0 ⁽¹⁰⁾
	BW										328.0 ⁽⁸⁾		337.0 ⁽⁶⁾		332.0 ⁽⁴⁾
240	B												203.0 ⁽⁹⁾		226.0 ⁽¹¹⁾
	BW												291.0 ⁽⁸⁾		291.0 ⁽⁵⁾
260	B												153.0 ⁽⁷⁾		181.0 ⁽⁹⁾
	BW												231.0 ⁽⁷⁾		254.0 ⁽⁹⁾
280	B												120.0 ⁽⁷⁾		134.0 ⁽⁷⁾
	BW												188.0 ⁽⁷⁾		207.0 ⁽⁷⁾
300	B														108.0 ⁽⁷⁾
	BW														159.0 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW

P 158




ft		P 158 ft													
		W3 197 ft		W3 217 ft		W3 236 ft		W3 256 ft		W3 276 ft		W3 295 ft		W3 315 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
80	B	706.0*	712.0 ⁽¹⁾	641.0*	641.0*										
	BW	713.0*	720.0 ⁽¹⁾	648.0*	648.0*										
90	B	704.0	704.0	637.0	637.0	565.0*	570.0 ⁽¹⁾	513.0*	513.0*						
	BW	716.0	716.0	648.0	648.0	574.0*	578.0 ⁽¹⁾	518.0*	518.0*						
100	B	679.0	679.0	621.0	621.0	562.0	562.0	498.0*	498.0*	451.0*	451.0*	413.0*	413.0*		
	BW	692.0	692.0	633.0	633.0	572.0	572.0	505.0*	505.0*	458.0*	458.0*	418.0*	418.0*		
110	B	629.0	632.0 ⁽²⁾	599.0	599.0	548.0	548.0	497.0	497.0	440.0*	440.0*	403.0*	403.0*	364.0*	364.0*
	BW	632.0	656.0 ⁽¹⁾	609.0	609.0	558.0	558.0	504.0	504.0	446.0*	446.0*	408.0*	408.0*	369.0*	369.0*
120	B	560.0	580.0 ⁽²⁾	553.0	557.0 ⁽²⁾	525.0	526.0 ⁽²⁾	484.0	484.0	438.0	438.0	401.0	401.0	355.0*	355.0*
	BW	561.0	629.0 ⁽¹⁾	555.0	578.0 ⁽²⁾	533.0	536.0 ⁽²⁾	492.0	492.0	446.0	446.0	406.0	406.0	361.0*	361.0*
130	B	496.0	536.0 ⁽¹⁾	496.0	525.0 ⁽¹⁾	488.0	493.0 ⁽²⁾	462.0	464.0 ⁽²⁾	428.0	428.0	392.0	392.0	354.0	354.0
	BW	499.0	601.0 ⁽¹⁾	496.0	547.0 ⁽²⁾	490.0	510.0 ⁽²⁾	468.0	473.0 ⁽²⁾	435.0	435.0	398.0	398.0	360.0	360.0
140	B	446.0	496.0 ⁽¹⁾	444.0	496.0 ⁽¹⁾	440.0	461.0 ⁽²⁾	432.0	439.0 ⁽²⁾	411.0	411.0	381.0	381.0	346.0	346.0
	BW	447.0	574.0 ⁽¹⁾	444.0	515.0 ⁽²⁾	440.0	485.0 ⁽²⁾	433.0	451.0 ⁽²⁾	414.0	418.0 ⁽²⁾	388.0	388.0	352.0	352.0
150	B	401.0	456.0 ⁽¹⁾	399.0	467.0 ⁽¹⁾	397.0	428.0 ⁽²⁾	390.0	414.0 ⁽²⁾	386.0	389.0 ⁽²⁾	364.0	365.0 ⁽²⁾	338.0	338.0
	BW	401.0	546.0 ⁽¹⁾	399.0	486.0 ⁽²⁾	398.0	460.0 ⁽²⁾	390.0	429.0 ⁽²⁾	388.0	401.0 ⁽²⁾	368.0	373.0 ⁽²⁾	342.0	343.0 ⁽²⁾
160	B	363.0	415.0 ⁽¹⁾	361.0	439.0 ⁽¹⁾	359.0	396.0 ⁽³⁾	353.0	389.0 ⁽²⁾	350.0	368.0 ⁽²⁾	344.0	349.0 ⁽²⁾	328.0	328.0
	BW	363.0	519.0 ⁽¹⁾	362.0	457.0 ⁽²⁾	359.0	433.0 ⁽²⁾	353.0	409.0 ⁽²⁾	350.0	384.0 ⁽²⁾	343.0	358.0 ⁽²⁾	329.0	331.0 ⁽²⁾
170	B	331.0	379.0 ⁽⁴⁾	328.0	410.0 ⁽¹⁾	326.0	369.0 ⁽¹⁾	319.0	357.0 ⁽²⁾	318.0	346.0 ⁽²⁾	311.0	332.0 ⁽²⁾	309.0	309.0
	BW	332.0	491.0 ⁽¹⁾	329.0	428.0 ⁽²⁾	326.0	407.0 ⁽²⁾	321.0	386.0 ⁽²⁾	317.0	367.0 ⁽²⁾	310.0	343.0 ⁽²⁾	309.0	320.0 ⁽²⁾
180	B	309.0	347.0 ⁽⁵⁾	300.0	381.0 ⁽¹⁾	296.0	343.0 ⁽¹⁾	291.0	330.0 ⁽³⁾	289.0	320.0 ⁽³⁾	282.0	314.0 ⁽²⁾	280.0	295.0 ⁽²⁾
	BW	309.0	464.0 ⁽¹⁾	301.0	406.0 ⁽²⁾	297.0	381.0 ⁽²⁾	292.0	363.0 ⁽²⁾	288.0	347.0 ⁽²⁾	282.0	327.0 ⁽²⁾	281.0	308.0 ⁽²⁾
190	B	283.0	322.0 ⁽⁵⁾	280.0	352.0 ⁽¹⁾	272.0	317.0 ⁽¹⁾	266.0	304.0 ⁽³⁾	263.0	300.0 ⁽³⁾	257.0	289.0 ⁽²⁾	255.0	279.0 ⁽²⁾
	BW	283.0	436.0 ⁽¹⁾	280.0	385.0 ⁽²⁾	272.0	361.0 ⁽²⁾	267.0	340.0 ⁽²⁾	263.0	327.0 ⁽²⁾	257.0	309.0 ⁽²⁾	256.0	295.0 ⁽²⁾
200	B	260.0	298.0 ⁽⁵⁾	258.0	323.0 ⁽¹⁾	252.0	291.0 ⁽¹⁾	243.0	278.0 ⁽⁴⁾	241.0	278.0 ⁽³⁾	236.0	265.0 ⁽²⁾	233.0	259.0 ⁽²⁾
	BW	260.0	409.0 ⁽¹⁾	258.0	364.0 ⁽²⁾	252.0	343.0 ⁽²⁾	244.0	322.0 ⁽²⁾	241.0	307.0 ⁽²⁾	235.0	291.0 ⁽²⁾	233.0	278.0 ⁽²⁾
220	B	182.0	258.0 ⁽⁸⁾	220.0	265.0 ⁽¹⁾	218.0	248.0 ⁽³⁾	213.0	244.0 ⁽⁴⁾	203.0	236.0 ⁽⁴⁾	198.0	232.0 ⁽³⁾	194.0	223.0 ⁽³⁾
	BW	182.0	354.0 ⁽¹⁾	220.0	323.0 ⁽²⁾	218.0	307.0 ⁽²⁾	213.0	293.0 ⁽²⁾	203.0	279.0 ⁽²⁾	197.0	259.0 ⁽²⁾	194.0	245.0 ⁽²⁾
240	B		233.0 ⁽¹⁰⁾	151.0	226.0 ⁽⁸⁾	185.0	221.0 ⁽⁴⁾	182.0	217.0 ⁽⁵⁾	175.0	207.0 ⁽⁴⁾	167.0	201.0 ⁽³⁾	164.0	191.0 ⁽²⁾
	BW		299.0 ⁽¹⁾	151.0	280.0 ⁽²⁾	185.0	271.0 ⁽²⁾	181.0	263.0 ⁽²⁾	174.0	252.0 ⁽²⁾	168.0	234.0 ⁽²⁾	164.0	222.0 ⁽²⁾
260	B		192.0 ⁽¹¹⁾		198.0 ⁽⁹⁾		190.0 ⁽⁷⁾	155.0	188.0 ⁽⁵⁾	152.0	180.0 ⁽⁴⁾	143.0	174.0 ⁽³⁾	138.0	167.0 ⁽⁴⁾
	BW		246.0 ⁽⁵⁾		243.0 ⁽⁴⁾		237.0 ⁽³⁾	155.0	232.0 ⁽²⁾	152.0	225.0 ⁽²⁾	143.0	210.0 ⁽²⁾	137.0	200.0 ⁽²⁾
280	B		151.0 ⁽⁹⁾		165.0 ⁽¹¹⁾		169.0 ⁽¹⁰⁾		164.0 ⁽⁸⁾	130.0	159.0 ⁽⁴⁾	125.0	152.0 ⁽⁵⁾	122.0	146.0 ⁽⁴⁾
	BW		216.0 ⁽⁸⁾		211.0 ⁽⁷⁾		206.0 ⁽⁴⁾		201.0 ⁽³⁾	130.0	198.0 ⁽²⁾	125.0	185.0 ⁽²⁾	121.0	179.0 ⁽²⁾
300	B		117.0 ⁽⁷⁾		134.0 ⁽⁹⁾		144.0 ⁽¹¹⁾		144.0 ⁽⁹⁾		138.0 ⁽⁴⁾	104.0	132.0 ⁽⁵⁾	101.0	128.0 ⁽⁵⁾
	BW		181.0 ⁽⁷⁾		184.0 ⁽⁸⁾		179.0 ⁽⁷⁾		174.0 ⁽³⁾		171.0 ⁽²⁾	107.0	165.0 ⁽²⁾	101.0	159.0 ⁽²⁾
320	B				103.0 ⁽⁷⁾		116.0 ⁽⁹⁾		125.0 ⁽¹⁰⁾		121.0 ⁽⁹⁾		114.0 ⁽⁴⁾	85.1	111.0 ⁽⁵⁾
	BW				155.0 ⁽⁷⁾		158.0 ⁽⁸⁾		154.0 ⁽⁵⁾		149.0 ⁽³⁾		144.0 ⁽²⁾	84.7	141.0 ⁽²⁾
340	B						86.7 ⁽⁷⁾		102.0 ⁽⁹⁾		106.0 ⁽¹⁰⁾		101.0 ⁽⁸⁾		97.1 ⁽⁴⁾
	BW						135.0 ⁽⁷⁾		138.0 ⁽⁴⁾		133.0 ⁽⁴⁾		129.0 ⁽³⁾		124.0 ⁽²⁾
360	B								75.4 ⁽⁷⁾		86.1 ⁽⁹⁾		90.4 ⁽⁹⁾		84.9 ⁽⁷⁾
	BW								120.0 ⁽⁷⁾		121.0 ⁽⁴⁾		116.0 ⁽⁴⁾		110.0 ⁽⁵⁾
380	B										62.5 ⁽⁷⁾		73.9 ⁽⁹⁾		75.8 ⁽⁹⁾
	BW										105.0 ⁽⁷⁾		102.0 ⁽⁵⁾		95.1 ⁽³⁾
400	B												51.2 ⁽⁷⁾		60.0 ⁽⁹⁾
	BW												85.2 ⁽⁷⁾		81.7 ⁽⁵⁾
420	B														38.5 ⁽⁷⁾
	BW														70.4 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW

P 177




ft		P 177 ft													
		W3 59 ft		W3 79 ft		W3 98 ft		W3 118 ft		W3 138 ft		W3 158 ft		W3 177 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
40	B	1432.0*	1432.0*												
	BW	1432.0*	1432.0*												
50	B	1430.0	1430.0	1323.0*	1323.0*	1244.0*	1244.0*								
	BW	1432.0	1432.0	1335.0*	1335.0*	1257.0*	1257.0*								
60	B	1189.0	1276.0 ⁽²⁾	1245.0	1245.0	1213.0	1213.0	1076.0*	1092.0 ⁽¹⁾	973.0*	973.0*				
	BW	1195.0	1380.0 ⁽¹⁾	1305.0	1305.0	1255.0	1255.0	1089.0*	1107.0 ⁽¹⁾	983.0*	983.0*				
70	B	906.0	1099.0 ⁽²⁾	996.0	1117.0 ⁽¹⁾	1088.0	1092.0 ⁽²⁾	1060.0	1060.0	976.0	976.0	854.0*	865.0 ⁽¹⁾	776.0*	776.0*
	BW	907.0	1321.0 ⁽¹⁾	997.0	1205.0 ⁽²⁾	1170.0	1185.0 ⁽¹⁾	1094.0	1094.0	987.0	987.0	864.0*	875.0 ⁽¹⁾	783.0*	783.0*
80	B	670.0	957.0 ⁽²⁾	796.0	1020.0 ⁽¹⁾	960.0	964.0 ⁽²⁾	946.0	949.0 ⁽²⁾	926.0	926.0	859.0	859.0	779.0	779.0
	BW	671.0	1166.0 ⁽²⁾	798.0	1110.0 ⁽²⁾	1052.0	1114.0 ⁽¹⁾	1058.0	1058.0	962.0	962.0	872.0	872.0	788.0	788.0
90	B		848.0 ⁽⁵⁾	671.0	922.0 ⁽¹⁾	855.0	858.0 ⁽⁴⁾	844.0	848.0 ⁽³⁾	833.0	838.0 ⁽²⁾	818.0	818.0	758.0	758.0
	BW		1026.0 ⁽²⁾	674.0	1010.0 ⁽²⁾	902.0	1018.0 ⁽¹⁾	911.0	1000.0 ⁽¹⁾	900.0	918.0 ⁽¹⁾	846.0	859.0 ⁽¹⁾	773.0	773.0
100	B		748.0 ⁽⁵⁾	525.0	825.0 ⁽¹⁾	768.0	769.0 ⁽⁴⁾	758.0	761.0 ⁽⁴⁾	752.0	754.0 ⁽³⁾	740.0	742.0 ⁽²⁾	722.0	722.0
	BW		927.0 ⁽¹⁾	526.0	924.0 ⁽¹⁾	771.0	919.0 ⁽²⁾	773.0	909.0 ⁽¹⁾	770.0	876.0 ⁽¹⁾	773.0	845.0 ⁽¹⁾	737.0	743.0 ⁽²⁾
110	B		669.0 ⁽⁷⁾		727.0 ⁽¹⁾	648.0	693.0 ⁽⁷⁾	668.0	686.0 ⁽⁵⁾	672.0	684.0 ⁽⁴⁾	665.0	674.0 ⁽³⁾	659.0	659.0
	BW		837.0 ⁽²⁾		842.0 ⁽¹⁾	647.0	833.0 ⁽⁴⁾	668.0	824.0 ⁽²⁾	667.0	815.0 ⁽²⁾	668.0	817.0 ⁽¹⁾	669.0	710.0 ⁽²⁾
120	B		603.0 ⁽⁸⁾		629.0 ⁽¹⁾	491.0	621.0 ⁽⁷⁾	597.0	616.0 ⁽⁴⁾	589.0	617.0 ⁽⁴⁾	583.0	609.0 ⁽³⁾	586.0	608.0 ⁽¹⁾
	BW		755.0 ⁽⁴⁾		760.0 ⁽¹⁾	489.0	755.0 ⁽³⁾	601.0	750.0 ⁽³⁾	586.0	744.0 ⁽²⁾	584.0	772.0 ⁽¹⁾	586.0	678.0 ⁽²⁾
130	B		536.0 ⁽⁸⁾		549.0 ⁽⁸⁾		565.0 ⁽⁹⁾	530.0	559.0 ⁽⁴⁾	523.0	559.0 ⁽⁵⁾	517.0	552.0 ⁽⁴⁾	519.0	563.0 ⁽¹⁾
	BW		679.0 ⁽⁴⁾		687.0 ⁽³⁾		685.0 ⁽³⁾	528.0	679.0 ⁽⁴⁾	520.0	674.0 ⁽²⁾	518.0	727.0 ⁽¹⁾	521.0	643.0 ⁽²⁾
140	B		472.0 ⁽⁹⁾		499.0 ⁽⁹⁾		511.0 ⁽⁹⁾	415.0	513.0 ⁽⁸⁾	477.0	510.0 ⁽⁶⁾	464.0	503.0 ⁽⁴⁾	464.0	519.0 ⁽¹⁾
	BW		614.0 ⁽⁶⁾		621.0 ⁽³⁾		630.0 ⁽³⁾	416.0	624.0 ⁽³⁾	475.0	620.0 ⁽¹⁾	464.0	682.0 ⁽¹⁾	465.0	601.0 ⁽²⁾
150	B				445.0 ⁽⁷⁾		460.0 ⁽¹⁰⁾		474.0 ⁽⁹⁾	429.0	470.0 ⁽⁷⁾	426.0	465.0 ⁽⁵⁾	418.0	474.0 ⁽¹⁾
	BW				563.0 ⁽⁴⁾		584.0 ⁽³⁾		577.0 ⁽⁴⁾	426.0	573.0 ⁽²⁾	427.0	637.0 ⁽¹⁾	419.0	563.0 ⁽¹⁾
160	B				395.0 ⁽⁷⁾		419.0 ⁽¹⁰⁾		432.0 ⁽¹⁰⁾	356.0	439.0 ⁽⁸⁾	384.0	432.0 ⁽⁶⁾	379.0	430.0 ⁽¹⁾
	BW				523.0 ⁽⁷⁾		539.0 ⁽⁸⁾		536.0 ⁽⁴⁾	355.0	533.0 ⁽⁴⁾	387.0	592.0 ⁽¹⁾	380.0	530.0 ⁽¹⁾
170	B						379.0 ⁽¹⁰⁾		391.0 ⁽⁹⁾		406.0 ⁽¹⁰⁾	350.0	397.0 ⁽⁷⁾	350.0	396.0 ⁽⁵⁾
	BW						495.0 ⁽⁸⁾		497.0 ⁽⁴⁾		495.0 ⁽⁴⁾	349.0	547.0 ⁽¹⁾	350.0	497.0 ⁽¹⁾
180	B						339.0 ⁽¹⁰⁾		354.0 ⁽⁹⁾		372.0 ⁽¹⁰⁾	295.0	373.0 ⁽⁸⁾	322.0	366.0 ⁽⁴⁾
	BW						451.0 ⁽⁹⁾		458.0 ⁽⁴⁾		457.0 ⁽⁴⁾	295.0	501.0 ⁽¹⁾	322.0	464.0 ⁽¹⁾
190	B						299.0 ⁽⁸⁾		317.0 ⁽⁹⁾		343.0 ⁽¹¹⁾		343.0 ⁽⁸⁾	294.0	338.0 ⁽⁴⁾
	BW						411.0 ⁽⁸⁾		423.0 ⁽⁸⁾		423.0 ⁽⁵⁾		456.0 ⁽¹⁾	294.0	431.0 ⁽¹⁾
200	B						266.0 ⁽⁸⁾		282.0 ⁽¹⁰⁾		309.0 ⁽¹⁰⁾		315.0 ⁽⁹⁾	247.0	313.0 ⁽⁸⁾
	BW						373.0 ⁽⁸⁾		392.0 ⁽⁹⁾		391.0 ⁽⁴⁾		411.0 ⁽¹⁾	248.0	398.0 ⁽¹⁾
220	B								227.0 ⁽⁸⁾		249.0 ⁽¹⁰⁾		266.0 ⁽⁹⁾		271.0 ⁽⁹⁾
	BW								327.0 ⁽⁸⁾		344.0 ⁽⁹⁾		338.0 ⁽⁵⁾		337.0 ⁽⁴⁾
240	B										195.0 ⁽⁶⁾		220.0 ⁽¹⁰⁾		232.0 ⁽¹¹⁾
	BW										283.0 ⁽⁸⁾		302.0 ⁽⁹⁾		296.0 ⁽⁴⁾
260	B												169.0 ⁽⁹⁾		185.0 ⁽⁷⁾
	BW												251.0 ⁽⁸⁾		271.0 ⁽⁹⁾
280	B												129.0 ⁽⁷⁾		147.0 ⁽⁹⁾
	BW												198.0 ⁽⁷⁾		226.0 ⁽⁹⁾
300	B														114.0 ⁽⁷⁾
	BW														177.0 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW

P 177




ft		P 177 ft													
		W3 197 ft		W3 217 ft		W3 236 ft		W3 256 ft		W3 276 ft		W3 295 ft		W3 315 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
80	B	688.0*	691.0 ⁽¹⁾	623.0*	623.0*										
	BW	693.0*	699.0 ⁽¹⁾	630.0*	630.0*										
90	B	687.0	687.0	606.0*	617.0 ⁽¹⁾	550.0*	554.0 ⁽¹⁾	498.0*	498.0*						
	BW	698.0	698.0	617.0*	627.0 ⁽¹⁾	558.0*	561.0 ⁽¹⁾	505.0*	505.0*						
100	B	668.0	668.0	605.0	605.0	548.0	548.0	487.0*	487.0*	440.0*	440.0*	401.0*	401.0*		
	BW	678.0	678.0	618.0	618.0	557.0	557.0	492.0*	492.0*	445.0*	445.0*	406.0*	406.0*		
110	B	638.0	638.0	587.0	587.0	534.0	534.0	486.0	486.0	428.0*	428.0*	394.0*	394.0*	354.0*	354.0*
	BW	641.0	651.0 ⁽²⁾	599.0	599.0	544.0	544.0	492.0	492.0	435.0*	435.0*	397.0*	397.0*	359.0*	359.0*
120	B	582.0	590.0 ⁽¹⁾	558.0	558.0	520.0	520.0	476.0	476.0	429.0	429.0	393.0	393.0	346.0*	346.0*
	BW	579.0	622.0 ⁽²⁾	564.0	575.0 ⁽²⁾	529.0	529.0	481.0	481.0	436.0	436.0	396.0	396.0	350.0*	350.0*
130	B	516.0	558.0 ⁽¹⁾	511.0	519.0 ⁽¹⁾	496.0	496.0	463.0	463.0	419.0	419.0	384.0	384.0	345.0	345.0
	BW	513.0	594.0 ⁽²⁾	511.0	552.0 ⁽²⁾	499.0	508.0 ⁽²⁾	465.0	466.0 ⁽²⁾	426.0	426.0	389.0	389.0	351.0	351.0
140	B	461.0	526.0 ⁽¹⁾	457.0	493.0 ⁽¹⁾	453.0	464.0 ⁽²⁾	444.0	444.0	409.0	409.0	376.0	376.0	338.0	338.0
	BW	458.0	567.0 ⁽¹⁾	456.0	528.0 ⁽²⁾	454.0	489.0 ⁽²⁾	440.0	451.0 ⁽²⁾	415.0	415.0	380.0	380.0	344.0	344.0
150	B	415.0	494.0 ⁽¹⁾	409.0	466.0 ⁽¹⁾	408.0	436.0 ⁽²⁾	405.0	414.0 ⁽²⁾	394.0	394.0	369.0	369.0	332.0	332.0
	BW	411.0	542.0 ⁽¹⁾	410.0	502.0 ⁽²⁾	407.0	470.0 ⁽²⁾	402.0	435.0 ⁽²⁾	396.0	401.0 ⁽²⁾	370.0	370.0	337.0	337.0
160	B	376.0	463.0 ⁽¹⁾	371.0	439.0 ⁽¹⁾	368.0	404.0 ⁽³⁾	367.0	391.0 ⁽²⁾	358.0	374.0 ⁽²⁾	356.0	356.0	325.0	325.0
	BW	373.0	516.0 ⁽¹⁾	372.0	474.0 ⁽²⁾	368.0	447.0 ⁽²⁾	364.0	419.0 ⁽²⁾	360.0	388.0 ⁽²⁾	354.0	358.0 ⁽²⁾	330.0	330.0
170	B	342.0	431.0 ⁽¹⁾	337.0	412.0 ⁽¹⁾	334.0	377.0 ⁽³⁾	333.0	366.0 ⁽³⁾	326.0	358.0 ⁽²⁾	324.0	338.0 ⁽²⁾	312.0	312.0
	BW	340.0	491.0 ⁽¹⁾	338.0	446.0 ⁽²⁾	334.0	422.0 ⁽²⁾	330.0	398.0 ⁽²⁾	325.0	374.0 ⁽²⁾	320.0	347.0 ⁽²⁾	317.0	320.0 ⁽²⁾
180	B	319.0	399.0 ⁽¹⁾	307.0	385.0 ⁽¹⁾	304.0	347.0 ⁽³⁾	303.0	343.0 ⁽³⁾	297.0	332.0 ⁽²⁾	295.0	325.0 ⁽²⁾	285.0	299.0 ⁽²⁾
	BW	318.0	465.0 ⁽¹⁾	307.0	420.0 ⁽²⁾	305.0	397.0 ⁽²⁾	300.0	376.0 ⁽²⁾	297.0	357.0 ⁽²⁾	290.0	336.0 ⁽²⁾	289.0	312.0 ⁽²⁾
190	B	292.0	367.0 ⁽¹⁾	285.0	358.0 ⁽¹⁾	278.0	320.0 ⁽⁴⁾	277.0	317.0 ⁽³⁾	270.0	309.0 ⁽³⁾	270.0	301.0 ⁽²⁾	262.0	288.0 ⁽²⁾
	BW	290.0	440.0 ⁽¹⁾	286.0	396.0 ⁽²⁾	279.0	374.0 ⁽²⁾	274.0	355.0 ⁽²⁾	270.0	338.0 ⁽²⁾	264.0	318.0 ⁽²⁾	262.0	303.0 ⁽²⁾
200	B	268.0	336.0 ⁽¹⁾	265.0	331.0 ⁽¹⁾	257.0	296.0 ⁽⁴⁾	254.0	291.0 ⁽⁴⁾	246.0	288.0 ⁽³⁾	246.0	277.0 ⁽³⁾	239.0	269.0 ⁽²⁾
	BW	266.0	414.0 ⁽¹⁾	265.0	373.0 ⁽²⁾	257.0	355.0 ⁽²⁾	250.0	335.0 ⁽²⁾	247.0	319.0 ⁽²⁾	242.0	301.0 ⁽²⁾	239.0	287.0 ⁽²⁾
220	B	198.0	272.0 ⁽¹⁾	224.0	278.0 ⁽¹⁾	223.0	256.0 ⁽³⁾	219.0	253.0 ⁽⁴⁾	209.0	245.0 ⁽³⁾	205.0	241.0 ⁽³⁾	199.0	231.0 ⁽³⁾
	BW	197.0	363.0 ⁽¹⁾	225.0	326.0 ⁽²⁾	223.0	318.0 ⁽²⁾	217.0	304.0 ⁽²⁾	209.0	288.0 ⁽²⁾	203.0	267.0 ⁽²⁾	199.0	256.0 ⁽²⁾
240	B		239.0 ⁽⁹⁾	166.0	234.0 ⁽⁷⁾	189.0	227.0 ⁽⁴⁾	189.0	224.0 ⁽⁵⁾	178.0	214.0 ⁽⁴⁾	175.0	207.0 ⁽³⁾	169.0	198.0 ⁽³⁾
	BW		312.0 ⁽¹⁾	166.0	287.0 ⁽³⁾	188.0	281.0 ⁽²⁾	186.0	274.0 ⁽²⁾	178.0	262.0 ⁽²⁾	172.0	244.0 ⁽²⁾	169.0	231.0 ⁽²⁾
260	B		206.0 ⁽¹¹⁾		208.0 ⁽⁹⁾	137.0	205.0 ⁽⁷⁾	161.0	196.0 ⁽⁵⁾	156.0	186.0 ⁽⁴⁾	149.0	180.0 ⁽³⁾	142.0	174.0 ⁽⁴⁾
	BW		260.0 ⁽¹⁾		257.0 ⁽⁴⁾	137.0	250.0 ⁽³⁾	158.0	243.0 ⁽²⁾	156.0	235.0 ⁽²⁾	146.0	221.0 ⁽²⁾	142.0	210.0 ⁽²⁾
280	B		164.0 ⁽¹¹⁾		174.0 ⁽⁹⁾		175.0 ⁽⁸⁾	116.0	170.0 ⁽⁸⁾	132.0	164.0 ⁽⁴⁾	131.0	159.0 ⁽³⁾	124.0	152.0 ⁽⁴⁾
	BW		228.0 ⁽⁹⁾		222.0 ⁽⁵⁾		218.0 ⁽⁴⁾	115.0	213.0 ⁽³⁾	132.0	208.0 ⁽²⁾	128.0	197.0 ⁽²⁾	124.0	189.0 ⁽²⁾
300	B		130.0 ⁽⁹⁾		144.0 ⁽¹¹⁾		152.0 ⁽¹¹⁾		152.0 ⁽⁹⁾	91.5	143.0 ⁽⁴⁾	112.0	138.0 ⁽⁴⁾	104.0	133.0 ⁽⁵⁾
	BW		189.0 ⁽⁹⁾		196.0 ⁽⁸⁾		189.0 ⁽⁵⁾		185.0 ⁽³⁾	91.3	181.0 ⁽²⁾	109.0	175.0 ⁽²⁾	104.0	168.0 ⁽²⁾
320	B		98.7 ⁽⁷⁾		112.0 ⁽⁹⁾		128.0 ⁽¹¹⁾		131.0 ⁽⁹⁾		126.0 ⁽⁹⁾	74.2	121.0 ⁽⁸⁾	87.3	114.0 ⁽⁵⁾
	BW		151.0 ⁽⁷⁾		166.0 ⁽⁹⁾		167.0 ⁽⁸⁾		161.0 ⁽⁴⁾		157.0 ⁽³⁾	72.6	152.0 ⁽²⁾	87.8	149.0 ⁽²⁾
340	B				85.1 ⁽⁷⁾		97.6 ⁽⁹⁾		113.0 ⁽¹¹⁾		109.0 ⁽¹⁰⁾		106.0 ⁽⁹⁾	55.5	97.6 ⁽⁷⁾
	BW				135.0 ⁽⁷⁾		145.0 ⁽⁹⁾		143.0 ⁽⁷⁾		138.0 ⁽⁴⁾		134.0 ⁽³⁾	55.6	130.0 ⁽²⁾
360	B						72.2 ⁽⁷⁾		85.4 ⁽⁹⁾		93.6 ⁽¹¹⁾		90.7 ⁽⁹⁾		83.7 ⁽⁸⁾
	BW						117.0 ⁽⁷⁾		128.0 ⁽⁸⁾		123.0 ⁽⁵⁾		118.0 ⁽⁴⁾		111.0 ⁽⁵⁾
380	B								60.1 ⁽⁷⁾		70.4 ⁽⁹⁾		77.2 ⁽¹¹⁾		71.0 ⁽¹⁰⁾
	BW								104.0 ⁽⁷⁾		111.0 ⁽⁷⁾		104.0 ⁽⁴⁾		98.3 ⁽⁴⁾
400	B										48.2 ⁽⁷⁾		55.6 ⁽⁹⁾		60.4 ⁽¹¹⁾
	BW										90.0 ⁽⁷⁾		93.3 ⁽⁷⁾		87.9 ⁽⁵⁾
420	B												35.3 ⁽⁷⁾		39.8 ⁽⁷⁾
	BW												75.4 ⁽⁷⁾		77.7 ⁽⁷⁾
440	B														20.5 ⁽⁷⁾
	BW														61.8 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW

P 197




ft		P 197 ft													
		W3 59 ft		W3 79 ft		W3 98 ft		W3 118 ft		W3 138 ft		W3 158 ft		W3 177 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	1400.0	1400.0	1290.0*	1290.0*	1198.0*	1198.0*								
	BW	1432.0	1433.0 ⁽¹⁾	1302.0*	1302.0*	1220.0*	1220.0*								
60	B	1237.0	1250.0 ⁽²⁾	1213.0	1213.0	1177.0	1177.0	1045.0*	1057.0 ⁽¹⁾	947.0*	947.0*				
	BW	1261.0	1368.0 ⁽²⁾	1298.0	1298.0	1228.0	1228.0	1057.0*	1068.0 ⁽¹⁾	957.0*	957.0*				
70	B	944.0	1095.0 ⁽³⁾	1044.0	1107.0 ⁽¹⁾	1067.0	1068.0 ⁽²⁾	1031.0	1031.0	916.0*	945.0 ⁽¹⁾	831.0*	840.0 ⁽¹⁾	754.0*	754.0*
	BW	948.0	1283.0 ⁽¹⁾	1044.0	1202.0 ⁽²⁾	1163.0	1164.0 ⁽²⁾	1067.0	1067.0	929.0*	957.0 ⁽¹⁾	840.0*	849.0 ⁽¹⁾	763.0*	763.0*
80	B	723.0	946.0 ⁽¹⁾	829.0	1019.0 ⁽¹⁾	948.0*	951.0 ⁽²⁾	932.0	934.0 ⁽²⁾	910.0	910.0	840.0	840.0	736.0*	752.0 ⁽¹⁾
	BW	723.0	1157.0 ⁽²⁾	830.0	1111.0 ⁽²⁾	1051.0	1089.0 ⁽¹⁾	1029.0	1029.0	942.0	942.0	851.0	851.0	745.0*	762.0 ⁽¹⁾
90	B		839.0 ⁽⁴⁾	690.0	930.0 ⁽¹⁾	845.0	848.0 ⁽⁴⁾	835.0*	836.0 ⁽³⁾	821.0	825.0 ⁽²⁾	801.0	801.0	741.0	741.0
	BW		1026.0 ⁽²⁾	691.0	1014.0 ⁽²⁾	929.0	1008.0 ⁽¹⁾	956.0	968.0 ⁽¹⁾	903.0	906.0 ⁽¹⁾	830.0	833.0 ⁽¹⁾	756.0	756.0
100	B		750.0 ⁽⁶⁾	561.0	842.0 ⁽¹⁾	760.0	761.0 ⁽⁴⁾	751.0	753.0 ⁽⁵⁾	743.0	745.0 ⁽³⁾	730.0	732.0 ⁽²⁾	710.0	710.0
	BW		906.0 ⁽³⁾	562.0	909.0 ⁽²⁾	792.0	909.0 ⁽²⁾	829.0	898.0 ⁽¹⁾	826.0	876.0 ⁽¹⁾	796.0	815.0 ⁽¹⁾	733.0	733.0
110	B		667.0 ⁽⁷⁾		753.0 ⁽¹⁾	655.0	688.0 ⁽⁷⁾	681.0	682.0 ⁽⁵⁾	675.0	676.0 ⁽⁴⁾	665.0	666.0 ⁽³⁾	656.0	656.0
	BW		795.0 ⁽⁶⁾		810.0 ⁽²⁾	656.0	824.0 ⁽⁴⁾	718.0	815.0 ⁽²⁾	715.0	807.0 ⁽¹⁾	709.0	794.0 ⁽¹⁾	698.0	708.0 ⁽²⁾
120	B		585.0 ⁽¹¹⁾		665.0 ⁽¹⁾	502.0	618.0 ⁽⁷⁾	624.0	624.0	616.0	617.0 ⁽⁵⁾	607.0	608.0 ⁽⁴⁾	602.0	606.0 ⁽¹⁾
	BW		587.0 ⁽¹¹⁾		745.0 ⁽²⁾	502.0	752.0 ⁽⁵⁾	640.0	744.0 ⁽³⁾	628.0	737.0 ⁽²⁾	623.0	744.0 ⁽¹⁾	623.0	685.0 ⁽²⁾
130	B				576.0 ⁽¹¹⁾		558.0 ⁽⁸⁾	545.0	571.0 ⁽⁸⁾	555.0	564.0 ⁽⁶⁾	554.0	558.0 ⁽⁵⁾	550.0	565.0 ⁽¹⁾
	BW				683.0 ⁽³⁾		688.0 ⁽⁴⁾	547.0	685.0 ⁽⁵⁾	556.0	677.0 ⁽³⁾	553.0	695.0 ⁽¹⁾	553.0	661.0 ⁽²⁾
140	B				501.0 ⁽¹⁰⁾		510.0 ⁽⁹⁾	426.0	518.0 ⁽⁶⁾	502.0	514.0 ⁽⁶⁾	493.0	511.0 ⁽⁵⁾	492.0	523.0 ⁽¹⁾
	BW				623.0 ⁽⁴⁾		624.0 ⁽⁴⁾	426.0	628.0 ⁽⁵⁾	505.0	624.0 ⁽⁴⁾	494.0	645.0 ⁽¹⁾	493.0	612.0 ⁽²⁾
150	B				456.0 ⁽¹⁰⁾		463.0 ⁽⁹⁾		472.0 ⁽⁹⁾	452.0	470.0 ⁽⁷⁾	453.0	464.0 ⁽⁵⁾	444.0	482.0 ⁽¹⁾
	BW				567.0 ⁽⁴⁾		575.0 ⁽⁵⁾		575.0 ⁽⁶⁾	452.0	573.0 ⁽⁴⁾	453.0	596.0 ⁽¹⁾	444.0	563.0 ⁽¹⁾
160	B				411.0 ⁽¹⁰⁾		422.0 ⁽¹⁰⁾		435.0 ⁽¹⁰⁾	362.0	435.0 ⁽⁸⁾	408.0	428.0 ⁽⁶⁾	403.0	440.0 ⁽¹⁾
	BW				516.0 ⁽⁵⁾		534.0 ⁽⁸⁾		529.0 ⁽⁷⁾	362.0	526.0 ⁽⁵⁾	409.0	547.0 ⁽¹⁾	402.0	533.0 ⁽¹⁾
170	B				367.0 ⁽¹⁰⁾		388.0 ⁽¹⁰⁾		396.0 ⁽¹⁰⁾		404.0 ⁽⁹⁾	359.0	397.0 ⁽⁷⁾	370.0	399.0 ⁽¹⁾
	BW				478.0 ⁽⁸⁾		492.0 ⁽⁸⁾		495.0 ⁽⁸⁾		490.0 ⁽⁵⁾	360.0	497.0 ⁽¹⁾	372.0	502.0 ⁽¹⁾
180	B						353.0 ⁽¹⁰⁾		361.0 ⁽¹⁰⁾		375.0 ⁽¹⁰⁾	298.0	371.0 ⁽⁸⁾	340.0	367.0 ⁽⁶⁾
	BW						451.0 ⁽⁸⁾		460.0 ⁽⁸⁾		460.0 ⁽⁷⁾	298.0	451.0 ⁽⁴⁾	340.0	471.0 ⁽¹⁾
190	B						318.0 ⁽¹⁰⁾		330.0 ⁽¹⁰⁾		343.0 ⁽¹⁰⁾		346.0 ⁽⁹⁾	300.0	343.0 ⁽⁷⁾
	BW						412.0 ⁽⁹⁾		426.0 ⁽⁹⁾		431.0 ⁽⁸⁾		422.0 ⁽⁵⁾	300.0	441.0 ⁽¹⁾
200	B								298.0 ⁽¹⁰⁾		314.0 ⁽¹⁰⁾		320.0 ⁽¹⁰⁾	251.0	323.0 ⁽⁸⁾
	BW								393.0 ⁽⁹⁾		402.0 ⁽⁸⁾		394.0 ⁽⁵⁾	251.0	410.0 ⁽¹⁾
220	B								235.0 ⁽⁷⁾		262.0 ⁽¹⁰⁾		272.0 ⁽¹⁰⁾		279.0 ⁽⁹⁾
	BW								329.0 ⁽⁸⁾		345.0 ⁽⁹⁾		341.0 ⁽⁴⁾		349.0 ⁽¹⁾
240	B								191.0 ⁽⁷⁾		207.0 ⁽⁸⁾		229.0 ⁽¹⁰⁾		240.0 ⁽¹¹⁾
	BW								272.0 ⁽⁸⁾		292.0 ⁽⁸⁾		297.0 ⁽⁸⁾		297.0 ⁽⁴⁾
260	B										159.0 ⁽⁸⁾		183.0 ⁽⁹⁾		196.0 ⁽¹¹⁾
	BW										244.0 ⁽⁸⁾		256.0 ⁽⁸⁾		263.0 ⁽⁸⁾
280	B												139.0 ⁽⁹⁾		155.0 ⁽⁹⁾
	BW												217.0 ⁽⁸⁾		227.0 ⁽⁹⁾
300	B												107.0 ⁽⁷⁾		124.0 ⁽⁹⁾
	BW												168.0 ⁽⁷⁾		184.0 ⁽⁹⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW

P 197




 ft		P 197 ft													
		W3 197 ft		W3 217 ft		W3 236 ft		W3 256 ft		W3 276 ft		W3 295 ft		W3 315 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
80	B	669.0*	673.0 ⁽¹⁾	607.0*	607.0*										
	BW	676.0*	681.0 ⁽¹⁾	613.0*	613.0*										
90	B	670.0	670.0	589.0*	599.0 ⁽¹⁾	535.0*	539.0 ⁽¹⁾	487.0*	487.0*						
	BW	683.0	683.0	600.0*	609.0 ⁽¹⁾	544.0*	546.0 ⁽¹⁾	494.0*	494.0*						
100	B	651.0	651.0	591.0	591.0	534.0	534.0	474.0*	474.0*	429.0*	429.0*	393.0*	393.0*		
	BW	664.0	664.0	602.0	602.0	544.0	544.0	481.0*	481.0*	434.0*	434.0*	381.0*	381.0*		
110	B	627.0	627.0	575.0	575.0	523.0	523.0	475.0	475.0	417.0*	417.0*	383.0*	383.0*	345.0*	345.0*
	BW	646.0	646.0	586.0	586.0	532.0	532.0	483.0	483.0	424.0*	424.0*	389.0*	389.0*	350.0*	350.0*
120	B	592.0	592.0	561.0	561.0	509.0	509.0	464.0	464.0	418.0	418.0	374.0*	374.0*	337.0*	337.0*
	BW	613.0	631.0 ⁽²⁾	572.0	573.0 ⁽²⁾	520.0	520.0	473.0	473.0	426.0	426.0	379.0*	379.0*	342.0*	342.0*
130	B	542.0	545.0 ⁽³⁾	531.0	531.0	496.0	496.0	453.0	453.0	409.0	409.0	376.0	376.0	338.0	338.0
	BW	549.0	615.0 ⁽²⁾	537.0	560.0 ⁽²⁾	506.0	509.0 ⁽²⁾	461.0	462.0 ⁽²⁾	417.0	417.0	382.0	382.0	343.0	343.0
140	B	490.0	498.0 ⁽¹⁾	484.0	491.0 ⁽³⁾	470.0	470.0	441.0	441.0	401.0	401.0	368.0	368.0	331.0	331.0
	BW	491.0	597.0 ⁽²⁾	484.0	548.0 ⁽²⁾	475.0	498.0 ⁽²⁾	449.0	454.0 ⁽²⁾	408.0	409.0 ⁽²⁾	374.0	374.0	337.0	337.0
150	B	442.0	464.0 ⁽¹⁾	435.0	462.0 ⁽¹⁾	432.0	439.0 ⁽³⁾	418.0	418.0	390.0	390.0	360.0	360.0	324.0	324.0
	BW	442.0	555.0 ⁽²⁾	436.0	532.0 ⁽²⁾	433.0	488.0 ⁽²⁾	423.0	447.0 ⁽²⁾	397.0	402.0 ⁽²⁾	366.0	368.0 ⁽²⁾	330.0	330.0
160	B	400.0	429.0 ⁽¹⁾	394.0	437.0 ⁽¹⁾	391.0	407.0 ⁽³⁾	387.0	393.0 ⁽³⁾	372.0	372.0	350.0	350.0	318.0	318.0
	BW	399.0	515.0 ⁽¹⁾	394.0	499.0 ⁽²⁾	393.0	473.0 ⁽²⁾	390.0	440.0 ⁽²⁾	375.0	396.0 ⁽²⁾	356.0	362.0 ⁽²⁾	323.0	325.0 ⁽²⁾
170	B	363.0	394.0 ⁽¹⁾	358.0	412.0 ⁽¹⁾	355.0	377.0 ⁽¹⁾	354.0	369.0 ⁽³⁾	347.0	352.0 ⁽³⁾	334.0	334.0	310.0	310.0
	BW	363.0	491.0 ⁽¹⁾	358.0	466.0 ⁽²⁾	357.0	447.0 ⁽²⁾	355.0	427.0 ⁽²⁾	347.0	390.0 ⁽²⁾	337.0	356.0 ⁽²⁾	315.0	320.0 ⁽²⁾
180	B	338.0	361.0 ⁽⁵⁾	327.0	387.0 ⁽¹⁾	323.0	354.0 ⁽¹⁾	324.0	344.0 ⁽³⁾	316.0	332.0 ⁽³⁾	313.0	320.0 ⁽²⁾	296.0	297.0 ⁽²⁾
	BW	339.0	467.0 ⁽¹⁾	328.0	433.0 ⁽²⁾	325.0	422.0 ⁽²⁾	324.0	406.0 ⁽²⁾	317.0	378.0 ⁽²⁾	314.0	351.0 ⁽²⁾	298.0	315.0 ⁽²⁾
190	B	312.0	337.0 ⁽⁶⁾	303.0	362.0 ⁽¹⁾	296.0	331.0 ⁽¹⁾	296.0	320.0 ⁽³⁾	289.0	312.0 ⁽³⁾	287.0	301.0 ⁽²⁾	279.0	288.0 ⁽²⁾
	BW	312.0	443.0 ⁽¹⁾	304.0	406.0 ⁽²⁾	296.0	397.0 ⁽²⁾	295.0	385.0 ⁽²⁾	289.0	360.0 ⁽²⁾	288.0	339.0 ⁽²⁾	279.0	311.0 ⁽²⁾
200	B	279.0	316.0 ⁽⁷⁾	283.0	337.0 ⁽¹⁾	274.0	309.0 ⁽¹⁾	272.0	301.0 ⁽⁴⁾	265.0	291.0 ⁽³⁾	263.0	284.0 ⁽³⁾	255.0	270.0 ⁽²⁾
	BW	278.0	419.0 ⁽¹⁾	284.0	381.0 ⁽²⁾	274.0	373.0 ⁽²⁾	272.0	364.0 ⁽²⁾	265.0	343.0 ⁽²⁾	263.0	323.0 ⁽²⁾	255.0	300.0 ⁽²⁾
220	B	201.0	278.0 ⁽⁸⁾	232.0	287.0 ⁽¹⁾	237.0	265.0 ⁽³⁾	233.0	264.0 ⁽³⁾	223.0	255.0 ⁽⁴⁾	222.0	249.0 ⁽⁴⁾	214.0	239.0 ⁽³⁾
	BW	201.0	372.0 ⁽¹⁾	232.0	332.0 ⁽³⁾	237.0	328.0 ⁽²⁾	233.0	324.0 ⁽²⁾	224.0	308.0 ⁽²⁾	222.0	292.0 ⁽²⁾	215.0	274.0 ⁽²⁾
240	B		239.0 ⁽⁹⁾	167.0	237.0 ⁽⁸⁾	194.0	230.0 ⁽⁴⁾	201.0	226.0 ⁽⁶⁾	191.0	221.0 ⁽⁵⁾	188.0	217.0 ⁽⁴⁾	181.0	209.0 ⁽⁴⁾
	BW		324.0 ⁽¹⁾	167.0	289.0 ⁽³⁾	194.0	284.0 ⁽³⁾	201.0	284.0 ⁽²⁾	191.0	274.0 ⁽²⁾	189.0	263.0 ⁽²⁾	182.0	248.0 ⁽²⁾
260	B		209.0 ⁽¹¹⁾		206.0 ⁽⁹⁾	138.0	202.0 ⁽⁸⁾	164.0	197.0 ⁽⁷⁾	166.0	191.0 ⁽⁶⁾	162.0	188.0 ⁽⁵⁾	154.0	179.0 ⁽⁴⁾
	BW		276.0 ⁽¹⁾		252.0 ⁽⁴⁾	138.0	247.0 ⁽³⁾	164.0	245.0 ⁽³⁾	167.0	240.0 ⁽²⁾	163.0	234.0 ⁽²⁾	155.0	223.0 ⁽²⁾
280	B		171.0 ⁽¹¹⁾		178.0 ⁽¹⁰⁾		179.0 ⁽⁹⁾	117.0	176.0 ⁽⁸⁾	135.0	167.0 ⁽⁶⁾	140.0	162.0 ⁽⁴⁾	134.0	156.0 ⁽³⁾
	BW		231.0 ⁽⁸⁾		224.0 ⁽⁶⁾		218.0 ⁽⁴⁾	116.0	215.0 ⁽⁴⁾	135.0	208.0 ⁽³⁾	141.0	205.0 ⁽²⁾	134.0	197.0 ⁽²⁾
300	B		136.0 ⁽⁹⁾		150.0 ⁽¹¹⁾		156.0 ⁽¹⁰⁾		157.0 ⁽⁹⁾	92.0	149.0 ⁽⁸⁾	111.0	143.0 ⁽⁴⁾	115.0	135.0 ⁽⁴⁾
	BW		200.0 ⁽⁹⁾		203.0 ⁽⁸⁾		196.0 ⁽⁴⁾		191.0 ⁽⁴⁾	92.2	184.0 ⁽⁴⁾	113.0	180.0 ⁽³⁾	115.0	172.0 ⁽²⁾
320	B		109.0 ⁽⁹⁾		120.0 ⁽⁹⁾		129.0 ⁽¹¹⁾		135.0 ⁽¹⁰⁾		133.0 ⁽⁹⁾	73.9	128.0 ⁽⁸⁾	89.1	119.0 ⁽⁷⁾
	BW		165.0 ⁽⁹⁾		177.0 ⁽⁹⁾		179.0 ⁽⁸⁾		173.0 ⁽⁶⁾		164.0 ⁽⁵⁾	74.1	160.0 ⁽⁴⁾	89.1	152.0 ⁽³⁾
340	B		82.1 ⁽⁷⁾		92.6 ⁽⁹⁾		102.0 ⁽⁹⁾		111.0 ⁽¹⁰⁾		112.0 ⁽¹⁰⁾		113.0 ⁽⁹⁾	56.8	107.0 ⁽⁸⁾
	BW		132.0 ⁽⁷⁾		146.0 ⁽⁹⁾		156.0 ⁽⁹⁾		158.0 ⁽⁸⁾		147.0 ⁽⁶⁾		142.0 ⁽⁵⁾	57.1	135.0 ⁽⁴⁾
360	B				69.8 ⁽⁷⁾		79.1 ⁽⁹⁾		86.0 ⁽⁹⁾		90.5 ⁽¹⁰⁾		94.4 ⁽¹⁰⁾		91.8 ⁽⁹⁾
	BW				117.0 ⁽⁷⁾		130.0 ⁽⁹⁾		135.0 ⁽⁹⁾		131.0 ⁽⁸⁾		125.0 ⁽⁴⁾		119.0 ⁽⁵⁾
380	B						56.3 ⁽⁷⁾		64.8 ⁽⁹⁾		68.2 ⁽⁹⁾		74.2 ⁽¹⁰⁾		73.7 ⁽¹⁰⁾
	BW						99.7 ⁽⁷⁾		113.0 ⁽⁹⁾		113.0 ⁽⁹⁾		111.0 ⁽⁸⁾		102.0 ⁽⁵⁾
400	B								44.8 ⁽⁷⁾		45.5 ⁽⁷⁾		53.3 ⁽⁹⁾		56.5 ⁽¹⁰⁾
	BW								87.3 ⁽⁷⁾		91.7 ⁽⁷⁾		95.7 ⁽⁹⁾		87.5 ⁽⁹⁾
420	B										29.2 ⁽⁷⁾		31.7 ⁽⁷⁾		36.7 ⁽⁹⁾
	BW										73.2 ⁽⁷⁾		75.8 ⁽⁷⁾		75.3 ⁽⁹⁾
440	B												15.8 ⁽⁷⁾		
	BW												58.3 ⁽⁷⁾		59.0 ⁽⁷⁾
460	B														
	BW														42.8 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°

PDW3B/PDW3BW

P 217




ft		P 217 ft													
		W3 59 ft		W3 79 ft		W3 98 ft		W3 118 ft		W3 138 ft		W3 158 ft		W3 177 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	1244.0*	1281.0 ⁽²⁾	1197.0*	1197.0*										
	BW	1265.0*	1316.0 ⁽²⁾	1217.0*	1217.0*										
60	B	1217.0	1219.0 ⁽²⁾	1167.0	1167.0	1055.0*	1102.0 ⁽¹⁾	985.0*	1000.0 ⁽¹⁾						
	BW	1267.0	1303.0 ⁽²⁾	1233.0	1233.0	1080.0*	1145.0 ⁽¹⁾	1007.0*	1024.0 ⁽¹⁾						
70	B	988.0	1101.0 ⁽³⁾	1056.0	1062.0 ⁽²⁾	1034.0	1037.0 ⁽¹⁾	993.0	993.0	870.0*	902.0 ⁽¹⁾	801.0*	806.0 ⁽¹⁾	729.0*	729.0*
	BW	985.0	1235.0 ⁽²⁾	1083.0	1148.0 ⁽²⁾	1106.0	1118.0 ⁽¹⁾	1032.0	1033.0 ⁽¹⁾	889.0*	922.0 ⁽¹⁾	812.0*	818.0 ⁽¹⁾		
80	B	773.0	984.0 ⁽³⁾	862.0	962.0 ⁽²⁾	953.0	953.0	919.0	919.0	869.0	869.0	810.0	810.0	709.0*	709.0*
	BW	774.0	1168.0 ⁽²⁾	860.0	1094.0 ⁽²⁾	1021.0	1069.0 ⁽¹⁾	979.0	999.0 ⁽¹⁾	912.0	912.0	826.0	826.0	720.0*	720.0*
90	B		877.0 ⁽³⁾	706.0	866.0 ⁽³⁾	875.0	875.0	850.0	850.0	808.0	808.0	776.0	776.0	715.0	715.0
	BW		1083.0 ⁽²⁾	706.0	1039.0 ⁽²⁾	928.0	1021.0 ⁽¹⁾	909.0	964.0 ⁽¹⁾	869.0	879.0 ⁽²⁾	805.0	805.0	733.0	733.0
100	B		787.0 ⁽⁴⁾	590.0	778.0 ⁽³⁾	791.0	793.0 ⁽³⁾	777.0	777.0	752.0	752.0	726.0	738.0 ⁽¹⁾	690.0	690.0
	BW		998.0 ⁽²⁾	589.0	967.0 ⁽²⁾	813.0	956.0 ⁽²⁾	828.0	923.0 ⁽¹⁾	808.0	846.0 ⁽²⁾	768.0	781.0 ⁽²⁾	711.0	711.0
110	B		703.0 ⁽⁴⁾		705.0 ⁽⁵⁾	684.0	718.0 ⁽⁴⁾	708.0	710.0 ⁽⁵⁾	699.0	699.0	681.0	702.0 ⁽¹⁾	656.0	656.0
	BW		919.0 ⁽²⁾		896.0 ⁽²⁾	685.0	892.0 ⁽³⁾	735.0	866.0 ⁽²⁾	733.0	813.0 ⁽²⁾	715.0	760.0 ⁽²⁾	681.0	696.0 ⁽²⁾
120	B		632.0 ⁽⁴⁾		635.0 ⁽⁵⁾	533.0	649.0 ⁽⁷⁾	648.0	648.0	636.0	642.0 ⁽¹⁾	628.0	666.0 ⁽¹⁾	616.0	616.0
	BW		842.0 ⁽²⁾		829.0 ⁽²⁾	533.0	828.0 ⁽⁴⁾	648.0	813.0 ⁽⁵⁾	642.0	774.0 ⁽²⁾	638.0	739.0 ⁽²⁾	633.0	684.0 ⁽²⁾
130	B		577.0 ⁽⁸⁾		572.0 ⁽⁴⁾		586.0 ⁽⁸⁾	565.0	594.0 ⁽⁷⁾	569.0	595.0 ⁽¹⁾	562.0	629.0 ⁽¹⁾	562.0	567.0 ⁽³⁾
	BW		769.0 ⁽³⁾		764.0 ⁽²⁾		758.0 ⁽⁴⁾	568.0	753.0 ⁽⁴⁾	568.0	730.0 ⁽³⁾	565.0	707.0 ⁽²⁾	565.0	672.0 ⁽²⁾
140	B		527.0 ⁽⁹⁾		526.0 ⁽⁷⁾		539.0 ⁽⁹⁾	451.0	540.0 ⁽⁸⁾	513.0	549.0 ⁽¹⁾	503.0	593.0 ⁽¹⁾	504.0	524.0 ⁽⁴⁾
	BW		700.0 ⁽⁴⁾		702.0 ⁽³⁾		698.0 ⁽²⁾	452.0	694.0 ⁽⁴⁾	512.0	685.0 ⁽¹⁾	506.0	663.0 ⁽²⁾	505.0	645.0 ⁽¹⁾
150	B		477.0 ⁽⁹⁾		486.0 ⁽¹⁰⁾		492.0 ⁽⁹⁾		494.0 ⁽⁸⁾	463.0	502.0 ⁽¹⁾	459.0	557.0 ⁽¹⁾	453.0	484.0 ⁽⁴⁾
	BW		634.0 ⁽⁵⁾		642.0 ⁽³⁾		646.0 ⁽⁵⁾		639.0 ⁽²⁾	463.0	648.0 ⁽¹⁾	460.0	620.0 ⁽²⁾	454.0	609.0 ⁽²⁾
160	B		427.0 ⁽⁹⁾		446.0 ⁽¹⁰⁾		447.0 ⁽¹⁰⁾		457.0 ⁽⁹⁾	382.0	455.0 ⁽¹⁾	418.0	520.0 ⁽¹⁾	411.0	450.0 ⁽¹⁾
	BW		583.0 ⁽⁸⁾		582.0 ⁽⁴⁾		602.0 ⁽⁷⁾		595.0 ⁽⁴⁾	383.0	611.0 ⁽¹⁾	419.0	580.0 ⁽²⁾	410.0	572.0 ⁽²⁾
170	B				406.0 ⁽¹⁰⁾		412.0 ⁽¹⁰⁾		420.0 ⁽¹⁰⁾		424.0 ⁽⁹⁾	369.0	484.0 ⁽¹⁾	376.0	418.0 ⁽¹⁾
	BW				537.0 ⁽⁵⁾		559.0 ⁽⁷⁾		556.0 ⁽⁴⁾		574.0 ⁽¹⁾	369.0	543.0 ⁽²⁾	376.0	537.0 ⁽²⁾
180	B				366.0 ⁽¹⁰⁾		379.0 ⁽¹⁰⁾		384.0 ⁽¹¹⁾		397.0 ⁽¹⁰⁾	310.0	447.0 ⁽¹⁾	347.0	387.0 ⁽⁴⁾
	BW				504.0 ⁽⁹⁾		516.0 ⁽⁷⁾		518.0 ⁽⁴⁾		537.0 ⁽¹⁾	310.0	508.0 ⁽³⁾	347.0	505.0 ⁽²⁾
190	B						345.0 ⁽¹⁰⁾		354.0 ⁽¹⁰⁾		365.0 ⁽¹⁰⁾		411.0 ⁽¹⁾	309.0	362.0 ⁽⁷⁾
	BW						474.0 ⁽⁸⁾		482.0 ⁽⁷⁾		500.0 ⁽¹⁾		474.0 ⁽³⁾	309.0	472.0 ⁽²⁾
200	B						312.0 ⁽¹⁰⁾		326.0 ⁽¹⁰⁾		335.0 ⁽¹¹⁾		375.0 ⁽¹⁾	261.0	342.0 ⁽⁸⁾
	BW						438.0 ⁽¹⁰⁾		448.0 ⁽⁸⁾		463.0 ⁽¹⁾		442.0 ⁽⁴⁾	261.0	439.0 ⁽²⁾
220	B								269.0 ⁽¹⁰⁾		284.0 ⁽¹⁰⁾		302.0 ⁽¹⁾		295.0 ⁽⁹⁾
	BW								385.0 ⁽¹⁰⁾		389.0 ⁽¹⁾		382.0 ⁽⁴⁾		382.0 ⁽⁵⁾
240	B								218.0 ⁽⁸⁾		233.0 ⁽⁸⁾		246.0 ⁽¹⁰⁾		257.0 ⁽¹¹⁾
	BW								333.0 ⁽⁸⁾		341.0 ⁽⁸⁾		336.0 ⁽⁴⁾		333.0 ⁽⁴⁾
260	B										194.0 ⁽⁸⁾		201.0 ⁽⁸⁾		220.0 ⁽¹¹⁾
	BW										297.0 ⁽⁸⁾		301.0 ⁽⁸⁾		300.0 ⁽⁴⁾
280	B										155.0 ⁽⁴⁾		168.0 ⁽⁸⁾		179.0 ⁽⁹⁾
	BW										252.0 ⁽⁴⁾		262.0 ⁽⁸⁾		272.0 ⁽⁹⁾
300	B										127.0 ⁽⁴⁾		136.0 ⁽⁴⁾		150.0 ⁽⁹⁾
	BW										215.0 ⁽⁴⁾		218.0 ⁽⁴⁾		237.0 ⁽⁹⁾
320	B												111.0 ⁽⁴⁾		120.0 ⁽⁷⁾
	BW												179.0 ⁽⁴⁾		199.0 ⁽⁷⁾
340	B														95.9 ⁽⁴⁾
	BW														164.0 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW

P 217




ft		P 217 ft													
		W3 197 ft		W3 217 ft		W3 236 ft		W3 256 ft		W3 276 ft		W3 295 ft		W3 315 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
80	B	644.0*	644.0*												
	BW	654.0*	654.0*												
90	B	623.0*	623.0*	570.0*	570.0*	516.0*	516.0*								
	BW	638.0*	638.0*	582.0*	582.0*	526.0*	526.0*								
100	B	629.0	629.0	573.0	573.0	500.0*	500.0*	457.0*	457.0*	413.0*	413.0*				
	BW	645.0	645.0	586.0	586.0	511.0*	511.0*	466.0*	466.0*	421.0*	421.0*				
110	B	608.0	608.0	558.0	558.0	504.0	504.0	445.0*	445.0*	403.0*	403.0*	370.0*	370.0*	314.0*	314.0*
	BW	628.0	629.0 ⁽²⁾	572.0	572.0	518.0	518.0	454.0*	454.0*	410.0*	410.0*	377.0*	377.0*	322.0*	322.0*
120	B	583.0	583.0	542.0	542.0	492.0	492.0	449.0	449.0	405.0	405.0	361.0*	361.0*	326.0*	326.0*
	BW	606.0	620.0 ⁽²⁾	557.0	560.0 ⁽²⁾	505.0	505.0	459.0	459.0	414.0	414.0	368.0*	368.0*	331.0*	331.0*
130	B	547.0	547.0	521.0	521.0	478.0	478.0	439.0	439.0	396.0	396.0	364.0	364.0	326.0	326.0
	BW	559.0	612.0 ⁽²⁾	536.0	552.0 ⁽²⁾	493.0	496.0 ⁽²⁾	449.0	449.0	405.0	405.0	372.0	372.0	334.0	334.0
140	B	498.0	509.0 ⁽³⁾	490.0	491.0 ⁽³⁾	461.0	461.0	426.0	426.0	387.0	387.0	355.0	355.0	320.0	320.0
	BW	502.0	603.0 ⁽²⁾	497.0	545.0 ⁽²⁾	473.0	490.0 ⁽²⁾	439.0	443.0 ⁽²⁾	397.0	397.0	364.0	364.0	328.0	328.0
150	B	450.0	471.0 ⁽³⁾	447.0	461.0 ⁽²⁾	436.0	439.0 ⁽²⁾	411.0	413.0 ⁽²⁾	377.0	378.0 ⁽²⁾	348.0	348.0	314.0	314.0
	BW	450.0	579.0 ⁽²⁾	449.0	537.0 ⁽²⁾	439.0	483.0 ⁽²⁾	421.0	437.0 ⁽²⁾	387.0	392.0 ⁽²⁾	357.0	357.0	321.0	321.0
160	B	407.0	438.0 ⁽⁴⁾	405.0	431.0 ⁽³⁾	399.0	420.0 ⁽²⁾	389.0	400.0 ⁽²⁾	363.0	369.0 ⁽²⁾	339.0	342.0 ⁽²⁾	307.0	309.0 ⁽²⁾
	BW	407.0	550.0 ⁽²⁾	407.0	516.0 ⁽²⁾	399.0	477.0 ⁽²⁾	394.0	432.0 ⁽²⁾	372.0	387.0 ⁽²⁾	347.0	353.0 ⁽²⁾	315.0	317.0 ⁽²⁾
170	B	370.0	407.0 ⁽⁴⁾	367.0	400.0 ⁽³⁾	363.0	390.0 ⁽²⁾	359.0	386.0 ⁽²⁾	344.0	360.0 ⁽²⁾	326.0	335.0 ⁽²⁾	299.0	304.0 ⁽²⁾
	BW	370.0	520.0 ⁽²⁾	369.0	492.0 ⁽²⁾	363.0	456.0 ⁽²⁾	360.0	425.0 ⁽²⁾	351.0	382.0 ⁽²⁾	335.0	348.0 ⁽²⁾	307.0	312.0 ⁽²⁾
180	B	343.0	380.0 ⁽⁵⁾	335.0	376.0 ⁽⁴⁾	329.0	366.0 ⁽³⁾	328.0	358.0 ⁽²⁾	319.0	348.0 ⁽²⁾	310.0	329.0 ⁽²⁾	287.0	300.0 ⁽²⁾
	BW	343.0	492.0 ⁽²⁾	337.0	469.0 ⁽²⁾	330.0	435.0 ⁽²⁾	329.0	408.0 ⁽²⁾	321.0	376.0 ⁽²⁾	318.0	344.0 ⁽²⁾	296.0	308.0 ⁽²⁾
190	B	317.0	355.0 ⁽⁵⁾	310.0	350.0 ⁽⁴⁾	300.0	342.0 ⁽⁴⁾	300.0	338.0 ⁽³⁾	294.0	323.0 ⁽²⁾	289.0	318.0 ⁽²⁾	273.0	295.0 ⁽²⁾
	BW	317.0	463.0 ⁽²⁾	310.0	446.0 ⁽²⁾	302.0	415.0 ⁽²⁾	300.0	391.0 ⁽²⁾	293.0	361.0 ⁽²⁾	293.0	338.0 ⁽²⁾	283.0	304.0 ⁽²⁾
200	B	284.0	334.0 ⁽⁶⁾	290.0	330.0 ⁽⁵⁾	277.0	320.0 ⁽⁴⁾	276.0	314.0 ⁽³⁾	270.0	307.0 ⁽³⁾	268.0	295.0 ⁽²⁾	256.0	284.0 ⁽²⁾
	BW	284.0	435.0 ⁽²⁾	291.0	422.0 ⁽²⁾	278.0	394.0 ⁽²⁾	276.0	374.0 ⁽²⁾	270.0	346.0 ⁽²⁾	268.0	325.0 ⁽²⁾	261.0	298.0 ⁽²⁾
220	B	209.0	291.0 ⁽⁷⁾	240.0	287.0 ⁽⁶⁾	241.0	278.0 ⁽⁵⁾	236.0	276.0 ⁽⁴⁾	228.0	267.0 ⁽⁴⁾	224.0	261.0 ⁽³⁾	219.0	253.0 ⁽³⁾
	BW	210.0	378.0 ⁽²⁾	239.0	374.0 ⁽²⁾	241.0	356.0 ⁽²⁾	236.0	341.0 ⁽²⁾	228.0	317.0 ⁽²⁾	225.0	299.0 ⁽²⁾	218.0	277.0 ⁽²⁾
240	B		252.0 ⁽⁸⁾	178.0	250.0 ⁽⁸⁾	199.0	241.0 ⁽⁴⁾	207.0	239.0 ⁽⁵⁾	197.0	231.0 ⁽⁴⁾	192.0	227.0 ⁽⁴⁾	184.0	217.0 ⁽³⁾
	BW		329.0 ⁽³⁾	178.0	327.0 ⁽²⁾	199.0	318.0 ⁽²⁾	204.0	310.0 ⁽²⁾	198.0	291.0 ⁽²⁾	191.0	276.0 ⁽²⁾	184.0	257.0 ⁽²⁾
260	B		223.0 ⁽¹⁰⁾		221.0 ⁽⁸⁾	146.0	213.0 ⁽⁷⁾	169.0	209.0 ⁽⁶⁾	170.0	202.0 ⁽⁵⁾	164.0	196.0 ⁽⁴⁾	158.0	188.0 ⁽⁴⁾
	BW		292.0 ⁽⁴⁾		288.0 ⁽³⁾	146.0	280.0 ⁽²⁾	169.0	278.0 ⁽²⁾	170.0	265.0 ⁽²⁾	165.0	253.0 ⁽²⁾	158.0	235.0 ⁽²⁾
280	B		189.0 ⁽¹⁰⁾		196.0 ⁽¹⁰⁾		190.0 ⁽⁸⁾	123.0	186.0 ⁽⁷⁾	138.0	178.0 ⁽⁶⁾	143.0	173.0 ⁽⁵⁾	135.0	163.0 ⁽⁵⁾
	BW		265.0 ⁽⁶⁾		259.0 ⁽⁴⁾		251.0 ⁽³⁾	123.0	246.0 ⁽²⁾	138.0	239.0 ⁽²⁾	144.0	230.0 ⁽²⁾	135.0	215.0 ⁽²⁾
300	B		154.0 ⁽⁹⁾		166.0 ⁽¹⁰⁾		169.0 ⁽¹⁰⁾		166.0 ⁽⁸⁾	96.8	160.0 ⁽⁷⁾	116.0	154.0 ⁽⁴⁾	116.0	144.0 ⁽⁵⁾
	BW		238.0 ⁽⁸⁾		234.0 ⁽⁵⁾		227.0 ⁽⁴⁾		222.0 ⁽³⁾	99.1	213.0 ⁽²⁾	116.0	208.0 ⁽²⁾	117.0	195.0 ⁽²⁾
320	B		128.0 ⁽⁹⁾		134.0 ⁽⁹⁾		142.0 ⁽¹⁰⁾		144.0 ⁽⁹⁾		142.0 ⁽⁹⁾	79.0	137.0 ⁽⁷⁾	92.2	128.0 ⁽⁴⁾
	BW		207.0 ⁽⁸⁾		207.0 ⁽⁸⁾		200.0 ⁽⁵⁾		196.0 ⁽³⁾		188.0 ⁽²⁾	79.1	185.0 ⁽²⁾	92.1	174.0 ⁽²⁾
340	B		101.0 ⁽⁷⁾		110.0 ⁽⁹⁾		113.0 ⁽⁹⁾		121.0 ⁽¹⁰⁾		121.0 ⁽⁹⁾		121.0 ⁽⁹⁾	61.0	112.0 ⁽⁷⁾
	BW		174.0 ⁽⁷⁾		183.0 ⁽⁸⁾		176.0 ⁽⁵⁾		173.0 ⁽⁴⁾		166.0 ⁽³⁾		162.0 ⁽²⁾	61.2	155.0 ⁽²⁾
360	B		78.6 ⁽⁷⁾		84.8 ⁽⁷⁾		90.3 ⁽⁹⁾		96.6 ⁽⁹⁾		100.0 ⁽¹⁰⁾		101.0 ⁽⁹⁾		96.4 ⁽⁹⁾
	BW		144.0 ⁽⁷⁾		156.0 ⁽⁷⁾		156.0 ⁽⁸⁾		153.0 ⁽⁷⁾		146.0 ⁽⁴⁾		142.0 ⁽³⁾		135.0 ⁽²⁾
380	B				64.3 ⁽⁷⁾		66.7 ⁽⁷⁾		75.3 ⁽⁹⁾		77.9 ⁽⁹⁾		82.8 ⁽¹⁰⁾		79.3 ⁽⁹⁾
	BW				129.0 ⁽⁷⁾		135.0 ⁽⁷⁾		138.0 ⁽⁸⁾		129.0 ⁽⁵⁾		124.0 ⁽⁴⁾		118.0 ⁽³⁾
400	B						48.1 ⁽⁷⁾		53.1 ⁽⁷⁾		58.5 ⁽⁹⁾		62.4 ⁽⁹⁾		63.6 ⁽¹⁰⁾
	BW						113.0 ⁽⁷⁾		118.0 ⁽⁷⁾		116.0 ⁽⁷⁾		111.0 ⁽⁵⁾		103.0 ⁽⁴⁾
420	B								35.7 ⁽⁷⁾		37.0 ⁽⁷⁾		43.8 ⁽⁹⁾		44.6 ⁽⁹⁾
	BW								97.4 ⁽⁷⁾		99.5 ⁽⁷⁾		99.5 ⁽⁷⁾		91.3 ⁽⁵⁾
440	B										20.4 ⁽⁷⁾				26.8 ⁽⁹⁾
	BW										80.4 ⁽⁷⁾		83.6 ⁽⁷⁾		81.5 ⁽⁷⁾
460	B														
	BW														66.6 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW

P 236




ft		P 236 ft													
		W3 59 ft		W3 79 ft		W3 98 ft		W3 118 ft		W3 138 ft		W3 158 ft		W3 177 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	1180.0*	1206.0 ⁽²⁾	1130.0*	1130.0*										
	BW	1204.0*	1237.0 ⁽²⁾	1155.0*	1155.0*										
60	B	1177.0	1179.0 ⁽²⁾	1125.0	1125.0	990.0*	1038.0 ⁽¹⁾	928.0*	935.0 ⁽¹⁾						
	BW	1224.0	1239.0 ⁽²⁾	1176.0	1176.0	1015.0*	1062.0 ⁽¹⁾	947.0*	957.0 ⁽¹⁾						
70	B	1030.0	1073.0 ⁽²⁾	1029.0	1030.0 ⁽²⁾	1000.0	1000.0	942.0	942.0	821.0*	854.0 ⁽¹⁾	766.0*	771.0 ⁽¹⁾		
	BW	1035.0	1183.0 ⁽²⁾	1068.0	1094.0 ⁽²⁾	1043.0	1048.0 ⁽¹⁾	973.0	973.0	838.0*	873.0 ⁽¹⁾	779.0*	779.0*		
80	B	809.0	968.0 ⁽⁴⁾	899.0	941.0 ⁽³⁾	924.0	924.0	873.0	876.0 ⁽¹⁾	838.0	839.0 ⁽¹⁾	787.0	787.0	681.0*	681.0*
	BW	809.0	1127.0 ⁽²⁾	896.0	1052.0 ⁽²⁾	976.0	1013.0 ⁽¹⁾	927.0	938.0 ⁽¹⁾	870.0	870.0	744.0*	747.0 ⁽¹⁾	696.0*	696.0*
90	B		866.0 ⁽²⁾	733.0	853.0 ⁽³⁾	855.0	855.0	811.0	811.0	783.0	783.0	743.0	751.0 ⁽¹⁾	689.0	689.0
	BW		1055.0 ⁽²⁾	730.0	1011.0 ⁽²⁾	897.0	979.0 ⁽¹⁾	867.0	905.0 ⁽¹⁾	824.0	833.0 ⁽¹⁾	773.0	773.0	711.0	711.0
100	B		778.0 ⁽⁴⁾	613.0	768.0 ⁽⁴⁾	779.0	780.0 ⁽³⁾	754.0	754.0	730.0	730.0	697.0	718.0 ⁽¹⁾	659.0	659.0
	BW		976.0 ⁽²⁾	612.0	948.0 ⁽²⁾	816.0	926.0 ⁽¹⁾	794.0	873.0 ⁽¹⁾	769.0	805.0 ⁽²⁾	728.0	739.0 ⁽²⁾	683.0	683.0
110	B		702.0 ⁽⁷⁾		696.0 ⁽⁵⁾	706.0	710.0 ⁽⁷⁾	697.0	697.0	680.0	680.0	653.0	684.0 ⁽¹⁾	622.0	622.0
	BW		897.0 ⁽³⁾		879.0 ⁽²⁾	713.0	873.0 ⁽³⁾	729.0	826.0 ⁽¹⁾	711.0	781.0 ⁽²⁾	680.0	724.0 ⁽²⁾	646.0	667.0 ⁽²⁾
120	B		630.0 ⁽⁸⁾		635.0 ⁽⁴⁾	563.0	646.0 ⁽⁷⁾	639.0	640.0 ⁽⁴⁾	627.0	628.0 ⁽¹⁾	608.0	650.0 ⁽¹⁾	585.0	585.0
	BW		798.0 ⁽⁴⁾		812.0 ⁽²⁾	564.0	816.0 ⁽⁴⁾	663.0	777.0 ⁽¹⁾	651.0	755.0 ⁽²⁾	632.0	709.0 ⁽²⁾	606.0	659.0 ⁽²⁾
130	B		566.0 ⁽¹¹⁾		575.0 ⁽⁷⁾		584.0 ⁽⁸⁾	580.0	586.0 ⁽⁷⁾	576.0	585.0 ⁽¹⁾	563.0	617.0 ⁽¹⁾	549.0	549.0
	BW		590.0 ⁽¹¹⁾		753.0 ⁽²⁾		758.0 ⁽³⁾	589.0	734.0 ⁽⁴⁾	584.0	714.0 ⁽³⁾	578.0	690.0 ⁽²⁾	565.0	651.0 ⁽²⁾
140	B				522.0 ⁽⁸⁾		533.0 ⁽⁹⁾	475.0	537.0 ⁽⁸⁾	520.0	542.0 ⁽¹⁾	516.0	583.0 ⁽¹⁾	510.0	512.0 ⁽⁴⁾
	BW				695.0 ⁽³⁾		695.0 ⁽³⁾	478.0	684.0 ⁽⁵⁾	522.0	668.0 ⁽³⁾	518.0	649.0 ⁽²⁾	514.0	635.0 ⁽²⁾
150	B				480.0 ⁽¹⁰⁾		491.0 ⁽¹⁰⁾		491.0 ⁽⁸⁾	475.0	499.0 ⁽¹⁾	469.0	550.0 ⁽¹⁾	464.0	476.0 ⁽⁴⁾
	BW				641.0 ⁽⁴⁾		637.0 ⁽³⁾		635.0 ⁽⁵⁾	474.0	629.0 ⁽¹⁾	469.0	610.0 ⁽³⁾	462.0	599.0 ⁽²⁾
160	B				443.0 ⁽¹⁰⁾		447.0 ⁽¹⁰⁾		453.0 ⁽⁹⁾	403.0	455.0 ⁽¹⁾	428.0	516.0 ⁽¹⁾	422.0	443.0 ⁽⁵⁾
	BW				589.0 ⁽⁴⁾		593.0 ⁽⁷⁾		586.0 ⁽⁵⁾	403.0	595.0 ⁽¹⁾	430.0	572.0 ⁽³⁾	419.0	563.0 ⁽²⁾
170	B				406.0 ⁽¹⁰⁾		407.0 ⁽¹⁰⁾		419.0 ⁽¹⁰⁾		420.0 ⁽⁹⁾	381.0	482.0 ⁽¹⁾	384.0	411.0 ⁽⁵⁾
	BW				537.0 ⁽⁴⁾		554.0 ⁽⁸⁾		548.0 ⁽⁴⁾		562.0 ⁽¹⁾	381.0	534.0 ⁽²⁾	380.0	526.0 ⁽²⁾
180	B				369.0 ⁽¹⁰⁾		375.0 ⁽¹⁰⁾		382.0 ⁽¹¹⁾		393.0 ⁽¹⁰⁾	325.0	449.0 ⁽¹⁾	356.0	383.0 ⁽⁴⁾
	BW				494.0 ⁽⁶⁾		515.0 ⁽⁸⁾		513.0 ⁽⁷⁾		528.0 ⁽¹⁾	325.0	501.0 ⁽³⁾	354.0	495.0 ⁽²⁾
190	B				330.0 ⁽⁸⁾		344.0 ⁽¹⁰⁾		350.0 ⁽¹⁰⁾		363.0 ⁽¹⁰⁾		415.0 ⁽¹⁾	319.0	357.0 ⁽⁷⁾
	BW				464.0 ⁽⁸⁾		476.0 ⁽⁸⁾		480.0 ⁽⁸⁾		494.0 ⁽¹⁾		469.0 ⁽³⁾	317.0	465.0 ⁽²⁾
200	B				305.0 ⁽⁸⁾		312.0 ⁽¹⁰⁾		323.0 ⁽¹⁰⁾		333.0 ⁽¹¹⁾		382.0 ⁽¹⁾	272.0	336.0 ⁽⁸⁾
	BW				433.0 ⁽⁸⁾		437.0 ⁽⁸⁾		447.0 ⁽⁸⁾		460.0 ⁽¹⁾		440.0 ⁽⁴⁾	271.0	437.0 ⁽⁵⁾
220	B				255.0 ⁽⁸⁾		257.0 ⁽⁷⁾		269.0 ⁽¹⁰⁾		282.0 ⁽¹⁰⁾		314.0 ⁽¹⁾		296.0 ⁽⁹⁾
	BW				372.0 ⁽⁸⁾		376.0 ⁽⁸⁾		383.0 ⁽⁹⁾		392.0 ⁽¹⁾		384.0 ⁽⁵⁾		382.0 ⁽⁴⁾
240	B						213.0 ⁽⁷⁾		222.0 ⁽⁸⁾		236.0 ⁽¹⁰⁾		247.0 ⁽¹⁾		253.0 ⁽¹⁰⁾
	BW						322.0 ⁽⁸⁾		330.0 ⁽⁸⁾		338.0 ⁽⁹⁾		334.0 ⁽⁴⁾		332.0 ⁽⁴⁾
260	B								184.0 ⁽⁸⁾		194.0 ⁽⁸⁾		204.0 ⁽¹⁰⁾		218.0 ⁽¹¹⁾
	BW								284.0 ⁽⁸⁾		294.0 ⁽⁸⁾		296.0 ⁽⁸⁾		293.0 ⁽⁴⁾
280	B										160.0 ⁽⁸⁾		167.0 ⁽⁸⁾		181.0 ⁽¹¹⁾
	BW										253.0 ⁽⁸⁾		259.0 ⁽⁸⁾		264.0 ⁽⁸⁾
300	B										130.0 ⁽⁴⁾		136.0 ⁽⁸⁾		148.0 ⁽⁹⁾
	BW										211.0 ⁽⁴⁾		223.0 ⁽⁸⁾		233.0 ⁽⁹⁾
320	B												109.0 ⁽⁴⁾		120.0 ⁽⁹⁾
	BW												187.0 ⁽⁴⁾		200.0 ⁽⁹⁾
340	B														94.6 ⁽⁷⁾
	BW														168.0 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°

PDW3B/PDW3BW

P 236




ft		P 236 ft													
		W3 197 ft		W3 217 ft		W3 236 ft		W3 256 ft		W3 276 ft		W3 295 ft		W3 315 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
80	B	624.0*	624.0*												
	BW	635.0*	635.0*												
90	B	597.0*	597.0*	551.0*	551.0*	498.0*	498.0*								
	BW	614.0*	614.0*	564.0*	564.0*	510.0*	510.0*								
100	B	611.0	611.0	527.0*	527.0*	485.0*	485.0*	443.0*	443.0*						
	BW	627.0	627.0	546.0*	546.0*	496.0*	496.0*	452.0*	452.0*						
110	B	583.0	583.0	542.0	542.0	493.0	493.0	430.0*	430.0*	392.0*	392.0*	359.0*	359.0*		
	BW	608.0	608.0	557.0	557.0	503.0	503.0	440.0*	440.0*	398.0*	398.0*	366.0*	366.0*		
120	B	552.0	553.0 ⁽²⁾	520.0	521.0 ⁽²⁾	480.0	480.0	437.0	437.0	395.0	395.0	349.0*	349.0*	316.0*	316.0*
	BW	577.0	601.0 ⁽²⁾	539.0	543.0 ⁽²⁾	491.0	491.0	447.0	447.0	402.0	402.0	356.0*	356.0*	322.0*	322.0*
130	B	521.0	523.0 ⁽²⁾	493.0	497.0 ⁽²⁾	461.0	463.0 ⁽²⁾	426.0	426.0	387.0	387.0	354.0	354.0	306.0*	306.0*
	BW	541.0	596.0 ⁽²⁾	516.0	538.0 ⁽²⁾	477.0	483.0 ⁽²⁾	437.0	437.0	395.0	395.0	362.0	362.0	314.0*	314.0*
140	B	490.0	493.0 ⁽²⁾	467.0	473.0 ⁽²⁾	439.0	445.0 ⁽²⁾	408.0	412.0 ⁽²⁾	378.0	378.0	345.0	345.0	312.0	312.0
	BW	504.0	592.0 ⁽²⁾	487.0	533.0 ⁽²⁾	460.0	478.0 ⁽²⁾	427.0	432.0 ⁽²⁾	387.0	387.0	354.0	354.0	319.0	319.0
150	B	454.0	460.0 ⁽⁴⁾	440.0	449.0 ⁽²⁾	417.0	426.0 ⁽²⁾	389.0	398.0 ⁽²⁾	363.0	368.0 ⁽²⁾	336.0	337.0 ⁽²⁾	304.0	304.0
	BW	458.0	577.0 ⁽²⁾	453.0	529.0 ⁽²⁾	435.0	473.0 ⁽²⁾	412.0	428.0 ⁽²⁾	378.0	383.0 ⁽²⁾	347.0	348.0 ⁽²⁾	313.0	313.0
160	B	415.0	430.0 ⁽⁴⁾	409.0	421.0 ⁽²⁾	395.0	408.0 ⁽²⁾	370.0	384.0 ⁽²⁾	347.0	358.0 ⁽²⁾	323.0	329.0 ⁽²⁾	295.0	298.0 ⁽²⁾
	BW	415.0	546.0 ⁽²⁾	414.0	515.0 ⁽²⁾	404.0	468.0 ⁽²⁾	391.0	424.0 ⁽²⁾	366.0	379.0 ⁽²⁾	339.0	345.0 ⁽²⁾	307.0	309.0 ⁽²⁾
170	B	376.0	401.0 ⁽⁴⁾	375.0	394.0 ⁽³⁾	369.0	382.0 ⁽²⁾	351.0	370.0 ⁽²⁾	330.0	348.0 ⁽²⁾	309.0	322.0 ⁽²⁾	284.0	293.0 ⁽²⁾
	BW	377.0	516.0 ⁽²⁾	375.0	492.0 ⁽²⁾	370.0	456.0 ⁽²⁾	364.0	420.0 ⁽²⁾	348.0	376.0 ⁽²⁾	328.0	341.0 ⁽²⁾	299.0	305.0 ⁽²⁾
180	B	347.0	374.0 ⁽⁵⁾	342.0	369.0 ⁽⁴⁾	338.0	360.0 ⁽³⁾	330.0	347.0 ⁽²⁾	315.0	338.0 ⁽²⁾	294.0	314.0 ⁽²⁾	273.0	287.0 ⁽²⁾
	BW	347.0	485.0 ⁽²⁾	342.0	470.0 ⁽²⁾	336.0	439.0 ⁽²⁾	335.0	409.0 ⁽²⁾	324.0	372.0 ⁽²⁾	315.0	338.0 ⁽²⁾	290.0	302.0 ⁽²⁾
190	B	322.0	349.0 ⁽⁵⁾	314.0	344.0 ⁽⁴⁾	309.0	337.0 ⁽⁴⁾	305.0	327.0 ⁽³⁾	298.0	316.0 ⁽²⁾	281.0	306.0 ⁽²⁾	260.0	282.0 ⁽²⁾
	BW	321.0	458.0 ⁽²⁾	315.0	447.0 ⁽²⁾	306.0	422.0 ⁽²⁾	306.0	394.0 ⁽²⁾	298.0	361.0 ⁽²⁾	294.0	335.0 ⁽²⁾	279.0	299.0 ⁽²⁾
200	B	291.0	328.0 ⁽⁶⁾	295.0	325.0 ⁽⁵⁾	285.0	317.0 ⁽⁴⁾	281.0	306.0 ⁽⁴⁾	277.0	298.0 ⁽³⁾	266.0	285.0 ⁽²⁾	247.0	276.0 ⁽²⁾
	BW	291.0	430.0 ⁽²⁾	295.0	424.0 ⁽²⁾	281.0	406.0 ⁽²⁾	280.0	380.0 ⁽²⁾	274.0	348.0 ⁽²⁾	272.0	324.0 ⁽²⁾	262.0	295.0 ⁽²⁾
220	B	217.0	292.0 ⁽⁸⁾	243.0	285.0 ⁽⁶⁾	248.0	280.0 ⁽⁵⁾	238.0	271.0 ⁽⁵⁾	234.0	266.0 ⁽⁴⁾	228.0	253.0 ⁽³⁾	218.0	241.0 ⁽⁵⁾
	BW	218.0	377.0 ⁽³⁾	245.0	375.0 ⁽²⁾	245.0	364.0 ⁽²⁾	239.0	349.0 ⁽²⁾	231.0	324.0 ⁽²⁾	229.0	303.0 ⁽²⁾	223.0	278.0 ⁽²⁾
240	B		252.0 ⁽⁹⁾	183.0	253.0 ⁽⁸⁾	205.0	244.0 ⁽⁴⁾	207.0	239.0 ⁽⁵⁾	203.0	234.0 ⁽⁵⁾	194.0	225.0 ⁽⁴⁾	187.0	214.0 ⁽⁴⁾
	BW		328.0 ⁽³⁾	184.0	326.0 ⁽²⁾	203.0	321.0 ⁽²⁾	209.0	313.0 ⁽²⁾	200.0	295.0 ⁽²⁾	194.0	281.0 ⁽²⁾	189.0	262.0 ⁽²⁾
260	B		219.0 ⁽¹⁰⁾		219.0 ⁽⁹⁾	153.0	216.0 ⁽⁸⁾	173.0	208.0 ⁽⁶⁾	176.0	202.0 ⁽⁵⁾	166.0	197.0 ⁽⁵⁾	161.0	187.0 ⁽⁴⁾
	BW		287.0 ⁽⁴⁾		285.0 ⁽³⁾	151.0	278.0 ⁽²⁾	173.0	277.0 ⁽²⁾	173.0	265.0 ⁽²⁾	167.0	255.0 ⁽²⁾	161.0	240.0 ⁽²⁾
280	B		188.0 ⁽¹¹⁾		193.0 ⁽¹⁰⁾		189.0 ⁽⁹⁾	128.0	183.0 ⁽⁷⁾	144.0	177.0 ⁽⁶⁾	144.0	170.0 ⁽⁶⁾	135.0	161.0 ⁽⁵⁾
	BW		256.0 ⁽⁶⁾		253.0 ⁽⁴⁾		245.0 ⁽³⁾	128.0	241.0 ⁽³⁾	141.0	235.0 ⁽²⁾	145.0	229.0 ⁽²⁾	137.0	218.0 ⁽²⁾
300	B		155.0 ⁽¹¹⁾		165.0 ⁽¹¹⁾		167.0 ⁽¹⁰⁾		162.0 ⁽⁹⁾	107.0	158.0 ⁽⁸⁾	119.0	148.0 ⁽⁶⁾	112.0	139.0 ⁽⁴⁾
	BW		234.0 ⁽⁸⁾		228.0 ⁽⁶⁾		220.0 ⁽⁴⁾		215.0 ⁽³⁾	105.0	207.0 ⁽³⁾	119.0	204.0 ⁽²⁾	119.0	196.0 ⁽²⁾
320	B		124.0 ⁽⁹⁾		136.0 ⁽¹¹⁾		141.0 ⁽¹¹⁾		145.0 ⁽¹⁰⁾		140.0 ⁽⁹⁾	83.6	132.0 ⁽⁸⁾	91.2	121.0 ⁽⁷⁾
	BW		206.0 ⁽⁹⁾		209.0 ⁽⁸⁾		200.0 ⁽⁶⁾		195.0 ⁽⁴⁾		186.0 ⁽³⁾	83.7	182.0 ⁽⁵⁾	94.8	173.0 ⁽²⁾
340	B		99.1 ⁽⁹⁾		107.0 ⁽⁹⁾		115.0 ⁽¹¹⁾		120.0 ⁽¹⁰⁾		124.0 ⁽¹⁰⁾		118.0 ⁽⁹⁾	65.2	108.0 ⁽⁸⁾
	BW		176.0 ⁽⁹⁾		182.0 ⁽⁹⁾		181.0 ⁽⁸⁾		175.0 ⁽⁵⁾		167.0 ⁽⁴⁾		163.0 ⁽⁴⁾	65.3	155.0 ⁽⁵⁾
360	B		75.3 ⁽⁷⁾		83.5 ⁽⁹⁾		89.0 ⁽⁹⁾		96.5 ⁽¹¹⁾		101.0 ⁽¹⁰⁾		104.0 ⁽¹⁰⁾		96.4 ⁽⁹⁾
	BW		148.0 ⁽⁷⁾		155.0 ⁽⁹⁾		157.0 ⁽⁸⁾		157.0 ⁽⁸⁾		149.0 ⁽⁵⁾		145.0 ⁽⁴⁾		136.0 ⁽⁵⁾
380	B				61.5 ⁽⁷⁾		67.1 ⁽⁹⁾		72.8 ⁽⁹⁾		79.5 ⁽¹¹⁾		82.4 ⁽¹⁰⁾		81.9 ⁽¹⁰⁾
	BW				130.0 ⁽⁷⁾		134.0 ⁽⁹⁾		137.0 ⁽⁸⁾		129.0 ⁽⁹⁾		125.0 ⁽⁴⁾		117.0 ⁽⁴⁾
400	B						46.2 ⁽⁷⁾		52.6 ⁽⁹⁾		56.2 ⁽⁹⁾		62.0 ⁽¹¹⁾		62.3 ⁽¹⁰⁾
	BW						110.0 ⁽⁷⁾		117.0 ⁽⁹⁾		114.0 ⁽⁹⁾		110.0 ⁽⁹⁾		102.0 ⁽⁵⁾
420	B								31.5 ⁽⁷⁾		36.6 ⁽⁹⁾		39.0 ⁽⁹⁾		44.1 ⁽¹¹⁾
	BW								94.9 ⁽⁷⁾		98.1 ⁽⁹⁾		96.0 ⁽⁹⁾		88.1 ⁽⁶⁾
440	B												20.7 ⁽⁹⁾		
	BW										77.3 ⁽⁷⁾		82.4 ⁽⁹⁾		75.9 ⁽⁹⁾
460	B														
	BW												62.5 ⁽⁷⁾		65.6 ⁽⁹⁾
480	B														
	BW														46.9 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW

P 256




		P 256 ft													
		W3 59 ft		W3 79 ft		W3 98 ft		W3 118 ft		W3 138 ft		W3 158 ft		W3 177 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	1121.0*	1129.0 ⁽²⁾	1044.0*	1044.0*										
	BW	1143.0*	1153.0 ⁽²⁾	1064.0*	1064.0*										
60	B	1129.0	1130.0 ⁽²⁾	966.0*	1007.0 ⁽²⁾	917.0*	951.0 ⁽¹⁾	854.0*	856.0 ⁽¹⁾						
	BW	1166.0	1167.0 ⁽²⁾	979.0*	1025.0 ⁽²⁾	935.0*	970.0 ⁽¹⁾	871.0*	874.0 ⁽¹⁾						
70	B	1035.0	1036.0 ⁽²⁾	988.0	991.0 ⁽²⁾	938.0	938.0	806.0*	863.0 ⁽¹⁾	756.0*	778.0 ⁽¹⁾	702.0*	703.0 ⁽¹⁾		
	BW	1047.0	1121.0 ⁽²⁾	1003.0	1020.0 ⁽²⁾	967.0	967.0	823.0*	880.0 ⁽¹⁾	770.0*	798.0 ⁽¹⁾	716.0*	716.0*		
80	B	843.0	944.0 ⁽⁴⁾	900.0	912.0 ⁽²⁾	873.0	874.0 ⁽¹⁾	828.0	828.0	775.0	775.0	665.0*	702.0 ⁽¹⁾	623.0*	623.0*
	BW	845.0	1077.0 ⁽²⁾	911.0	992.0 ⁽²⁾	912.0	939.0 ⁽¹⁾	857.0	867.0 ⁽¹⁾	802.0	802.0	684.0*	688.0 ⁽¹⁾	640.0*	640.0*
90	B	581.0	852.0 ⁽⁴⁾	761.0	833.0 ⁽²⁾	810.0	812.0 ⁽¹⁾	774.0	775.0 ⁽¹⁾	730.0	734.0 ⁽¹⁾	682.0	682.0	587.0*	589.0 ⁽²⁾
	BW	584.0	1024.0 ⁽²⁾	755.0	963.0 ⁽²⁾	850.0	912.0 ⁽¹⁾	808.0	849.0 ⁽¹⁾	760.0	772.0 ⁽¹⁾	709.0	709.0	606.0*	608.0 ⁽²⁾
100	B		766.0 ⁽⁴⁾	639.0	757.0 ⁽⁴⁾	754.0	754.0	720.0	724.0 ⁽¹⁾	684.0	694.0 ⁽¹⁾	643.0	644.0 ⁽²⁾	606.0	606.0
	BW		952.0 ⁽²⁾	636.0	921.0 ⁽²⁾	781.0	879.0 ⁽¹⁾	750.0	831.0 ⁽¹⁾	711.0	746.0 ⁽²⁾	671.0	679.0 ⁽²⁾	631.0	631.0
110	B		694.0 ⁽⁷⁾	462.0	686.0 ⁽⁴⁾	697.0	697.0	668.0	668.0	640.0	654.0 ⁽¹⁾	605.0	609.0 ⁽²⁾	572.0	576.0 ⁽²⁾
	BW		880.0 ⁽³⁾	460.0	859.0 ⁽³⁾	717.0	829.0 ⁽¹⁾	689.0	798.0 ⁽¹⁾	661.0	734.0 ⁽²⁾	629.0	674.0 ⁽²⁾	597.0	614.0 ⁽²⁾
120	B		627.0 ⁽⁸⁾		627.0 ⁽⁸⁾	592.0	639.0 ⁽⁸⁾	615.0	617.0 ⁽⁵⁾	595.0	613.0 ⁽¹⁾	568.0	575.0 ⁽²⁾	540.0	549.0 ⁽²⁾
	BW		809.0 ⁽⁴⁾		796.0 ⁽³⁾	595.0	778.0 ⁽¹⁾	637.0	754.0 ⁽¹⁾	613.0	722.0 ⁽²⁾	587.0	669.0 ⁽²⁾	562.0	612.0 ⁽²⁾
130	B		563.0 ⁽⁹⁾		574.0 ⁽⁸⁾	417.0	583.0 ⁽⁸⁾	574.0	574.0	553.0	573.0 ⁽¹⁾	530.0	540.0 ⁽²⁾	511.0	522.0 ⁽²⁾
	BW		720.0 ⁽⁸⁾		739.0 ⁽²⁾	417.0	737.0 ⁽⁴⁾	591.0	713.0 ⁽⁴⁾	569.0	688.0 ⁽²⁾	546.0	663.0 ⁽²⁾	526.0	610.0 ⁽²⁾
140	B				523.0 ⁽⁹⁾		527.0 ⁽⁹⁾	500.0	530.0 ⁽⁸⁾	515.0	533.0 ⁽¹⁾	493.0	511.0 ⁽¹⁾	480.0	496.0 ⁽²⁾
	BW				685.0 ⁽²⁾		687.0 ⁽⁴⁾	503.0	675.0 ⁽⁵⁾	529.0	652.0 ⁽³⁾	509.0	631.0 ⁽²⁾	492.0	608.0 ⁽²⁾
150	B				473.0 ⁽⁹⁾		486.0 ⁽¹⁰⁾	350.0	487.0 ⁽⁸⁾	477.0	492.0 ⁽¹⁾	460.0	484.0 ⁽¹⁾	449.0	459.0 ⁽³⁾
	BW				635.0 ⁽⁴⁾		635.0 ⁽⁷⁾	350.0	630.0 ⁽⁴⁾	485.0	616.0 ⁽⁴⁾	474.0	600.0 ⁽³⁾	460.0	578.0 ⁽²⁾
160	B				436.0 ⁽¹⁰⁾		445.0 ⁽¹⁰⁾		448.0 ⁽⁹⁾	420.0	452.0 ⁽¹⁾	432.0	457.0 ⁽¹⁾	421.0	428.0 ⁽⁴⁾
	BW				588.0 ⁽⁵⁾		586.0 ⁽⁷⁾		586.0 ⁽⁴⁾	419.0	575.0 ⁽⁴⁾	436.0	562.0 ⁽³⁾	426.0	547.0 ⁽²⁾
170	B				402.0 ⁽¹⁰⁾		404.0 ⁽¹¹⁾		415.0 ⁽¹¹⁾	296.0	417.0 ⁽⁹⁾	389.0	429.0 ⁽¹⁾	389.0	400.0 ⁽⁸⁾
	BW				541.0 ⁽⁵⁾		546.0 ⁽⁸⁾		542.0 ⁽⁴⁾	295.0	534.0 ⁽⁵⁾	389.0	525.0 ⁽³⁾	389.0	516.0 ⁽²⁾
180	B				367.0 ⁽¹⁰⁾		371.0 ⁽¹⁰⁾		381.0 ⁽¹¹⁾		388.0 ⁽¹⁰⁾	335.0	402.0 ⁽¹⁾	363.0	375.0 ⁽⁴⁾
	BW				495.0 ⁽⁶⁾		510.0 ⁽⁸⁾		505.0 ⁽⁷⁾		503.0 ⁽¹⁾	335.0	491.0 ⁽⁴⁾	362.0	486.0 ⁽²⁾
190	B				333.0 ⁽¹⁰⁾		341.0 ⁽¹⁰⁾		348.0 ⁽¹¹⁾		363.0 ⁽¹¹⁾		375.0 ⁽¹⁾	326.0	352.0 ⁽⁷⁾
	BW				456.0 ⁽⁸⁾		473.0 ⁽⁸⁾		475.0 ⁽⁹⁾		473.0 ⁽¹⁾		460.0 ⁽³⁾	325.0	457.0 ⁽²⁾
200	B				299.0 ⁽⁸⁾		311.0 ⁽¹⁰⁾		319.0 ⁽¹⁰⁾		333.0 ⁽¹¹⁾		348.0 ⁽¹⁾	282.0	330.0 ⁽⁸⁾
	BW				426.0 ⁽⁸⁾		437.0 ⁽⁹⁾		445.0 ⁽¹⁰⁾		444.0 ⁽¹⁾		432.0 ⁽⁴⁾	282.0	430.0 ⁽⁵⁾
220	B				253.0 ⁽⁸⁾		253.0 ⁽⁸⁾		268.0 ⁽¹⁰⁾		279.0 ⁽¹⁰⁾		293.0 ⁽¹⁾		295.0 ⁽¹⁰⁾
	BW				370.0 ⁽⁸⁾		370.0 ⁽⁸⁾		384.0 ⁽¹⁰⁾		388.0 ⁽⁹⁾		384.0 ⁽⁷⁾		380.0 ⁽⁸⁾
240	B						212.0 ⁽⁸⁾		218.0 ⁽⁸⁾		234.0 ⁽¹⁰⁾		240.0 ⁽¹⁰⁾		252.0 ⁽¹¹⁾
	BW						320.0 ⁽⁸⁾		325.0 ⁽⁸⁾		337.0 ⁽⁹⁾		337.0 ⁽⁷⁾		335.0 ⁽⁸⁾
260	B								182.0 ⁽⁸⁾		190.0 ⁽⁸⁾		201.0 ⁽¹⁰⁾		214.0 ⁽¹¹⁾
	BW								282.0 ⁽⁸⁾		288.0 ⁽⁸⁾		293.0 ⁽⁸⁾		292.0 ⁽⁴⁾
280	B										159.0 ⁽⁸⁾		161.0 ⁽⁸⁾		179.0 ⁽¹¹⁾
	BW										250.0 ⁽⁸⁾		254.0 ⁽⁸⁾		258.0 ⁽⁸⁾
300	B										126.0 ⁽⁴⁾		133.0 ⁽⁸⁾		143.0 ⁽⁹⁾
	BW										211.0 ⁽⁴⁾		219.0 ⁽⁸⁾		230.0 ⁽⁹⁾
320	B										101.0 ⁽⁴⁾		103.0 ⁽⁴⁾		117.0 ⁽⁹⁾
	BW										182.0 ⁽⁴⁾		184.0 ⁽⁴⁾		198.0 ⁽⁹⁾
340	B												80.6 ⁽⁴⁾		89.8 ⁽⁷⁾
	BW												157.0 ⁽⁴⁾		166.0 ⁽⁷⁾
360	B														69.1 ⁽⁷⁾
	BW														141.0 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW

P 256




ft		P 256 ft													
		W3 197 ft		W3 217 ft		W3 236 ft		W3 256 ft		W3 276 ft		W3 295 ft		W3 315 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
90	B	548.0*	548.0*	505.0*	505.0*										
	BW	565.0*	565.0*	521.0*	521.0*										
100	B	563.0	563.0	481.0*	481.0*	447.0*	447.0*	409.0*	409.0*						
	BW	583.0	583.0	499.0*	499.0*	459.0*	459.0*	417.0*	417.0*						
110	B	538.0	538.0	499.0	499.0	456.0	456.0	393.0*	393.0*	362.0*	362.0*	331.0*	331.0*		
	BW	559.0	559.0	515.0	515.0	467.0	467.0	405.0*	405.0*	370.0*	370.0*	337.0*	337.0*		
120	B	510.0	515.0 ⁽²⁾	476.0	476.0	442.0	442.0	404.0	404.0	347.0*	347.0*	320.0*	320.0*	292.0*	292.0*
	BW	531.0	552.0 ⁽²⁾	497.0	499.0 ⁽²⁾	457.0	457.0	415.0	415.0	359.0*	359.0*	329.0*	329.0*	298.0*	298.0*
130	B	482.0	494.0 ⁽²⁾	453.0	459.0 ⁽²⁾	422.0	424.0 ⁽²⁾	390.0	390.0	358.0	358.0	326.0	326.0	283.0*	283.0*
	BW	501.0	551.0 ⁽²⁾	474.0	496.0 ⁽²⁾	443.0	448.0 ⁽²⁾	405.0	405.0	368.0	368.0	334.0	334.0	291.0*	291.0*
140	B	455.0	472.0 ⁽²⁾	428.0	443.0 ⁽²⁾	402.0	412.0 ⁽²⁾	373.0	378.0 ⁽²⁾	346.0	346.0	319.0	319.0	289.0	289.0
	BW	470.0	550.0 ⁽²⁾	447.0	494.0 ⁽²⁾	423.0	445.0 ⁽²⁾	393.0	399.0 ⁽²⁾	359.0	359.0	328.0	328.0	296.0	296.0
150	B	429.0	450.0 ⁽²⁾	405.0	426.0 ⁽²⁾	382.0	399.0 ⁽²⁾	356.0	369.0 ⁽²⁾	333.0	338.0 ⁽²⁾	308.0	308.0	283.0	283.0
	BW	442.0	548.0 ⁽²⁾	421.0	493.0 ⁽²⁾	400.0	443.0 ⁽²⁾	378.0	397.0 ⁽²⁾	350.0	356.0 ⁽²⁾	321.0	321.0	291.0	291.0
160	B	403.0	418.0 ⁽³⁾	383.0	408.0 ⁽²⁾	362.0	387.0 ⁽²⁾	340.0	360.0 ⁽²⁾	318.0	332.0 ⁽²⁾	296.0	303.0 ⁽²⁾	274.0	275.0 ⁽²⁾
	BW	415.0	524.0 ⁽²⁾	397.0	488.0 ⁽²⁾	378.0	441.0 ⁽²⁾	358.0	395.0 ⁽²⁾	338.0	354.0 ⁽²⁾	312.0	319.0 ⁽²⁾	285.0	286.0 ⁽²⁾
170	B	377.0	391.0 ⁽³⁾	362.0	379.0 ⁽³⁾	343.0	370.0 ⁽²⁾	322.0	351.0 ⁽²⁾	303.0	326.0 ⁽²⁾	282.0	298.0 ⁽²⁾	264.0	273.0 ⁽²⁾
	BW	387.0	499.0 ⁽²⁾	373.0	471.0 ⁽²⁾	357.0	435.0 ⁽²⁾	340.0	392.0 ⁽²⁾	321.0	352.0 ⁽²⁾	301.0	317.0 ⁽²⁾	278.0	284.0 ⁽²⁾
180	B	353.0	367.0 ⁽⁴⁾	341.0	356.0 ⁽³⁾	325.0	344.0 ⁽³⁾	305.0	336.0 ⁽²⁾	289.0	320.0 ⁽²⁾	270.0	294.0 ⁽²⁾	252.0	270.0 ⁽²⁾
	BW	355.0	474.0 ⁽²⁾	347.0	453.0 ⁽²⁾	336.0	423.0 ⁽²⁾	322.0	388.0 ⁽²⁾	305.0	350.0 ⁽²⁾	287.0	315.0 ⁽²⁾	268.0	282.0 ⁽²⁾
190	B	330.0	345.0 ⁽⁵⁾	317.0	337.0 ⁽⁴⁾	307.0	325.0 ⁽³⁾	290.0	312.0 ⁽³⁾	274.0	305.0 ⁽²⁾	257.0	289.0 ⁽²⁾	239.0	267.0 ⁽²⁾
	BW	330.0	449.0 ⁽²⁾	318.0	435.0 ⁽²⁾	314.0	411.0 ⁽²⁾	302.0	380.0 ⁽²⁾	289.0	345.0 ⁽²⁾	273.0	314.0 ⁽²⁾	256.0	280.0 ⁽²⁾
200	B	299.0	323.0 ⁽⁶⁾	298.0	316.0 ⁽⁵⁾	288.0	308.0 ⁽⁴⁾	276.0	296.0 ⁽³⁾	260.0	283.0 ⁽³⁾	243.0	275.0 ⁽²⁾	228.0	264.0 ⁽²⁾
	BW	300.0	423.0 ⁽²⁾	298.0	415.0 ⁽²⁾	289.0	400.0 ⁽²⁾	283.0	372.0 ⁽²⁾	274.0	339.0 ⁽²⁾	259.0	308.0 ⁽²⁾	244.0	278.0 ⁽²⁾
220	B	228.0	287.0 ⁽⁸⁾	249.0	281.0 ⁽⁶⁾	252.0	274.0 ⁽⁸⁾	240.0	262.0 ⁽⁴⁾	233.0	253.0 ⁽⁴⁾	218.0	244.0 ⁽³⁾	206.0	231.0 ⁽³⁾
	BW	228.0	374.0 ⁽³⁾	249.0	368.0 ⁽²⁾	252.0	363.0 ⁽²⁾	241.0	354.0 ⁽²⁾	238.0	327.0 ⁽²⁾	232.0	297.0 ⁽²⁾	221.0	269.0 ⁽²⁾
240	B		253.0 ⁽⁹⁾	190.0	251.0 ⁽⁸⁾	209.0	244.0 ⁽⁷⁾	211.0	236.0 ⁽⁴⁾	204.0	227.0 ⁽⁵⁾	194.0	217.0 ⁽⁴⁾	185.0	205.0 ⁽³⁾
	BW		330.0 ⁽⁴⁾	190.0	326.0 ⁽³⁾	209.0	321.0 ⁽²⁾	213.0	316.0 ⁽²⁾	206.0	302.0 ⁽²⁾	197.0	284.0 ⁽²⁾	194.0	259.0 ⁽²⁾
260	B		216.0 ⁽¹⁰⁾		218.0 ⁽⁹⁾	159.0	218.0 ⁽⁸⁾	177.0	211.0 ⁽⁷⁾	176.0	205.0 ⁽⁶⁾	169.0	194.0 ⁽⁵⁾	165.0	183.0 ⁽⁴⁾
	BW		288.0 ⁽⁴⁾		284.0 ⁽³⁾	159.0	280.0 ⁽³⁾	176.0	277.0 ⁽²⁾	179.0	269.0 ⁽²⁾	169.0	256.0 ⁽²⁾	167.0	242.0 ⁽²⁾
280	B		186.0 ⁽¹¹⁾		188.0 ⁽¹⁰⁾		188.0 ⁽⁹⁾	132.0	185.0 ⁽⁸⁾	147.0	177.0 ⁽⁷⁾	141.0	171.0 ⁽⁶⁾	138.0	163.0 ⁽⁵⁾
	BW		254.0 ⁽⁶⁾		249.0 ⁽⁴⁾		244.0 ⁽³⁾	132.0	240.0 ⁽³⁾	147.0	236.0 ⁽²⁾	147.0	228.0 ⁽²⁾	141.0	218.0 ⁽²⁾
300	B		155.0 ⁽¹¹⁾		162.0 ⁽¹¹⁾		162.0 ⁽¹⁰⁾		161.0 ⁽⁹⁾	111.0	157.0 ⁽⁸⁾	118.0	147.0 ⁽⁷⁾	113.0	143.0 ⁽⁶⁾
	BW		227.0 ⁽⁸⁾		221.0 ⁽⁶⁾		216.0 ⁽⁴⁾		211.0 ⁽⁴⁾	111.0	207.0 ⁽³⁾	122.0	200.0 ⁽²⁾	121.0	194.0 ⁽²⁾
320	B		122.0 ⁽⁹⁾		133.0 ⁽¹¹⁾		139.0 ⁽¹¹⁾		140.0 ⁽¹⁰⁾		137.0 ⁽⁹⁾	87.3	130.0 ⁽⁹⁾	92.7	125.0 ⁽⁸⁾
	BW		203.0 ⁽⁹⁾		200.0 ⁽⁷⁾		193.0 ⁽⁴⁾		187.0 ⁽⁵⁾		182.0 ⁽⁴⁾	87.8	176.0 ⁽³⁾	98.5	171.0 ⁽³⁾
340	B		97.3 ⁽⁹⁾		103.0 ⁽⁹⁾		113.0 ⁽¹¹⁾		120.0 ⁽¹¹⁾		120.0 ⁽¹⁰⁾		113.0 ⁽⁹⁾	71.2	110.0 ⁽⁹⁾
	BW		174.0 ⁽⁹⁾		179.0 ⁽⁹⁾		176.0 ⁽⁷⁾		169.0 ⁽⁶⁾		163.0 ⁽⁵⁾		156.0 ⁽⁴⁾	71.2	152.0 ⁽³⁾
360	B		72.1 ⁽⁷⁾		80.8 ⁽⁹⁾		84.9 ⁽⁹⁾		95.1 ⁽¹¹⁾		101.0 ⁽¹¹⁾		98.9 ⁽¹⁰⁾		93.7 ⁽⁹⁾
	BW		145.0 ⁽⁷⁾		153.0 ⁽⁹⁾		157.0 ⁽⁹⁾		154.0 ⁽⁸⁾		148.0 ⁽⁶⁾		140.0 ⁽⁵⁾		135.0 ⁽⁴⁾
380	B		52.7 ⁽⁷⁾		56.6 ⁽⁷⁾		63.5 ⁽⁹⁾		67.5 ⁽⁹⁾		77.1 ⁽¹¹⁾		80.2 ⁽¹¹⁾		80.6 ⁽¹¹⁾
	BW		121.0 ⁽⁷⁾		126.0 ⁽⁷⁾		133.0 ⁽⁹⁾		137.0 ⁽⁹⁾		135.0 ⁽⁸⁾		127.0 ⁽⁶⁾		121.0 ⁽⁵⁾
400	B				38.2 ⁽⁷⁾		39.8 ⁽⁷⁾		47.5 ⁽⁹⁾		50.6 ⁽⁹⁾		58.6 ⁽¹¹⁾		63.9 ⁽¹¹⁾
	BW				104.0 ⁽⁷⁾		107.0 ⁽⁷⁾		115.0 ⁽⁹⁾		118.0 ⁽⁹⁾		115.0 ⁽⁸⁾		110.0 ⁽⁶⁾
420	B						22.5 ⁽⁷⁾				31.7 ⁽⁹⁾				43.0 ⁽¹¹⁾
	BW						87.1 ⁽⁷⁾		90.7 ⁽⁷⁾		97.1 ⁽⁹⁾		99.1 ⁽⁹⁾		93.0 ⁽⁷⁾
440	B														
	BW								72.1 ⁽⁷⁾		74.5 ⁽⁷⁾		79.9 ⁽⁹⁾		79.2 ⁽⁹⁾
460	B														
	BW										56.9 ⁽⁷⁾		58.7 ⁽⁷⁾		63.2 ⁽⁹⁾
480	B														
	BW												42.3 ⁽⁷⁾		44.3 ⁽⁷⁾
500	B														
	BW														28.5 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW

P 276




ft		P 276 ft													
		W3 59 ft		W3 79 ft		W3 98 ft		W3 118 ft		W3 138 ft		W3 158 ft		W3 177 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	1051.0*	1051.0*												
	BW	1074.0*	1074.0*												
60	B	1069.0	1069.0	914.0*	939.0 ⁽²⁾	861.0*	887.0 ⁽¹⁾	802.0*	802.0*						
	BW	1098.0	1098.0	926.0*	954.0 ⁽²⁾	878.0*	906.0 ⁽¹⁾	819.0*	819.0*						
70	B	988.0	993.0 ⁽³⁾	939.0	940.0 ⁽²⁾	885.0	885.0	758.0*	806.0 ⁽¹⁾	712.0*	728.0 ⁽¹⁾	663.0*	663.0*		
	BW	998.0	1055.0 ⁽²⁾	946.0	952.0 ⁽²⁾	909.0	910.0 ⁽¹⁾	776.0*	827.0 ⁽¹⁾	727.0*	729.0 ⁽¹⁾	675.0*	675.0*		
80	B	876.0	913.0 ⁽²⁾	858.0	874.0 ⁽²⁾	830.0	831.0 ⁽¹⁾	780.0	783.0 ⁽¹⁾	731.0	731.0	627.0*	636.0 ⁽¹⁾	586.0*	586.0*
	BW	879.0	1022.0 ⁽²⁾	862.0	926.0 ⁽²⁾	861.0	890.0 ⁽¹⁾	808.0	821.0 ⁽¹⁾	698.0	704.0 ⁽¹⁾	646.0*	649.0 ⁽¹⁾	602.0*	602.0*
90	B	641.0	834.0 ⁽²⁾	775.0	807.0 ⁽²⁾	773.0	780.0 ⁽¹⁾	730.0	741.0 ⁽¹⁾	689.0	694.0 ⁽¹⁾	645.0	645.0	555.0*	555.0*
	BW	640.0	989.0 ⁽²⁾	779.0	901.0 ⁽²⁾	803.0	870.0 ⁽¹⁾	761.0	807.0 ⁽¹⁾	716.0	716.0	670.0	670.0	571.0*	571.0*
100	B		752.0 ⁽⁴⁾	662.0	741.0 ⁽²⁾	717.0	728.0 ⁽¹⁾	680.0	698.0 ⁽¹⁾	645.0	658.0 ⁽¹⁾	608.0	610.0 ⁽²⁾	573.0	573.0
	BW		929.0 ⁽⁴⁾	658.0	873.0 ⁽²⁾	737.0	850.0 ⁽¹⁾	704.0	793.0 ⁽¹⁾	671.0	704.0 ⁽²⁾	632.0	636.0 ⁽²⁾	594.0	594.0
110	B		683.0 ⁽⁷⁾	508.0	674.0 ⁽⁴⁾	660.0	664.0 ⁽²⁾	635.0	652.0 ⁽¹⁾	605.0	621.0 ⁽¹⁾	573.0	581.0 ⁽²⁾	543.0	546.0 ⁽²⁾
	BW		862.0 ⁽⁴⁾	506.0	822.0 ⁽²⁾	679.0	803.0 ⁽¹⁾	649.0	773.0 ⁽¹⁾	623.0	696.0 ⁽²⁾	594.0	632.0 ⁽²⁾	562.0	572.0 ⁽²⁾
120	B		622.0 ⁽⁹⁾		617.0 ⁽⁴⁾	600.0	612.0 ⁽⁸⁾	586.0	597.0 ⁽²⁾	565.0	585.0 ⁽¹⁾	538.0	552.0 ⁽²⁾	513.0	523.0 ⁽²⁾
	BW		796.0 ⁽⁵⁾		771.0 ⁽²⁾	611.0	756.0 ⁽¹⁾	601.0	732.0 ⁽¹⁾	580.0	689.0 ⁽²⁾	553.0	627.0 ⁽²⁾	528.0	569.0 ⁽²⁾
130	B		560.0 ⁽⁹⁾		566.0 ⁽⁸⁾	460.0	565.0 ⁽⁸⁾	544.0	550.0 ⁽⁵⁾	526.0	548.0 ⁽¹⁾	504.0	524.0 ⁽²⁾	483.0	500.0 ⁽²⁾
	BW		737.0 ⁽²⁾		721.0 ⁽²⁾	460.0	715.0 ⁽³⁾	562.0	690.0 ⁽³⁾	537.0	669.0 ⁽²⁾	515.0	623.0 ⁽²⁾	494.0	566.0 ⁽²⁾
140	B		502.0 ⁽⁷⁾		519.0 ⁽⁹⁾		519.0 ⁽⁸⁾	505.0	509.0 ⁽⁴⁾	491.0	511.0 ⁽¹⁾	471.0	489.0 ⁽²⁾	454.0	478.0 ⁽²⁾
	BW		682.0 ⁽⁴⁾		672.0 ⁽²⁾		672.0 ⁽⁷⁾	520.0	653.0 ⁽⁴⁾	500.0	631.0 ⁽²⁾	480.0	605.0 ⁽²⁾	462.0	562.0 ⁽²⁾
150	B		463.0 ⁽⁹⁾		471.0 ⁽¹⁰⁾		478.0 ⁽¹⁰⁾	390.0	475.0 ⁽⁹⁾	460.0	475.0 ⁽¹⁾	440.0	462.0 ⁽¹⁾	425.0	447.0 ⁽²⁾
	BW		631.0 ⁽⁸⁾		624.0 ⁽³⁾		627.0 ⁽⁸⁾	391.0	609.0 ⁽⁴⁾	472.0	593.0 ⁽³⁾	450.0	573.0 ⁽²⁾	433.0	546.0 ⁽²⁾
160	B		424.0 ⁽⁹⁾		428.0 ⁽¹⁰⁾		440.0 ⁽¹¹⁾		440.0 ⁽⁹⁾	423.0	438.0 ⁽¹⁾	414.0	437.0 ⁽¹⁾	398.0	419.0 ⁽³⁾
	BW		583.0 ⁽⁸⁾		581.0 ⁽⁴⁾		582.0 ⁽⁸⁾		568.0 ⁽⁵⁾	431.0	556.0 ⁽³⁾	424.0	542.0 ⁽²⁾	406.0	521.0 ⁽²⁾
170	B		385.0 ⁽⁹⁾		395.0 ⁽¹⁰⁾		401.0 ⁽¹¹⁾		409.0 ⁽¹⁰⁾	331.0	406.0 ⁽⁹⁾	387.0	412.0 ⁽¹⁾	374.0	393.0 ⁽⁴⁾
	BW		535.0 ⁽⁸⁾		539.0 ⁽⁴⁾		536.0 ⁽⁸⁾		531.0 ⁽⁸⁾	332.0	522.0 ⁽⁴⁾	392.0	510.0 ⁽²⁾	380.0	497.0 ⁽²⁾
180	B		346.0 ⁽⁹⁾		363.0 ⁽¹⁰⁾		362.0 ⁽¹⁰⁾		377.0 ⁽¹¹⁾		380.0 ⁽⁹⁾	348.0	387.0 ⁽¹⁾	354.0	368.0 ⁽⁵⁾
	BW		486.0 ⁽⁸⁾		497.0 ⁽⁷⁾		501.0 ⁽⁹⁾		498.0 ⁽⁸⁾		490.0 ⁽⁵⁾	347.0	480.0 ⁽²⁾	360.0	472.0 ⁽²⁾
190	B				331.0 ⁽¹⁰⁾		334.0 ⁽¹¹⁾		344.0 ⁽¹¹⁾		356.0 ⁽¹¹⁾	278.0	362.0 ⁽¹⁾	331.0	345.0 ⁽⁴⁾
	BW				458.0 ⁽⁷⁾		467.0 ⁽⁹⁾		465.0 ⁽⁹⁾		460.0 ⁽⁵⁾	278.0	452.0 ⁽³⁾	331.0	445.0 ⁽²⁾
200	B				298.0 ⁽¹⁰⁾		306.0 ⁽¹⁰⁾		312.0 ⁽¹⁰⁾		328.0 ⁽¹¹⁾		337.0 ⁽¹⁾	293.0	324.0 ⁽⁷⁾
	BW				420.0 ⁽⁹⁾		433.0 ⁽¹⁰⁾		436.0 ⁽⁹⁾		433.0 ⁽⁷⁾		425.0 ⁽⁵⁾	290.0	420.0 ⁽⁵⁾
220	B						250.0 ⁽¹⁰⁾		263.0 ⁽¹⁰⁾		272.0 ⁽¹⁰⁾		287.0 ⁽¹⁾		289.0 ⁽¹⁰⁾
	BW						367.0 ⁽¹⁰⁾		379.0 ⁽¹⁰⁾		384.0 ⁽¹⁰⁾		378.0 ⁽⁷⁾		372.0 ⁽⁵⁾
240	B						206.0 ⁽⁸⁾		215.0 ⁽¹⁰⁾		230.0 ⁽¹⁰⁾		237.0 ⁽¹⁾		251.0 ⁽¹¹⁾
	BW						314.0 ⁽⁸⁾		322.0 ⁽¹⁰⁾		335.0 ⁽¹⁰⁾		336.0 ⁽⁸⁾		332.0 ⁽⁴⁾
260	B						169.0 ⁽⁸⁾		176.0 ⁽⁸⁾		188.0 ⁽¹⁰⁾		198.0 ⁽¹⁰⁾		211.0 ⁽¹¹⁾
	BW						268.0 ⁽⁸⁾		276.0 ⁽⁸⁾		287.0 ⁽¹⁰⁾		293.0 ⁽⁹⁾		293.0 ⁽⁷⁾
280	B								143.0 ⁽⁸⁾		153.0 ⁽⁸⁾		161.0 ⁽¹⁰⁾		177.0 ⁽¹¹⁾
	BW								235.0 ⁽⁸⁾		245.0 ⁽⁸⁾		252.0 ⁽¹⁰⁾		256.0 ⁽⁸⁾
300	B										123.0 ⁽⁸⁾		129.0 ⁽⁸⁾		143.0 ⁽¹¹⁾
	BW										209.0 ⁽⁸⁾		215.0 ⁽⁸⁾		224.0 ⁽¹⁰⁾
320	B										95.4 ⁽⁴⁾		102.0 ⁽⁸⁾		114.0 ⁽⁹⁾
	BW										177.0 ⁽⁴⁾		183.0 ⁽⁸⁾		193.0 ⁽⁹⁾
340	B										72.6 ⁽⁴⁾				88.0 ⁽⁹⁾
	BW										149.0 ⁽⁴⁾				163.0 ⁽⁹⁾
360	B														64.5 ⁽⁷⁾
	BW														136.0 ⁽⁷⁾
380	B														44.6 ⁽⁷⁾
	BW														112.0 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW

P 276




ft		P 276 ft													
		W3 197 ft		W3 217 ft		W3 236 ft		W3 256 ft		W3 276 ft		W3 295 ft		W3 315 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
90	B	516.0*	516.0*	480.0*	480.0*										
	BW	532.0*	532.0*	493.0*	493.0*										
100	B	531.0	531.0	456.0*	456.0*	423.0*	423.0*	391.0*	391.0*						
	BW	552.0	552.0	473.0*	473.0*	436.0*	436.0*	399.0*	399.0*						
110	B	506.0	506.0	473.0	473.0	434.0	434.0	375.0*	375.0*	343.0*	343.0*	314.0*	314.0*		
	BW	526.0	526.0	492.0	492.0	447.0	447.0	387.0*	387.0*	353.0*	353.0*	322.0*	322.0*		
120	B	481.0	486.0 ⁽²⁾	451.0	451.0	418.0	418.0	387.0	387.0	329.0*	329.0*	303.0*	303.0*	279.0*	279.0*
	BW	498.0	515.0 ⁽²⁾	471.0	471.0	435.0	435.0	398.0	398.0	340.0*	340.0*	313.0*	313.0*	285.0*	285.0*
130	B	455.0	467.0 ⁽²⁾	429.0	436.0 ⁽²⁾	399.0	399.0	373.0	373.0	341.0	341.0	312.0	312.0	268.0*	268.0*
	BW	470.0	512.0 ⁽²⁾	447.0	466.0 ⁽²⁾	417.0	419.0 ⁽²⁾	389.0	389.0	352.0	352.0	320.0	320.0	277.0*	277.0*
140	B	429.0	449.0 ⁽²⁾	408.0	422.0 ⁽²⁾	379.0	388.0 ⁽²⁾	357.0	358.0 ⁽²⁾	328.0	328.0	303.0	303.0	277.0	277.0
	BW	441.0	509.0 ⁽²⁾	421.0	464.0 ⁽²⁾	397.0	417.0 ⁽²⁾	374.0	380.0 ⁽²⁾	344.0	344.0	314.0	314.0	284.0	284.0
150	B	405.0	430.0 ⁽²⁾	385.0	408.0 ⁽²⁾	360.0	377.0 ⁽²⁾	339.0	351.0 ⁽²⁾	314.0	318.0 ⁽²⁾	290.0	290.0	269.0	269.0
	BW	414.0	507.0 ⁽²⁾	397.0	462.0 ⁽²⁾	375.0	415.0 ⁽²⁾	356.0	378.0 ⁽²⁾	332.0	339.0 ⁽²⁾	307.0	307.0	279.0	279.0
160	B	380.0	402.0 ⁽²⁾	364.0	394.0 ⁽²⁾	342.0	367.0 ⁽²⁾	323.0	343.0 ⁽²⁾	300.0	312.0 ⁽²⁾	278.0	284.0 ⁽²⁾	258.0	259.0 ⁽²⁾
	BW	388.0	492.0 ⁽²⁾	374.0	460.0 ⁽²⁾	354.0	413.0 ⁽²⁾	338.0	375.0 ⁽²⁾	317.0	337.0 ⁽²⁾	294.0	303.0 ⁽²⁾	272.0	273.0 ⁽²⁾
170	B	357.0	378.0 ⁽³⁾	344.0	367.0 ⁽²⁾	324.0	356.0 ⁽²⁾	308.0	335.0 ⁽²⁾	285.0	307.0 ⁽²⁾	266.0	280.0 ⁽²⁾	247.0	256.0 ⁽²⁾
	BW	365.0	474.0 ⁽²⁾	352.0	447.0 ⁽²⁾	334.0	410.0 ⁽²⁾	320.0	373.0 ⁽²⁾	300.0	334.0 ⁽²⁾	282.0	301.0 ⁽²⁾	263.0	271.0 ⁽²⁾
180	B	337.0	356.0 ⁽⁴⁾	324.0	347.0 ⁽³⁾	306.0	330.0 ⁽²⁾	292.0	327.0 ⁽²⁾	271.0	302.0 ⁽²⁾	252.0	276.0 ⁽²⁾	237.0	253.0 ⁽²⁾
	BW	343.0	455.0 ⁽²⁾	331.0	433.0 ⁽²⁾	316.0	401.0 ⁽²⁾	302.0	370.0 ⁽²⁾	284.0	332.0 ⁽²⁾	268.0	299.0 ⁽²⁾	252.0	269.0 ⁽²⁾
190	B	318.0	334.0 ⁽⁵⁾	306.0	326.0 ⁽⁴⁾	290.0	314.0 ⁽³⁾	276.0	303.0 ⁽²⁾	258.0	294.0 ⁽²⁾	240.0	272.0 ⁽²⁾	226.0	251.0 ⁽²⁾
	BW	326.0	436.0 ⁽²⁾	312.0	419.0 ⁽²⁾	298.0	391.0 ⁽²⁾	286.0	363.0 ⁽²⁾	270.0	328.0 ⁽²⁾	254.0	296.0 ⁽²⁾	239.0	267.0 ⁽²⁾
200	B	296.0	314.0 ⁽⁶⁾	288.0	306.0 ⁽⁵⁾	274.0	293.0 ⁽⁴⁾	262.0	289.0 ⁽³⁾	244.0	272.0 ⁽²⁾	227.0	264.0 ⁽²⁾	213.0	248.0 ⁽²⁾
	BW	303.0	412.0 ⁽²⁾	296.0	405.0 ⁽²⁾	280.0	381.0 ⁽²⁾	270.0	356.0 ⁽²⁾	255.0	323.0 ⁽²⁾	240.0	293.0 ⁽²⁾	228.0	265.0 ⁽²⁾
220	B	235.0	280.0 ⁽⁷⁾	253.0	276.0 ⁽⁶⁾	244.0	264.0 ⁽⁵⁾	235.0	256.0 ⁽⁴⁾	219.0	240.0 ⁽³⁾	204.0	234.0 ⁽³⁾	192.0	221.0 ⁽²⁾
	BW	235.0	366.0 ⁽⁴⁾	257.0	363.0 ⁽³⁾	251.0	353.0 ⁽²⁾	241.0	342.0 ⁽²⁾	228.0	311.0 ⁽²⁾	216.0	283.0 ⁽²⁾	204.0	257.0 ⁽²⁾
240	B		249.0 ⁽⁹⁾	200.0	246.0 ⁽⁸⁾	211.0	234.0 ⁽⁴⁾	207.0	227.0 ⁽⁵⁾	195.0	215.0 ⁽⁵⁾	184.0	208.0 ⁽⁴⁾	173.0	196.0 ⁽³⁾
	BW		327.0 ⁽⁵⁾	198.0	323.0 ⁽⁴⁾	213.0	315.0 ⁽³⁾	217.0	310.0 ⁽³⁾	204.0	292.0 ⁽²⁾	192.0	272.0 ⁽²⁾	182.0	247.0 ⁽²⁾
260	B		214.0 ⁽¹⁰⁾		218.0 ⁽¹⁰⁾	165.0	214.0 ⁽⁸⁾	180.0	207.0 ⁽⁷⁾	170.0	195.0 ⁽⁶⁾	164.0	186.0 ⁽⁵⁾	154.0	175.0 ⁽⁴⁾
	BW		288.0 ⁽⁵⁾		286.0 ⁽⁴⁾	165.0	278.0 ⁽³⁾	183.0	277.0 ⁽³⁾	181.0	265.0 ⁽³⁾	170.0	248.0 ⁽²⁾	163.0	233.0 ⁽²⁾
280	B		182.0 ⁽¹¹⁾		187.0 ⁽¹⁰⁾		187.0 ⁽⁹⁾	139.0	186.0 ⁽⁸⁾	144.0	177.0 ⁽⁷⁾	137.0	166.0 ⁽⁶⁾	135.0	156.0 ⁽⁵⁾
	BW		252.0 ⁽⁶⁾		251.0 ⁽⁵⁾		245.0 ⁽⁴⁾	139.0	244.0 ⁽³⁾	150.0	236.0 ⁽³⁾	146.0	223.0 ⁽³⁾	143.0	214.0 ⁽³⁾
300	B		151.0 ⁽¹¹⁾		159.0 ⁽¹¹⁾		159.0 ⁽¹⁰⁾		162.0 ⁽⁹⁾	115.0	156.0 ⁽⁸⁾	116.0	147.0 ⁽⁷⁾	110.0	139.0 ⁽⁶⁾
	BW		223.0 ⁽⁸⁾		220.0 ⁽⁶⁾		210.0 ⁽⁵⁾		212.0 ⁽⁴⁾	115.0	207.0 ⁽³⁾	123.0	198.0 ⁽³⁾	118.0	192.0 ⁽²⁾
320	B		120.0 ⁽¹¹⁾		131.0 ⁽¹¹⁾		135.0 ⁽¹¹⁾		137.0 ⁽¹⁰⁾		134.0 ⁽⁹⁾	91.0	131.0 ⁽⁹⁾	90.5	125.0 ⁽⁸⁾
	BW		197.0 ⁽¹⁰⁾		196.0 ⁽⁸⁾		188.0 ⁽⁴⁾		186.0 ⁽⁵⁾		180.0 ⁽⁴⁾	90.6	173.0 ⁽³⁾	97.9	170.0 ⁽³⁾
340	B		92.7 ⁽⁹⁾		103.0 ⁽¹¹⁾		109.0 ⁽¹¹⁾		117.0 ⁽¹¹⁾		113.0 ⁽¹⁰⁾		111.0 ⁽¹⁰⁾	73.0	113.0 ⁽⁹⁾
	BW		169.0 ⁽⁹⁾		175.0 ⁽¹⁰⁾		169.0 ⁽⁸⁾		165.0 ⁽⁶⁾		158.0 ⁽⁵⁾		152.0 ⁽⁴⁾	73.8	147.0 ⁽³⁾
360	B		68.9 ⁽⁹⁾		76.7 ⁽⁹⁾		82.7 ⁽¹¹⁾		92.3 ⁽¹¹⁾		95.4 ⁽¹¹⁾		92.3 ⁽¹¹⁾		91.8 ⁽¹⁰⁾
	BW		142.0 ⁽⁹⁾		150.0 ⁽⁹⁾		152.0 ⁽¹⁰⁾		148.0 ⁽⁷⁾		140.0 ⁽⁶⁾		133.0 ⁽⁵⁾		129.0 ⁽⁴⁾
380	B		45.6 ⁽⁷⁾		54.4 ⁽⁹⁾		56.9 ⁽⁹⁾		67.5 ⁽¹¹⁾		72.2 ⁽¹¹⁾		75.7 ⁽¹¹⁾		74.6 ⁽¹¹⁾
	BW		116.0 ⁽⁷⁾		125.0 ⁽⁹⁾		128.0 ⁽⁹⁾		135.0 ⁽¹⁰⁾		127.0 ⁽⁷⁾		119.0 ⁽⁶⁾		114.0 ⁽⁵⁾
400	B		26.9 ⁽⁷⁾		32.3 ⁽⁷⁾		36.2 ⁽⁹⁾		43.1 ⁽⁹⁾		48.9 ⁽¹¹⁾		54.0 ⁽¹¹⁾		58.7 ⁽¹¹⁾
	BW		94.4 ⁽⁷⁾		101.0 ⁽⁷⁾		105.0 ⁽⁹⁾		112.0 ⁽⁹⁾		115.0 ⁽¹⁰⁾		107.0 ⁽⁷⁾		101.0 ⁽⁶⁾
420	B				14.7 ⁽⁷⁾				23.6 ⁽⁹⁾				32.2 ⁽¹¹⁾		38.2 ⁽¹¹⁾
	BW				80.3 ⁽⁷⁾		82.2 ⁽⁷⁾		90.3 ⁽⁹⁾		93.4 ⁽⁹⁾		96.9 ⁽¹⁰⁾		90.7 ⁽⁷⁾
440	B														17.7 ⁽¹¹⁾
	BW						63.2 ⁽⁷⁾		68.8 ⁽⁷⁾		72.9 ⁽⁹⁾		76.5 ⁽⁹⁾		81.0 ⁽¹⁰⁾
460	B														
	BW								50.8 ⁽⁷⁾		52.5 ⁽⁷⁾		57.3 ⁽⁹⁾		61.5 ⁽⁹⁾
480	B														
	BW										35.7 ⁽⁷⁾		37.7 ⁽⁷⁾		43.4 ⁽⁹⁾
500	B														
	BW												22.0 ⁽⁷⁾		16.8 ⁽⁴⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°

PDW3B/PDW3BW

P 295




 ft		P 295 ft													
		W3 59 ft		W3 79 ft		W3 98 ft		W3 118 ft		W3 138 ft		W3 158 ft		W3 177 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	971.0*	971.0*												
	BW	991.0*	991.0*												
60	B	989.0	989.0	845.0*	859.0 ⁽²⁾	793.0*	810.0 ⁽¹⁾	738.0*	738.0*						
	BW	1016.0	1016.0	857.0*	872.0 ⁽²⁾	808.0*	827.0 ⁽¹⁾	750.0*	750.0*						
70	B	926.0	926.0	869.0	869.0	815.0	815.0	700.0*	733.0 ⁽¹⁾	655.0*	665.0 ⁽¹⁾	606.0*	606.0*		
	BW	930.0	975.0 ⁽²⁾	879.0	879.0	838.0	838.0	714.0*	753.0 ⁽¹⁾	668.0*	669.0 ⁽¹⁾				
80	B	844.0	867.0 ⁽²⁾	811.0	816.0 ⁽²⁾	766.0	777.0 ⁽¹⁾	717.0	721.0 ⁽¹⁾	670.0	670.0	573.0*	598.0 ⁽¹⁾	536.0*	536.0*
	BW	848.0	950.0 ⁽²⁾	805.0	860.0 ⁽²⁾	798.0	824.0 ⁽¹⁾	745.0	754.0 ⁽¹⁾	635.0*	649.0 ⁽¹⁾	590.0*	590.0*	550.0*	550.0*
90	B	694.0	808.0 ⁽²⁾	738.0	767.0 ⁽²⁾	714.0	739.0 ⁽¹⁾	671.0	691.0 ⁽¹⁾	633.0	637.0 ⁽¹⁾	589.0	589.0	508.0*	508.0*
	BW	694.0	926.0 ⁽²⁾	734.0	847.0 ⁽²⁾	745.0	813.0 ⁽¹⁾	704.0	750.0 ⁽¹⁾	660.0	660.0	612.0	612.0	524.0*	524.0*
100	B		739.0 ⁽²⁾	662.0	719.0 ⁽²⁾	663.0	702.0 ⁽¹⁾	629.0	661.0 ⁽¹⁾	595.0	605.0 ⁽¹⁾	556.0	558.0 ⁽¹⁾	524.0	524.0
	BW		883.0 ⁽²⁾	673.0	835.0 ⁽²⁾	686.0	803.0 ⁽¹⁾	652.0	745.0 ⁽¹⁾	620.0	645.0 ⁽²⁾	581.0	581.0	545.0	545.0
110	B		672.0 ⁽⁴⁾	545.0	659.0 ⁽³⁾	608.0	650.0 ⁽¹⁾	587.0	631.0 ⁽¹⁾	559.0	579.0 ⁽²⁾	525.0	536.0 ⁽²⁾	497.0	499.0 ⁽²⁾
	BW		830.0 ⁽⁴⁾	544.0	797.0 ⁽²⁾	633.0	773.0 ⁽¹⁾	603.0	740.0 ⁽¹⁾	577.0	644.0 ⁽²⁾	545.0	577.0 ⁽²⁾	516.0	523.0 ⁽²⁾
120	B		614.0 ⁽¹⁰⁾		603.0 ⁽⁵⁾	551.0	595.0 ⁽³⁾	543.0	583.0 ⁽²⁾	523.0	554.0 ⁽²⁾	494.0	515.0 ⁽²⁾	470.0	483.0 ⁽²⁾
	BW		775.0 ⁽²⁾		751.0 ⁽⁴⁾	590.0	732.0 ⁽³⁾	559.0	706.0 ⁽¹⁾	538.0	642.0 ⁽²⁾	508.0	576.0 ⁽²⁾	486.0	522.0 ⁽²⁾
130	B		557.0 ⁽¹⁰⁾		554.0 ⁽⁷⁾	494.0	547.0 ⁽⁴⁾	494.0	538.0 ⁽³⁾	488.0	527.0 ⁽²⁾	466.0	495.0 ⁽²⁾	444.0	468.0 ⁽²⁾
	BW		720.0 ⁽⁴⁾		704.0 ⁽²⁾	495.0	691.0 ⁽⁴⁾	523.0	670.0 ⁽³⁾	500.0	638.0 ⁽²⁾	475.0	575.0 ⁽²⁾	456.0	522.0 ⁽²⁾
140	B		501.0 ⁽¹⁰⁾		513.0 ⁽¹⁰⁾		506.0 ⁽⁴⁾	460.0	497.0 ⁽⁴⁾	451.0	490.0 ⁽³⁾	436.0	472.0 ⁽²⁾	419.0	452.0 ⁽²⁾
	BW		664.0 ⁽⁸⁾		658.0 ⁽²⁾		659.0 ⁽⁴⁾	488.0	637.0 ⁽⁴⁾	466.0	607.0 ⁽³⁾	445.0	571.0 ⁽²⁾	427.0	522.0 ⁽²⁾
150	B				468.0 ⁽¹⁰⁾		469.0 ⁽⁸⁾	414.0	460.0 ⁽⁵⁾	415.0	456.0 ⁽⁴⁾	406.0	440.0 ⁽³⁾	395.0	432.0 ⁽²⁾
	BW				613.0 ⁽³⁾		620.0 ⁽⁷⁾	419.0	597.0 ⁽⁵⁾	438.0	575.0 ⁽³⁾	415.0	546.0 ⁽²⁾	401.0	516.0 ⁽²⁾
160	B				423.0 ⁽¹¹⁾		436.0 ⁽¹¹⁾		429.0 ⁽⁷⁾	390.0	424.0 ⁽⁵⁾	373.0	411.0 ⁽⁴⁾	369.0	404.0 ⁽³⁾
	BW				571.0 ⁽⁴⁾		575.0 ⁽⁸⁾		559.0 ⁽⁴⁾	412.0	542.0 ⁽⁴⁾	392.0	520.0 ⁽²⁾	377.0	497.0 ⁽²⁾
170	B				387.0 ⁽¹⁰⁾		398.0 ⁽¹¹⁾		402.0 ⁽⁹⁾	355.0	395.0 ⁽⁴⁾	349.0	385.0 ⁽⁵⁾	346.0	377.0 ⁽⁴⁾
	BW				533.0 ⁽⁸⁾		532.0 ⁽⁸⁾		527.0 ⁽⁸⁾	359.0	511.0 ⁽⁴⁾	368.0	495.0 ⁽²⁾	353.0	478.0 ⁽²⁾
180	B				357.0 ⁽¹⁰⁾		360.0 ⁽¹¹⁾		374.0 ⁽¹¹⁾		373.0 ⁽⁸⁾	331.0	362.0 ⁽⁴⁾	322.0	353.0 ⁽⁵⁾
	BW				496.0 ⁽⁸⁾		493.0 ⁽⁹⁾		493.0 ⁽⁸⁾		481.0 ⁽⁵⁾	343.0	469.0 ⁽²⁾	334.0	458.0 ⁽²⁾
190	B				326.0 ⁽¹⁰⁾		329.0 ⁽¹⁰⁾		342.0 ⁽¹¹⁾		349.0 ⁽¹⁰⁾	295.0	340.0 ⁽⁷⁾	301.0	333.0 ⁽⁵⁾
	BW				459.0 ⁽⁸⁾		461.0 ⁽¹⁰⁾		461.0 ⁽⁹⁾		453.0 ⁽⁴⁾	295.0	441.0 ⁽³⁾	315.0	437.0 ⁽²⁾
200	B				296.0 ⁽¹⁰⁾		302.0 ⁽¹⁰⁾		310.0 ⁽¹¹⁾		326.0 ⁽¹¹⁾		319.0 ⁽⁸⁾	285.0	315.0 ⁽⁴⁾
	BW				422.0 ⁽⁹⁾		430.0 ⁽¹⁰⁾		430.0 ⁽¹⁰⁾		427.0 ⁽⁸⁾		415.0 ⁽⁴⁾	294.0	412.0 ⁽³⁾
220	B						250.0 ⁽¹⁰⁾		260.0 ⁽¹⁰⁾		271.0 ⁽¹¹⁾		280.0 ⁽¹¹⁾		282.0 ⁽⁹⁾
	BW						366.0 ⁽¹⁰⁾		376.0 ⁽¹⁰⁾		380.0 ⁽¹⁰⁾		370.0 ⁽⁴⁾		368.0 ⁽⁵⁾
240	B						201.0 ⁽⁸⁾		215.0 ⁽¹⁰⁾		227.0 ⁽¹⁰⁾		233.0 ⁽¹¹⁾		248.0 ⁽¹¹⁾
	BW						308.0 ⁽⁸⁾		322.0 ⁽¹⁰⁾		333.0 ⁽¹⁰⁾		332.0 ⁽¹⁰⁾		330.0 ⁽⁷⁾
260	B						166.0 ⁽⁸⁾		172.0 ⁽⁸⁾		187.0 ⁽¹⁰⁾		194.0 ⁽¹⁰⁾		207.0 ⁽¹¹⁾
	BW						266.0 ⁽⁸⁾		271.0 ⁽⁸⁾		292.0 ⁽¹⁾		291.0 ⁽¹⁰⁾		295.0 ⁽⁹⁾
280	B								140.0 ⁽⁸⁾		149.0 ⁽⁸⁾		158.0 ⁽¹⁰⁾		173.0 ⁽¹¹⁾
	BW								233.0 ⁽⁸⁾		252.0 ⁽¹⁾		250.0 ⁽¹⁰⁾		258.0 ⁽⁹⁾
300	B										121.0 ⁽⁸⁾		123.0 ⁽⁸⁾		141.0 ⁽¹¹⁾
	BW										212.0 ⁽¹⁾		209.0 ⁽⁸⁾		222.0 ⁽¹⁰⁾
320	B										90.2 ⁽⁴⁾		96.7 ⁽⁸⁾		108.0 ⁽⁹⁾
	BW										172.0 ⁽¹⁾		177.0 ⁽⁸⁾		190.0 ⁽⁹⁾
340	B										68.6 ⁽⁴⁾				83.2 ⁽⁹⁾
	BW										145.0 ⁽⁴⁾				160.0 ⁽⁹⁾
360	B														56.6 ⁽⁷⁾
	BW														128.0 ⁽⁷⁾
380	B														37.6 ⁽⁷⁾
	BW														106.0 ⁽⁷⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW

P 295




ft		P 295 ft													
		W3 197 ft		W3 217 ft		W3 236 ft		W3 256 ft		W3 276 ft		W3 295 ft		W3 315 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
80	B BW	436.0*	436.0*												
90	B BW	472.0* 487.0*	472.0* 487.0*	438.0* 449.0*	438.0* 449.0*	348.0* 348.0*									
100	B BW	486.0 498.0	486.0 498.0	417.0* 430.0*	417.0* 430.0*	386.0* 394.0*	386.0* 394.0*	355.0* 364.0*	355.0* 364.0*	273.0* 273.0*					
110	B BW	464.0 483.0	464.0 483.0	431.0 448.0	431.0 448.0	369.0* 378.0*	369.0* 378.0*	340.0* 350.0*	340.0* 350.0*	310.0* 319.0*	310.0* 319.0*	288.0* 294.0*	288.0* 294.0*		
120	B BW	441.0 459.0	444.0 ⁽²⁾ 471.0 ⁽²⁾	412.0 430.0	412.0 430.0	382.0 396.0	382.0 396.0	351.0 366.0	351.0 366.0	297.0* 306.0*	297.0* 306.0*	277.0* 285.0*	277.0* 285.0*	251.0* 257.0*	251.0* 257.0*
130	B BW	418.0 433.0	433.0 ⁽²⁾ 472.0 ⁽²⁾	392.0 408.0	397.0 ⁽²⁾ 425.0 ⁽²⁾	367.0 381.0	367.0 381.0	338.0 355.0	338.0 355.0	308.0 323.0	308.0 323.0	286.0 295.0	286.0 295.0	241.0* 248.0*	241.0* 248.0*
140	B BW	395.0 408.0	421.0 ⁽²⁾ 472.0 ⁽²⁾	374.0 386.0	388.0 ⁽²⁾ 425.0 ⁽²⁾	349.0 362.0	357.0 ⁽²⁾ 380.0 ⁽²⁾	324.0 340.0	324.0 344.0 ⁽²⁾	296.0 312.0	296.0 312.0	277.0 289.0	277.0 289.0	250.0 259.0	250.0 259.0
150	B BW	373.0 383.0	410.0 ⁽²⁾ 473.0 ⁽²⁾	350.0 364.0	380.0 ⁽²⁾ 425.0 ⁽²⁾	333.0 343.0	351.0 ⁽²⁾ 381.0 ⁽²⁾	309.0 324.0	320.0 ⁽²⁾ 344.0 ⁽²⁾	285.0 300.0	287.0 ⁽²⁾ 306.0 ⁽²⁾	266.0 280.0	266.0 280.0	241.0 253.0	241.0 253.0
160	B BW	353.0 359.0	391.0 ⁽²⁾ 465.0 ⁽²⁾	332.0 343.0	372.0 ⁽²⁾ 426.0 ⁽²⁾	316.0 323.0	345.0 ⁽²⁾ 381.0 ⁽²⁾	296.0 307.0	316.0 ⁽²⁾ 344.0 ⁽²⁾	272.0 287.0	285.0 ⁽²⁾ 306.0 ⁽²⁾	255.0 270.0	260.0 ⁽²⁾ 278.0 ⁽²⁾	233.0 246.0	233.0 246.0
170	B BW	334.0 338.0	367.0 ⁽³⁾ 451.0 ⁽²⁾	315.0 323.0	354.0 ⁽²⁾ 419.0 ⁽²⁾	297.0 305.0	340.0 ⁽²⁾ 382.0 ⁽²⁾	282.0 291.0	313.0 ⁽²⁾ 344.0 ⁽²⁾	260.0 273.0	283.0 ⁽²⁾ 305.0 ⁽²⁾	244.0 259.0	259.0 ⁽²⁾ 277.0 ⁽²⁾	224.0 237.0	230.0 ⁽²⁾ 245.0 ⁽²⁾
180	B BW	315.0 319.0	342.0 ⁽⁴⁾ 436.0 ⁽²⁾	298.0 304.0	333.0 ⁽³⁾ 409.0 ⁽²⁾	282.0 288.0	322.0 ⁽²⁾ 377.0 ⁽²⁾	266.0 275.0	309.0 ⁽²⁾ 344.0 ⁽²⁾	247.0 259.0	281.0 ⁽²⁾ 305.0 ⁽²⁾	233.0 245.0	258.0 ⁽²⁾ 276.0 ⁽²⁾	214.0 227.0	229.0 ⁽²⁾ 244.0 ⁽²⁾
190	B BW	290.0 302.0	323.0 ⁽⁴⁾ 422.0 ⁽²⁾	282.0 286.0	310.0 ⁽³⁾ 399.0 ⁽²⁾	267.0 272.0	303.0 ⁽³⁾ 370.0 ⁽²⁾	250.0 260.0	292.0 ⁽²⁾ 340.0 ⁽²⁾	236.0 245.0	279.0 ⁽²⁾ 304.0 ⁽²⁾	222.0 232.0	257.0 ⁽²⁾ 276.0 ⁽²⁾	203.0 216.0	229.0 ⁽²⁾ 243.0 ⁽²⁾
200	B BW	273.0 285.0	306.0 ⁽⁵⁾ 404.0 ⁽²⁾	264.0 272.0	295.0 ⁽⁴⁾ 388.0 ⁽²⁾	253.0 257.0	283.0 ⁽³⁾ 362.0 ⁽²⁾	237.0 246.0	274.0 ⁽³⁾ 336.0 ⁽²⁾	223.0 231.0	261.0 ⁽²⁾ 301.0 ⁽²⁾	212.0 221.0	256.0 ⁽²⁾ 275.0 ⁽²⁾	193.0 205.0	228.0 ⁽²⁾ 243.0 ⁽²⁾
220	B BW	241.0 243.0	276.0 ⁽⁷⁾ 360.0 ⁽³⁾	230.0 243.0	262.0 ⁽⁶⁾ 353.0 ⁽²⁾	224.0 230.0	253.0 ⁽³⁾ 344.0 ⁽²⁾	214.0 220.0	246.0 ⁽⁴⁾ 326.0 ⁽²⁾	197.0 206.0	231.0 ⁽³⁾ 293.0 ⁽²⁾	189.0 197.0	224.0 ⁽³⁾ 268.0 ⁽²⁾	174.0 184.0	210.0 ⁽²⁾ 238.0 ⁽²⁾
240	B BW		245.0 ⁽⁹⁾ 323.0 ⁽⁵⁾	202.0 203.0	237.0 ⁽⁷⁾ 317.0 ⁽⁶⁾	194.0 206.0	229.0 ⁽⁴⁾ 308.0 ⁽³⁾	184.0 198.0	219.0 ⁽⁵⁾ 301.0 ⁽²⁾	176.0 185.0	205.0 ⁽⁴⁾ 283.0 ⁽²⁾	167.0 176.0	198.0 ⁽⁴⁾ 262.0 ⁽²⁾	156.0 165.0	188.0 ⁽³⁾ 232.0 ⁽²⁾
260	B BW		213.0 ⁽¹¹⁾ 290.0 ⁽⁷⁾		209.0 ⁽⁹⁾ 283.0 ⁽⁵⁾	172.0 170.0	202.0 ⁽⁷⁾ 275.0 ⁽⁴⁾	165.0 178.0	194.0 ⁽⁶⁾ 271.0 ⁽³⁾	154.0 167.0	182.0 ⁽⁵⁾ 265.0 ⁽³⁾	148.0 156.0	177.0 ⁽⁵⁾ 249.0 ⁽³⁾	138.0 147.0	167.0 ⁽⁴⁾ 225.0 ⁽²⁾
280	B BW		179.0 ⁽¹¹⁾ 252.0 ⁽⁸⁾		183.0 ⁽¹¹⁾ 252.0 ⁽⁶⁾		181.0 ⁽¹⁰⁾ 243.0 ⁽³⁾	142.0 143.0	174.0 ⁽⁸⁾ 243.0 ⁽⁴⁾	138.0 148.0	167.0 ⁽⁷⁾ 235.0 ⁽³⁾	131.0 141.0	160.0 ⁽⁶⁾ 232.0 ⁽³⁾	121.0 129.0	149.0 ⁽⁵⁾ 217.0 ⁽³⁾
300	B BW		149.0 ⁽¹¹⁾ 225.0 ⁽⁸⁾		156.0 ⁽¹¹⁾ 220.0 ⁽⁶⁾		158.0 ⁽¹¹⁾ 214.0 ⁽⁵⁾		155.0 ⁽¹⁰⁾ 213.0 ⁽⁴⁾	115.0 118.0	145.0 ⁽⁸⁾ 206.0 ⁽⁴⁾	112.0 124.0	144.0 ⁽⁷⁾ 204.0 ⁽³⁾	105.0 116.0	132.0 ⁽⁶⁾ 194.0 ⁽³⁾
320	B BW		119.0 ⁽¹¹⁾ 194.0 ⁽⁹⁾		127.0 ⁽¹¹⁾ 194.0 ⁽⁸⁾		132.0 ⁽¹¹⁾ 188.0 ⁽⁷⁾		133.0 ⁽¹¹⁾ 185.0 ⁽⁵⁾		130.0 ⁽¹⁰⁾ 180.0 ⁽⁴⁾	92.3 97.6	122.0 ⁽⁸⁾ 176.0 ⁽³⁾	86.3 96.3	117.0 ⁽⁷⁾ 169.0 ⁽³⁾
340	B BW		87.6 ⁽⁹⁾ 166.0 ⁽⁹⁾		98.9 ⁽¹¹⁾ 170.0 ⁽⁹⁾		106.0 ⁽¹¹⁾ 166.0 ⁽⁸⁾		111.0 ⁽¹¹⁾ 162.0 ⁽⁶⁾		110.0 ⁽¹¹⁾ 156.0 ⁽⁵⁾		109.0 ⁽¹⁰⁾ 153.0 ⁽⁴⁾	71.1 76.3	98.5 ⁽⁸⁾ 147.0 ⁽⁴⁾
360	B BW		64.7 ⁽⁹⁾ 140.0 ⁽⁹⁾		69.7 ⁽⁹⁾ 145.0 ⁽⁹⁾		79.9 ⁽¹¹⁾ 145.0 ⁽⁹⁾		87.1 ⁽¹¹⁾ 144.0 ⁽⁹⁾		89.6 ⁽¹¹⁾ 137.0 ⁽⁷⁾		91.9 ⁽¹¹⁾ 133.0 ⁽⁶⁾		86.6 ⁽¹⁰⁾ 127.0 ⁽⁴⁾
380	B BW				48.4 ⁽⁹⁾ 111.0 ⁽⁷⁾		52.4 ⁽⁹⁾ 118.0 ⁽⁹⁾		62.7 ⁽¹¹⁾ 123.0 ⁽⁹⁾		66.9 ⁽¹¹⁾ 121.0 ⁽⁸⁾		72.6 ⁽¹¹⁾ 117.0 ⁽⁶⁾		71.4 ⁽¹¹⁾ 110.0 ⁽⁵⁾
400	B BW						32.4 ⁽⁹⁾ 91.2 ⁽⁷⁾				44.3 ⁽¹¹⁾ 108.0 ⁽⁹⁾		51.3 ⁽¹¹⁾ 103.0 ⁽⁸⁾		17.5 ⁽⁵⁾ 95.6 ⁽⁶⁾
420	B BW												29.9 ⁽¹¹⁾ 91.8 ⁽⁹⁾		
440	B BW														
460	B BW														
480	B BW														

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°



PDW3B/PDW3BW


P 315



		P 315 ft																							
ft	Jib	W3 59 ft		W3 79 ft		W3 98 ft		W3 118 ft		W3 138 ft		W3 158 ft		W3 177 ft		W3 197 ft		W3 217 ft		W3 236 ft		W3 256 ft		W3 276 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	898.0*	898.0*																						
	BW	914.0*	914.0*																						
60	B	838.0*	888.0 ⁽²⁾	781.0*	789.0 ⁽²⁾	731.0*	741.0 ⁽²⁾																		
	BW	847.0*	906.0 ⁽²⁾	793.0*	800.0 ⁽²⁾	745.0*	755.0 ⁽²⁾																		
70	B	861.0	864.0 ⁽²⁾	804.0	804.0	692.0*	743.0 ⁽²⁾	645.0*	669.0 ⁽²⁾	601.0*	605.0 ⁽²⁾														
	BW	869.0	899.0 ⁽²⁾	816.0	816.0	707.0*	763.0 ⁽²⁾	658.0*	686.0 ⁽²⁾	612.0*	612.0*														
80	B	805.0	820.0 ⁽²⁾	753.0	763.0 ⁽²⁾	709.0	720.0 ⁽²⁾	660.0	663.0 ⁽¹⁾	566.0*	602.0 ⁽¹⁾	527.0*	529.0 ⁽¹⁾	490.0*	490.0*	389.0*	389.0*								
	BW	793.0	887.0 ⁽²⁾	750.0	795.0 ⁽²⁾	737.0	760.0 ⁽²⁾	685.0	689.0 ⁽²⁾	583.0*	587.0 ⁽²⁾	541.0*	541.0*	501.0*	501.0*										
90	B	720.0	777.0 ⁽²⁾	699.0	728.0 ⁽²⁾	662.0	694.0 ⁽²⁾	621.0	642.0 ⁽²⁾	581.0	586.0 ⁽²⁾	540.0	540.0	466.0*	466.0*	432.0*	432.0*	397.0*	397.0*	319.0*	319.0*				
	BW	718.0	875.0 ⁽²⁾	686.0	791.0 ⁽²⁾	690.0	755.0 ⁽²⁾	647.0	684.0 ⁽²⁾	605.0	605.0	560.0	560.0	478.0*	478.0*	443.0*	443.0*	406.0*	406.0*						
100	B		726.0 ⁽²⁾	643.0	692.0 ⁽²⁾	619.0	668.0 ⁽²⁾	583.0	622.0 ⁽²⁾	549.0	562.0 ⁽²⁾	512.0	512.0	481.0	481.0	409.0*	409.0*	383.0*	383.0*	350.0*	350.0*	321.0*	321.0*		
	BW		853.0 ⁽²⁾	628.0	788.0 ⁽²⁾	638.0	750.0 ⁽²⁾	604.0	680.0 ⁽²⁾	570.0	588.0 ⁽²⁾	533.0	533.0	497.0	497.0	423.0*	425.0 ⁽²⁾	390.0*	390.0*	358.0*	358.0*	328.0*	328.0*		
110	B		660.0 ⁽³⁾	577.0	647.0 ⁽²⁾	581.0	633.0 ⁽²⁾	547.0	601.0 ⁽²⁾	517.0	539.0 ⁽²⁾	485.0	496.0 ⁽²⁾	457.0	457.0	424.0	424.0	394.0	394.0	335.0*	335.0*	308.0*	308.0*		
	BW		804.0 ⁽²⁾	571.0	769.0 ⁽²⁾	592.0	737.0 ⁽²⁾	560.0	676.0 ⁽²⁾	533.0	586.0 ⁽²⁾	503.0	526.0 ⁽²⁾	473.0	474.0 ⁽²⁾	440.0	440.0	406.0	406.0	344.0*	344.0*	316.0*	316.0*	289.0*	289.0*
120	B		605.0 ⁽³⁾		594.0 ⁽⁴⁾	537.0	581.0 ⁽²⁾	514.0	565.0 ⁽²⁾	486.0	522.0 ⁽²⁾	458.0	483.0 ⁽²⁾	434.0	447.0 ⁽²⁾	404.0	404.0	378.0	378.0	346.0	346.0	319.0	319.0		
	BW		755.0 ⁽²⁾		727.0 ⁽²⁾	552.0	701.0 ⁽²⁾	520.0	654.0 ⁽¹⁾	497.0	584.0 ⁽²⁾	470.0	525.0 ⁽²⁾	446.0	473.0 ⁽²⁾	420.0	427.0 ⁽²⁾	391.0	391.0	362.0	362.0	329.0	329.0	279.0*	279.0*
130	B		552.0 ⁽¹⁾⁽⁴⁾		547.0 ⁽⁷⁾	500.0	539.0 ⁽⁴⁾	479.0	521.0 ⁽²⁾	458.0	504.0 ⁽²⁾	432.0	469.0 ⁽²⁾	412.0	438.0 ⁽²⁾	384.0	398.0 ⁽²⁾	361.0	365.0 ⁽²⁾	333.0	333.0	306.0	306.0		
	BW		704.0 ⁽³⁾		686.0 ⁽²⁾	513.0	666.0 ⁽²⁾	488.0	628.0 ⁽²⁾	463.0	582.0 ⁽²⁾	440.0	524.0 ⁽²⁾	420.0	473.0 ⁽²⁾	397.0	427.0 ⁽²⁾	373.0	384.0 ⁽²⁾	347.0	347.0	319.0	319.0	291.0	291.0
140	B		499.0 ⁽¹⁾⁽⁴⁾		508.0 ⁽¹⁰⁾		497.0 ⁽⁴⁾	447.0	487.0 ⁽⁴⁾	433.0	470.0 ⁽²⁾	408.0	456.0 ⁽²⁾	387.0	429.0 ⁽²⁾	365.0	392.0 ⁽²⁾	345.0	361.0 ⁽²⁾	319.0	325.0 ⁽²⁾	294.0	294.0		
	BW		656.0 ⁽⁴⁾		644.0 ⁽²⁾		630.0 ⁽²⁾	457.0	599.0 ⁽²⁾	433.0	565.0 ⁽²⁾	413.0	523.0 ⁽²⁾	394.0	473.0 ⁽²⁾	374.0	427.0 ⁽²⁾	353.0	384.0 ⁽²⁾	332.0	345.0 ⁽²⁾	307.0	308.0 ⁽²⁾	282.0	282.0
150	B		449.0 ⁽¹⁾⁽⁴⁾		465.0 ⁽¹⁰⁾		462.0 ⁽⁸⁾	419.0	454.0 ⁽⁵⁾	403.0	442.0 ⁽³⁾	384.0	424.0 ⁽²⁾	367.0	420.0 ⁽²⁾	344.0	386.0 ⁽²⁾	327.0	357.0 ⁽²⁾	304.0	323.0 ⁽²⁾	282.0	290.0 ⁽²⁾		
	BW		611.0 ⁽¹⁾⁽⁸⁾		602.0 ⁽²⁾		591.0 ⁽³⁾	426.0	570.0 ⁽²⁾	406.0	542.0 ⁽²⁾	387.0	508.0 ⁽²⁾	370.0	473.0 ⁽²⁾	352.0	427.0 ⁽²⁾	334.0	384.0 ⁽²⁾	315.0	345.0 ⁽²⁾	294.0	308.0 ⁽²⁾	273.0	276.0 ⁽²⁾
160	B				422.0 ⁽¹⁾⁽⁵⁾		430.0 ⁽¹⁾⁽¹⁾		422.0 ⁽⁶⁾	377.0	418.0 ⁽¹⁾	360.0	397.0 ⁽³⁾	346.0	389.0 ⁽²⁾	324.0	379.0 ⁽²⁾	309.0	354.0 ⁽²⁾	289.0	321.0 ⁽²⁾	269.0	290.0 ⁽²⁾		
	BW				562.0 ⁽¹⁾		553.0 ⁽⁸⁾		541.0 ⁽²⁾	383.0	520.0 ⁽²⁾	366.0	492.0 ⁽²⁾	348.0	461.0 ⁽²⁾	331.0	426.0 ⁽²⁾	315.0	384.0 ⁽²⁾	298.0	345.0 ⁽²⁾	280.0	309.0 ⁽²⁾	262.0	276.0 ⁽²⁾
170	B				381.0 ⁽¹⁾⁽¹⁾		396.0 ⁽¹⁾⁽¹⁾		394.0 ⁽⁸⁾	355.0	394.0 ⁽¹⁾	340.0	373.0 ⁽⁴⁾	328.0	366.0 ⁽³⁾	307.0	349.0 ⁽²⁾	292.0	347.0 ⁽²⁾	274.0	319.0 ⁽²⁾	257.0	289.0 ⁽²⁾		
	BW				526.0 ⁽¹⁰⁾		519.0 ⁽⁸⁾		508.0 ⁽²⁾	359.0	498.0 ⁽²⁾	343.0	475.0 ⁽²⁾	329.0	449.0 ⁽²⁾	312.0	417.0 ⁽²⁾	297.0	382.0 ⁽²⁾	282.0	345.0 ⁽²⁾	266.0	309.0 ⁽²⁾	250.0	277.0 ⁽²⁾
180	B				353.0 ⁽¹⁰⁾		360.0 ⁽¹⁾⁽¹⁾		371.0 ⁽¹⁾⁽¹⁾		370.0 ⁽¹⁾	321.0	350.0 ⁽⁵⁾	310.0	345.0 ⁽⁴⁾	291.0	330.0 ⁽³⁾	277.0	320.0 ⁽²⁾	259.0	311.0 ⁽²⁾	244.0	288.0 ⁽²⁾		
	BW				492.0 ⁽¹⁰⁾		486.0 ⁽⁹⁾		476.0 ⁽⁵⁾		469.0 ⁽³⁾	323.0	459.0 ⁽²⁾	311.0	436.0 ⁽²⁾	294.0	408.0 ⁽²⁾	280.0	377.0 ⁽²⁾	266.0	344.0 ⁽²⁾	251.0	310.0 ⁽²⁾	237.0	277.0 ⁽²⁾
190	B				324.0 ⁽¹⁰⁾		324.0 ⁽¹⁾⁽¹⁾		340.0 ⁽¹⁾⁽¹⁾		346.0 ⁽¹⁾	302.0	331.0 ⁽⁷⁾	292.0	326.0 ⁽⁵⁾	275.0	313.0 ⁽⁴⁾	263.0	304.0 ⁽³⁾	245.0	287.0 ⁽²⁾	232.0	280.0 ⁽²⁾		
	BW				458.0 ⁽¹⁰⁾		455.0 ⁽¹⁾⁽⁸⁾		448.0 ⁽⁸⁾		441.0 ⁽⁴⁾	302.0	433.0 ⁽²⁾	293.0	424.0 ⁽²⁾	280.0	400.0 ⁽²⁾	264.0	372.0 ⁽²⁾	251.0	341.0 ⁽²⁾	237.0	309.0 ⁽²⁾	225.0	277.0 ⁽²⁾
200	B				296.0 ⁽¹⁰⁾		299.0 ⁽¹⁰⁾		310.0 ⁽¹⁾⁽¹⁾		322.0 ⁽¹⁾		313.0 ⁽⁸⁾	276.0	309.0 ⁽⁶⁾	262.0	295.0 ⁽⁵⁾	249.0	289.0 ⁽⁴⁾	233.0	274.0 ⁽³⁾	220.0	258.0 ⁽³⁾		
	BW				424.0 ⁽¹⁰⁾		426.0 ⁽¹⁰⁾		423.0 ⁽⁸⁾		416.0 ⁽⁵⁾		408.0 ⁽³⁾	277.0	401.0 ⁽²⁾	264.0	392.0 ⁽²⁾	249.0	367.0 ⁽²⁾	237.0	338.0 ⁽²⁾	224.0	306.0 ⁽²⁾	213.0	276.0 ⁽²⁾
220	B				239.0 ⁽¹⁰⁾		250.0 ⁽¹⁾⁽⁴⁾		258.0 ⁽¹⁰⁾		274.0 ⁽¹⁾		277.0 ⁽¹⁾⁽¹⁾		270.0 ⁽⁸⁾	230.0	261.0 ⁽⁴⁾	222.0	255.0 ⁽³⁾	209.0	242.0 ⁽⁴⁾	196.0	232.0 ⁽⁴⁾		
	BW				356.0 ⁽¹⁰⁾		366.0 ⁽¹⁰⁾		373.0 ⁽¹⁰⁾		372.0 ⁽⁹⁾		365.0 ⁽⁶⁾		359.0 ⁽⁴⁾	236.0	352.0 ⁽³⁾	225.0	344.0 ⁽²⁾	214.0	332.0 ⁽²⁾	201.0	300.0 ⁽²⁾	190.0	270.0 ⁽²⁾
240	B						200.0 ⁽¹⁾⁽⁸⁾		214.0 ⁽¹⁰⁾		227.0 ⁽³⁾		232.0 ⁽¹⁾⁽¹⁾		240.0 ⁽¹⁾⁽¹⁾		230.0 ⁽⁹⁾	199.0	232.0 ⁽⁷⁾	187.0	219.0 ⁽⁴⁾	177.0	211.0 ⁽⁵⁾		
	BW						307.0 ⁽¹⁰⁾		322.0 ⁽¹⁰⁾		330.0 ⁽¹⁰⁾		328.0 ⁽⁹⁾		322.0 ⁽⁴⁾		317.0 ⁽⁵⁾	201.0	309.0 ⁽⁴⁾	191.0	304.0 ⁽³⁾	181.0	284.0 ⁽²⁾	171.0	265.0 ⁽²⁾
260	B						164.0 ⁽⁸⁾		171.0 ⁽¹⁰⁾		185.0 ⁽¹⁰⁾		192.0 ⁽¹⁰⁾		205.0 ⁽¹⁾⁽¹⁾		206.0 ⁽¹⁾⁽¹⁾		200.0 ⁽⁹⁾	168.0	195.0 ⁽³⁾	158.0	188.0 ⁽⁶⁾		
	BW						260.0 ⁽⁸⁾		270.0 ⁽¹⁰⁾		284.0 ⁽¹⁰⁾		289.0 ⁽⁹⁾		290.0 ⁽⁹⁾		285.0 ⁽⁷⁾		278.0 ⁽⁵⁾	172.0	273.0 ⁽⁴⁾	163.0	265.0 ⁽³⁾	153.0	256.0 ⁽³⁾
280	B						131.0 ⁽⁸⁾		138.0 ⁽⁸⁾		147.0 ⁽⁸⁾		157.0 ⁽¹⁰⁾		172.0 ⁽¹⁾⁽¹⁾		175.0 ⁽¹⁾⁽¹⁾		178.0 ⁽¹⁾⁽¹⁾		170.0 ⁽⁴⁾	141.0	164.0 ⁽⁷⁾		
	BW						216.0 ⁽⁸⁾		228.0 ⁽⁸⁾		239.0 ⁽¹⁰⁾		250.0 ⁽¹⁰⁾		257.0 ⁽¹⁰⁾		256.0 ⁽⁹⁾		252.0 ⁽⁷⁾		244.0 ⁽⁵⁾	144.0	238.0 ⁽⁴⁾	137.0	234.0 ⁽⁴⁾
300	B								108.0 ⁽⁸⁾		115.0 ⁽⁸⁾		122.0 ⁽¹⁰⁾		139.0 ⁽¹⁾⁽¹⁾		144.0 ⁽¹⁾⁽¹⁾		152.0 ⁽¹⁾⁽¹⁾		151.0 ⁽¹⁾⁽¹⁾		143.0 ⁽⁹⁾		
	BW								188.0 ⁽⁸⁾		199.0 ⁽⁸⁾		210.0 ⁽¹⁰⁾		222.0 ⁽¹⁰⁾		225.0 ⁽⁹⁾		224.0 ⁽⁸⁾		219.0 ⁽⁷⁾		214.0 ⁽⁵⁾	121.0	209.0 ⁽⁵⁾
320	B										88.1 ⁽⁸⁾		92.9 ⁽⁸⁾		107.0 ⁽¹⁾⁽¹⁾		115.0 ⁽¹⁾⁽¹⁾		124.0 ⁽¹⁾⁽¹⁾		127.0 ⁽¹⁾⁽¹⁾		127.0 ⁽¹⁾⁽¹⁾		
	BW										162.0 ⁽⁸⁾		173.0 ⁽⁸⁾		188.0 ⁽¹⁾⁽¹⁾		193.0 ⁽⁹⁾		195.0 ⁽⁸⁾		194.0 ⁽⁸⁾		186.0 ⁽⁵⁾		184.0 ⁽⁵⁾

PDW3B/PDW3BW

P 335




		P 335 ft																							
ft	Jib	W3 59 ft		W3 79 ft		W3 98 ft		W3 118 ft		W3 138 ft		W3 158 ft		W3 177 ft		W3 197 ft		W3 217 ft		W3 236 ft		W3 256 ft		W3 276 ft	
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax
50	B	823.0*	823.0																						
	BW	837.0*	837.0																						
60	B	773.0*	809.0 ⁽²⁾	718.0*	718.0																				
	BW	783.0*	824.0 ⁽²⁾	731.0*	732.0 ⁽²⁾	681.0*	686.0 ⁽²⁾																		
70	B	795.0*	796.0 ⁽²⁾	739.0*	739.0																				
	BW	802.0*	824.0 ⁽²⁾	743.0*	743.0	649.0*	690.0 ⁽²⁾	601.0*	605.0 ⁽¹⁾	558.0*	558.0														
80	B	744.0*	767.0 ⁽²⁾	694.0*	706.0 ⁽²⁾																				
	BW	737.0*	820.0 ⁽²⁾	688.0*	721.0 ⁽²⁾	676.0*	689.0 ⁽²⁾	622.0*	622.0	532.0*	532.0	490.0*	490.0	455.0*	455.0										
90	B	694.0*	737.0 ⁽²⁾	648.0*	682.0 ⁽²⁾																				
	BW	678.0*	815.0 ⁽²⁾	632.0*	719.0 ⁽²⁾	635.0*	685.0 ⁽²⁾	590.0*	593.0 ⁽²⁾	547.0*	547.0	466.0*	473.0 ⁽²⁾	434.0*	434.0	397.0*	397.0	366.0*	366.0						
100	B		707.0 ⁽²⁾	599.0*	658.0 ⁽²⁾																				
	BW		811.0 ⁽²⁾	578.0*	718.0 ⁽²⁾	589.0*	680.0 ⁽²⁾	553.0*	590.0 ⁽²⁾	518.0*	528.0 ⁽²⁾	479.0*	479.0	445.0*	445.0	379.0*	379.0	350.0*	350.0	320.0*	320.0	258.0*	258.0		
110	B		647.0 ⁽⁴⁾	557.0*	632.0 ⁽²⁾																				
	BW		771.0 ⁽²⁾	539.0*	714.0 ⁽²⁾	547.0*	676.0 ⁽²⁾	516.0*	587.0 ⁽²⁾	489.0*	527.0 ⁽²⁾	454.0*	470.0 ⁽²⁾	426.0*	426.0	392.0*	392.0	363.0*	363.0	305.0*	305.0	282.0*	282.0	256.0*	256.0
120	B		593.0 ⁽⁴⁾		581.0 ⁽⁴⁾																				
	BW		730.0 ⁽²⁾		683.0 ⁽²⁾	510.0*	651.0 ⁽²⁾	481.0*	585.0 ⁽²⁾	458.0*	527.0 ⁽²⁾	429.0*	470.0 ⁽²⁾	405.0*	423.0 ⁽²⁾	374.0*	377.0 ⁽²⁾	348.0*	348.0	319.0*	319.0	271.0*	271.0	246.0*	246.0
130	B		545.0 ⁽¹⁴⁾		537.0 ⁽⁴⁾																				
	BW		688.0 ⁽²⁾		654.0 ⁽²⁾	477.0*	628.0 ⁽²⁾	448.0*	577.0 ⁽²⁾	428.0*	526.0 ⁽²⁾	402.0*	469.0 ⁽²⁾	385.0*	422.0 ⁽²⁾	356.0*	376.0 ⁽²⁾	334.0*	339.0 ⁽²⁾	306.0*	306.0	284.0*	284.0	257.0*	257.0
140	B		496.0 ⁽¹⁴⁾		497.0 ⁽⁸⁾																				
	BW		645.0 ⁽²⁾		624.0 ⁽²⁾		604.0 ⁽²⁾	423.0*	557.0 ⁽²⁾	401.0*	519.0 ⁽²⁾	378.0*	469.0 ⁽²⁾	361.0*	422.0 ⁽²⁾	339.0*	376.0 ⁽²⁾	319.0*	339.0 ⁽²⁾	294.0*	302.0 ⁽²⁾	273.0*	273.0	248.0*	248.0
150	B		447.0 ⁽¹⁴⁾		460.0 ⁽¹¹⁾																				
	BW		601.0 ⁽⁴⁾		589.0 ⁽²⁾		577.0 ⁽²⁾	395.0*	538.0 ⁽²⁾	376.0*	506.0 ⁽²⁾	355.0*	464.0 ⁽²⁾	341.0*	422.0 ⁽²⁾	321.0*	376.0 ⁽²⁾	304.0*	338.0 ⁽²⁾	281.0*	301.0 ⁽²⁾	262.0*	272.0 ⁽²⁾	239.0*	241.0 ⁽²⁾
160	B		405.0 ⁽⁹⁾		420.0 ⁽¹¹⁾																				
	BW		560.0 ⁽⁸⁾		550.0 ⁽⁴⁾		540.0 ⁽²⁾		519.0 ⁽²⁾	356.0*	492.0 ⁽²⁾	334.0*	455.0 ⁽²⁾	321.0*	418.0 ⁽²⁾	302.0*	375.0 ⁽²⁾	288.0*	338.0 ⁽²⁾	269.0*	301.0 ⁽²⁾	251.0*	272.0 ⁽²⁾	230.0*	240.0 ⁽²⁾
170	B		373.0 ⁽⁹⁾		380.0 ⁽¹¹⁾																				
	BW		522.0 ⁽⁹⁾		516.0 ⁽⁸⁾		505.0 ⁽³⁾		494.0 ⁽²⁾	335.0*	479.0 ⁽²⁾	316.0*	446.0 ⁽²⁾	302.0*	413.0 ⁽²⁾	285.0*	373.0 ⁽²⁾	273.0*	338.0 ⁽²⁾	255.0*	300.0 ⁽²⁾	240.0*	271.0 ⁽²⁾	221.0*	240.0 ⁽²⁾
180	B		342.0 ⁽⁹⁾		346.0 ⁽¹⁰⁾																				
	BW		484.0 ⁽⁹⁾		484.0 ⁽¹⁰⁾		475.0 ⁽⁴⁾		464.0 ⁽⁹⁾		458.0 ⁽³⁾	297.0*	437.0 ⁽²⁾	287.0*	409.0 ⁽²⁾	269.0*	370.0 ⁽²⁾	258.0*	336.0 ⁽²⁾	241.0*	300.0 ⁽²⁾	229.0*	271.0 ⁽²⁾	212.0*	239.0 ⁽²⁾
190	B		310.0 ⁽⁹⁾		320.0 ⁽¹⁰⁾																				
	BW		446.0 ⁽⁹⁾		452.0 ⁽¹⁰⁾		447.0 ⁽⁹⁾		437.0 ⁽⁵⁾		432.0 ⁽³⁾	282.0*	421.0 ⁽²⁾	271.0*	404.0 ⁽²⁾	255.0*	368.0 ⁽²⁾	243.0*	334.0 ⁽²⁾	228.0*	297.0 ⁽²⁾	217.0*	270.0 ⁽²⁾	202.0*	239.0 ⁽²⁾
200	B		279.0 ⁽⁹⁾		293.0 ⁽¹⁰⁾																				
	BW		407.0 ⁽⁹⁾		420.0 ⁽¹⁰⁾		419.0 ⁽¹⁰⁾		413.0 ⁽⁷⁾		407.0 ⁽⁴⁾		397.0 ⁽³⁾	256.0*	392.0 ⁽²⁾	241.0*	366.0 ⁽²⁾	230.0*	332.0 ⁽²⁾	216.0*	295.0 ⁽²⁾	205.0*	268.0 ⁽²⁾	191.0*	238.0 ⁽²⁾
220	B				240.0 ⁽¹⁰⁾																				
	BW				356.0 ⁽¹⁰⁾		363.0 ⁽¹⁰⁾		366.0 ⁽¹⁰⁾		365.0 ⁽⁷⁾		355.0 ⁽⁵⁾		352.0 ⁽⁴⁾	217.0*	342.0 ⁽³⁾	208.0*	323.0 ⁽²⁾	193.0*	291.0 ⁽²⁾	184.0*	264.0 ⁽²⁾	171.0*	234.0 ⁽²⁾
240	B																								
	BW						307.0 ⁽¹⁰⁾		317.0 ⁽¹⁰⁾		326.0 ⁽¹⁰⁾		320.0 ⁽⁸⁾		318.0 ⁽⁴⁾		307.0 ⁽⁴⁾	185.0*	302.0 ⁽³⁾	174.0*	285.0 ⁽³⁾	167.0*	257.0 ⁽²⁾	152.0*	229.0 ⁽²⁾
260	B																								
	BW						258.0 ⁽⁸⁾		268.0 ⁽¹⁰⁾		282.0 ⁽¹⁰⁾		284.0 ⁽¹⁰⁾		285.0 ⁽⁸⁾		277.0 ⁽⁴⁾		275.0 ⁽³⁾	155.0*	265.0 ⁽⁴⁾	149.0*	250.0 ⁽³⁾	137.0*	225.0 ⁽³⁾
280	B																								
	BW						218.0 ⁽⁸⁾		223.0 ⁽⁸⁾		239.0 ⁽¹⁰⁾		246.0 ⁽¹⁰⁾		256.0 ⁽¹¹⁾		251.0 ⁽⁹⁾		246.0 ⁽⁴⁾		238.0 ⁽⁵⁾	133.0*	235.0 ⁽⁴⁾	123.0*	217.0 ⁽⁴⁾
300	B																								
	BW						179.0 ⁽⁸⁾		187.0 ⁽⁸⁾		198.0 ⁽⁸⁾		208.0 ⁽¹⁰⁾		222.0 ⁽¹¹⁾		222.0 ⁽¹⁰⁾		225.0 ⁽⁹⁾		217.0 ⁽²⁾		213.0 ⁽⁴⁾	111.0*	202.0 ⁽⁹⁾
320	B																								
	BW								150.0 ⁽⁸⁾		165.0 ⁽⁸⁾		171.0 ⁽⁸⁾		188.0 ⁽¹¹⁾		192.0 ⁽¹⁰⁾		197.0 ⁽⁹⁾		195.0 ⁽⁹⁾		192.0 ⁽⁷⁾		184.0 ⁽⁴⁾
340	B																								
	BW										132.0 ⁽⁸⁾		140.0 ⁽⁸⁾		154.0 ⁽⁹⁾		161.0 ⁽¹⁰⁾		169.0 ⁽¹⁰⁾		170.0 ⁽⁹⁾		169.0 ⁽⁹⁾		161.0 ⁽⁷⁾
360	B																								
	BW										104.0 ⁽⁴⁾		110.0 ⁽⁸⁾		125.0 ⁽⁹⁾		132.0 ⁽⁹⁾		142.0 ⁽¹⁰⁾		144.0 ⁽⁹⁾		147.0 ⁽⁹⁾		141.0 ⁽⁹⁾
380	B																								
	BW										80.4 ⁽⁴⁾				95.4 ⁽⁹⁾		105.0 ⁽⁹⁾		115.0 ⁽⁹⁾		120.0 ⁽¹⁰⁾		125.0 ⁽⁹⁾		122.0 ⁽⁹⁾
400	B																								
	BW														70.9 ⁽⁷⁾		79.0 ⁽⁹⁾		89.8 ⁽⁹⁾		94.7 ⁽⁹⁾		105.0 ⁽¹⁰⁾		103.0 ⁽⁹⁾
420	B																								
	BW														50.0 ⁽⁷⁾		55.0 ⁽⁷⁾		62.3 ⁽⁷⁾		70.5 ⁽⁹⁾		81.2 ⁽⁹⁾		86.0 ⁽¹⁰⁾
440	B																								
	BW																34.6 ⁽⁷⁾		43.5 ⁽⁷⁾				59.0 ⁽⁹⁾		64.5 ⁽⁹⁾
460	B																								
	BW																								44.1 ⁽⁹⁾

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°

PDW3B/PDW3BW


P 354



		P 354 ft																					
ft		W3 59 ft		W3 79 ft		W3 98 ft		W3 118 ft		W3 138 ft		W3 158 ft		W3 177 ft		W3 197 ft		W3 217 ft		W3 236 ft			
		87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax	87°/85	WVmax		
50	B	749.0*	749.0*																				
	BW	759.0*	759.0*																				
60	B	709.0*	733.0 ⁽²⁾																				
	BW	717.0*	734.0 ⁽²⁾	662.0*	662.0*	613.0*	614.0 ⁽¹⁾																
70	B	728.0	728.0																				
	BW	709.0	718.0 ⁽²⁾	614.0*	639.0 ⁽²⁾	587.0*	610.0 ⁽¹⁾	542.0*	543.0 ⁽¹⁾	454.0*	454.0*												
80	B	683.0	702.0 ⁽²⁾																				
	BW	653.0	723.0 ⁽²⁾	608.0	630.0 ⁽²⁾	593.0	607.0 ⁽¹⁾	515.0*	525.0 ⁽²⁾	476.0*	476.0*	434.0*	434.0*	362.0*	362.0*								
90	B	638.0	680.0 ⁽²⁾																				
	BW	596.0	727.0 ⁽²⁾	557.0	636.0 ⁽²⁾	558.0	604.0 ⁽¹⁾	516.0	516.0	478.0	478.0	412.0*	415.0 ⁽²⁾	382.0*	382.0*	347.0*	347.0*	285.0*	285.0*				
100	B	535.0	657.0 ⁽²⁾																				
	BW	532.0	732.0 ⁽²⁾	511.0	642.0 ⁽²⁾	522.0	602.0 ⁽¹⁾	486.0	516.0 ⁽²⁾	453.0	458.0 ⁽²⁾	417.0	417.0	386.0	386.0	332.0*	332.0*	304.0*	304.0*	279.0*	279.0*		
110	B		615.0 ⁽²⁾																				
	BW		716.0 ⁽²⁾	481.0	649.0 ⁽²⁾	489.0	599.0 ⁽¹⁾	457.0	517.0 ⁽²⁾	429.0	460.0 ⁽²⁾	396.0	407.0 ⁽²⁾	369.0	369.0	338.0	338.0	290.0*	292.0 ⁽²⁾	267.0*	267.0*		
120	B		561.0 ⁽²⁾																				
	BW		688.0 ⁽²⁾		636.0 ⁽²⁾	459.0	590.0 ⁽¹⁾	429.0	518.0 ⁽²⁾	404.0	462.0 ⁽²⁾	376.0	409.0 ⁽²⁾	351.0	366.0 ⁽²⁾	323.0	323.0	297.0	297.0	273.0	273.0		
130	B		512.0 ⁽⁴⁾																				
	BW		660.0 ⁽²⁾		616.0 ⁽²⁾	439.0	578.0 ⁽¹⁾	405.0	519.0 ⁽²⁾	382.0	465.0 ⁽²⁾	355.0	411.0 ⁽²⁾	334.0	367.0 ⁽²⁾	308.0	324.0 ⁽²⁾	284.0	287.0 ⁽²⁾	262.0	262.0		
140	B		470.0 ⁽⁷⁾																				
	BW		626.0 ⁽³⁾		597.0 ⁽²⁾		567.0 ⁽¹⁾	389.0	510.0 ⁽²⁾	360.0	467.0 ⁽²⁾	336.0	413.0 ⁽²⁾	318.0	369.0 ⁽²⁾	293.0	325.0 ⁽²⁾	271.0	288.0 ⁽²⁾	251.0	257.0 ⁽²⁾		
150	B		431.0 ⁽¹¹⁾																				
	BW		586.0 ⁽⁴⁾		576.0 ⁽²⁾		556.0 ⁽¹⁾	366.0	501.0 ⁽²⁾	341.0	460.0 ⁽²⁾	318.0	413.0 ⁽²⁾	301.0	370.0 ⁽²⁾	279.0	327.0 ⁽²⁾	258.0	289.0 ⁽²⁾	239.0	258.0 ⁽²⁾		
160	B		398.0 ⁽¹¹⁾																				
	BW		551.0 ⁽¹⁰⁾		541.0 ⁽²⁾		526.0 ⁽²⁾		492.0 ⁽²⁾	329.0	453.0 ⁽²⁾	303.0	407.0 ⁽²⁾	286.0	370.0 ⁽²⁾	265.0	328.0 ⁽²⁾	246.0	290.0 ⁽²⁾	229.0	259.0 ⁽²⁾		
170	B																						
	BW				507.0 ⁽⁴⁾		494.0 ⁽³⁾		483.0 ⁽²⁾	310.0	447.0 ⁽²⁾	291.0	402.0 ⁽²⁾	272.0	365.0 ⁽²⁾	251.0	326.0 ⁽²⁾	234.0	291.0 ⁽²⁾	219.0	260.0 ⁽²⁾		
180	B																						
	BW				476.0 ⁽⁷⁾		464.0 ⁽⁵⁾		455.0 ⁽³⁾		440.0 ⁽²⁾	275.0	397.0 ⁽²⁾	264.0	361.0 ⁽³⁾	239.0	323.0 ⁽²⁾	224.0	290.0 ⁽²⁾	208.0	260.0 ⁽²⁾		
190	B																						
	BW				445.0 ⁽⁷⁾		437.0 ⁽⁷⁾		429.0 ⁽⁴⁾		421.0 ⁽³⁾	260.0	392.0 ⁽²⁾	249.0	356.0 ⁽²⁾	230.0	319.0 ⁽²⁾	213.0	286.0 ⁽²⁾	198.0	258.0 ⁽²⁾		
200	B																						
	BW				414.0 ⁽⁷⁾		409.0 ⁽⁷⁾		405.0 ⁽⁴⁾		400.0 ⁽⁴⁾		376.0 ⁽³⁾	236.0	352.0 ⁽²⁾	221.0	315.0 ⁽²⁾	202.0	283.0 ⁽²⁾	189.0	255.0 ⁽²⁾		
220	B																						
	BW				354.0 ⁽¹⁰⁾		356.0 ⁽¹⁰⁾		358.0 ⁽⁷⁾		356.0 ⁽⁵⁾		343.0 ⁽⁵⁾		327.0 ⁽³⁾	198.0	302.0 ⁽³⁾	187.0	277.0 ⁽²⁾	174.0	248.0 ⁽²⁾		
240	B																						
	BW						305.0 ⁽¹⁰⁾		310.0 ⁽⁷⁾		312.0 ⁽⁷⁾		306.0 ⁽⁴⁾		301.0 ⁽⁵⁾		283.0 ⁽⁴⁾	169.0	265.0 ⁽³⁾	159.0	241.0 ⁽³⁾		
260	B																						
	BW								266.0 ⁽¹⁰⁾		271.0 ⁽¹⁰⁾		266.0 ⁽⁷⁾		269.0 ⁽⁷⁾		262.0 ⁽⁴⁾		244.0 ⁽⁴⁾	142.0	228.0 ⁽⁴⁾		
280	B																						
	BW								217.0 ⁽⁸⁾		234.0 ⁽¹⁰⁾		234.0 ⁽¹⁰⁾		237.0 ⁽⁷⁾		232.0 ⁽⁴⁾		227.0 ⁽⁴⁾		215.0 ⁽⁵⁾		
300	B																						
	BW								167.0 ⁽⁸⁾		188.0 ⁽⁸⁾		202.0 ⁽¹⁰⁾		207.0 ⁽¹¹⁾		205.0 ⁽¹¹⁾		200.0 ⁽⁷⁾		195.0 ⁽⁴⁾		
320	B																						
	BW								117.0 ⁽⁸⁾		144.0 ⁽⁸⁾		167.0 ⁽⁹⁾		178.0 ⁽¹¹⁾		179.0 ⁽¹¹⁾		177.0 ⁽¹¹⁾		171.0 ⁽⁹⁾		
340	B																						
	BW										98.9 ⁽⁸⁾		124.0 ⁽⁹⁾		144.0 ⁽⁹⁾		153.0 ⁽¹¹⁾		154.0 ⁽¹¹⁾		155.0 ⁽¹¹⁾		
360	B																						
	BW												81.9 ⁽⁹⁾		105.0 ⁽⁹⁾		122.0 ⁽⁹⁾		131.0 ⁽¹¹⁾		133.0 ⁽¹¹⁾		
380	B																						
	BW														66.6 ⁽⁹⁾		86.3 ⁽⁹⁾		104.0 ⁽⁹⁾		111.0 ⁽¹¹⁾		
400	B																						
	BW																51.0 ⁽⁹⁾		70.6 ⁽⁹⁾		60.0 ⁽⁵⁾		
420	B																						
	BW																						

1) 12° 2) 17° 3) 22° 4) 27° 5) 32° 6) 37° 7) 42° 8) 47° 9) 52° 10) 57° 11) 62°







110,230 -
286,600 lb





330,700 -
551,150 lb



176,370 lb


	SL8 276 ft		
	F2 39 ft 10°	F2 49 ft 10°	F2 59 ft 10°
50	557		
60	558	474	475
70	512	512	454
80	441	441	426
90	384	384	388
100	338	339	342
110	300	301	304
120	268	268	272
130	241	241	245
140	217	218	221
150	196	197	200
160	177	179	182
170	159	161	166
180	144	145	150
190	130	131	135
200	117	119	123
220	95.8	97.2	101
240	78.5	79.8	83.3
260	64.2	65.3	68.1
280			56
300			

	SL8 295 ft		
	F2 39 ft 10°	F2 49 ft 10°	F2 59 ft 10°
60	558	458	322
70	497	496	456
80	428	428	428
90	373	373	377
100	328	328	332
110	291	291	295
120	259	260	264
130	232	233	237
140	209	209	213
150	189	189	193
160	170	171	175
170	155	155	159
180	140	141	145
190	126	127	132
200	113	115	119
220	91.8	93.3	97.2
240	74.4	75.5	79
260	60	61.2	64.2
280	47.1	48	52.1
300			40.9
320			




SL8F2

SL8 335




	SL8 335 ft		
	F2 39 ft	F2 49 ft	F2 59 ft
	10°	10°	10°
60	546	360	
70	466	466	455
80	401	402	405
90	348	349	354
100	306	307	311
110	270	271	276
120	239	241	245
130	213	215	219
140	191	192	196
150	171	172	177
160	154	155	159
170	138	139	144
180	124	125	130
190	112	113	117
200	100	101	106
220	80.7	81.7	85.8
240	63.7	65	68.7
260	49.2	50.2	54.7
280	37.2	38.1	41.2
300	26.8	27.9	31.3
320		18.8	22
340			





SL8F2

SL8 354




 ft	SL8 354 ft		
	F2 39 ft	F2 49 ft	F2 59 ft
	10°	10°	10°
60	512		
70	451	451	424
80	387	391	393
90	336	341	342
100	294	298	300
110	259	263	265
120	229	233	235
130	203	208	210
140	181	185	187
150	161	166	168
160	145	148	150
170	129	133	135
180	115	119	121
190	103	107	109
200	91.7	95.6	97.5
220	72.3	76	77.8
240	56	59.6	61.3
260	42.3	45.4	47.2
280	30.6	33.6	35.3
300	20.6	23.3	24.9
320	11.6	14.2	15.9

 ft	SL8 354 ft
	F2 59 ft
	10°
60	
70	424
80	393
90	342
100	300
110	265
120	235
130	210
140	187
150	168
160	150
170	135
180	121
190	109
200	97.5
220	77.8
240	61.3
260	47.2
280	35.3
300	24.9
320	15.9




SL8F2


SL8 335



	SL8 335 ft	
	F2 89 ft	F2 98 ft
	10°	10°
80	306	
90	290	274
100	276	260
110	264	248
120	248	237
130	223	226
140	201	205
150	181	185
160	164	168
170	148	152
180	134	138
190	122	126
200	110	115
220	90.4	94.6
240	73.6	77.7
260	59.4	62.8
280	45.2	49.3
300	35.7	38.8
320	26.5	30.1
340	18.1	21.6
360		14




	SL8 335 ft	
	F2 118 ft	
	10°	
80		
90	242	
100	230	
110	218	
120	208	
130	198	
140	190	
150	181	
160	167	
170	151	
180	138	
190	125	
200	114	
220	94.5	
240	78	
260	63.6	
280	50.1	
300	39.5	
320	31.4	
340	22.8	
360	15.3	



Lifting heights

Hauteurs de levage

SL8F2



SL10DF2B/BV

SL10 532 – 551

532 – 551 ft
SL10

138 ft
D

39 – 108 ft
F2

198,400 lb

462,970 lb

771,600 lb – 992,100 lb


441,000 lb – 769,400 lb

110,200 lb – 438,700 lb

0 lb


B BV

ft	SL10 551 ft		
	F2 39 ft 10°	F2 49 ft 10°	F2 59 ft 10°
80	309		
90	306	290	273
100	304	288	272
110	301	286	270
120	299	283	268
130	296	281	266
140	294	279	264
150	291	277	262
160	289	275	259
170	287	271	255
180	284	268	251
190	280	263	248
200	274	259	244
220	264	249	235
240	254	241	227
260	244	232	220
280	231	224	212
300	212	214	204
320	188	192	191
340	167	171	174
360	146	151	154
380	129	133	136
400	112	117	120
420	97.1	102	105
440	80.5	88.1	91.4
460	56.9	68.5	76.7
480	38.8	46.5	57.1
500			
520			



US3441

ft	SL10 532 ft		
	F2 89 ft 10°	F2 98 ft 10°	F2 108 ft 10°
90			
100	251	235	219
110	249	232	216
120	246	229	214
130	243	227	211
140	240	224	208
150	238	221	205
160	235	218	202
170	232	214	198
180	228	209	193
190	222	203	187
200	216	197	181



US3441

ft	SL10 551 ft		
	F2 59 ft 10°	F2 69 ft 10°	F2 79 ft 10°
90	273	257	
100	272	256	242
110	270	254	241
120	268	253	239
130	266	251	238
140	264	249	235
150	262	246	233
160	259	243	230
170	255	240	227
180	251	236	224
190	248	233	221
200	244	230	217


SL10DF2B/BV

SL10 532




771,600 lb - 992,100 lb
441,000 lb - 769,400 lb
110,200 lb - 438,700 lb
0 lb

SL10 532 ft			
	F2 108 ft 10°	F2 118 ft 10°	F2 128 ft 10°
80 B BV			
90 B BV			
100 B BV	219		
110 B BV	216	203	189
120 B BV	214	200	187
130 B BV	211	197	184
140 B BV	208	194	182
150 B BV	205	192	179
160 B BV	202	189	176
170 B BV	198	186	173
180 B BV	193	180	169
190 B BV	187	174	164
200 B BV	181	169	159
220 B BV	171	159	149
240 B BV	161	150	140
260 B BV	153	141	132
280 B BV	146	134	125
300 B BV	139	128	119
320 B BV	133	122	113
340 B BV	128	117	108
360 B BV	123	112	103
380 B BV	118	108	99.3
400 B BV	114	104	95.6
420 B BV	109	101	92
440 B BV	103	97.5	89
460 B BV	93.3	91.8	85.3
480 B BV	81.6	82.3	79.5
500 B BV	71	72.5	72.7
520 B BV	61.2	62.7	63.3
540 B BV			54.2




Lifting heights Hauteurs de levage

SL10DF2B/BV



SL9

SL9 256 – 335




 ft	SL9 256 – 335 ft					 ft
	256 ft	276 ft	295 ft	315 ft	335 ft	
36	853					36
38	806	774				38
40	761	733	636			40
50	760	736	711	688	666	50
60	620	601	582	565	547	60
70	517	503	487	474	458	70
80	440	428	414	403	390	80
90	380	369	357	347	336	90
100	330	321	310	301	291	100
110	291	282	271	264	254	110
120	257	249	239	232	223	120
130	228	221	212	205	197	130
140	200	197	188	181	173	140
150	177	174	167	161	153	150
160	157	154	149	143	135	160
170	140	137	132	127	120	170
180	125	122	117	113	106	180
190	111	108	103	100	93.3	190
200	99.7	96.4	91	88	82.1	200
220	80	76.3	70.7	67.4	62.4	220
240		60.2	54.3	50.7	45.5	240
260			40.9	37	31.6	260
280					20	280



Lifting heights

Hauteurs de levage

SL9



SL11DB/BV

SL11 217 – 532



217 - 532 ft



138 ft



110,200 - 286,600 lb



374,800 - 551,150 lb



B BV

771,600 lb - 992,100 lb
441,000 lb - 769,400 lb
110,200 lb - 438,700 lb
0 lb


ft	SL11 217 - 532 ft																	
	217 ft	236 ft	256 ft	276 ft	295 ft	315 ft	335 ft	354 ft	374 ft	394 ft	413 ft	433 ft	453 ft	472 ft	492 ft	512 ft	532 ft	
32	B	1432																
	BV																	
34	B	1432	1432															
	BV																	
36	B	1432	1432	1432														
	BV																	
38	B	1432	1432	1432	1415													
	BV																	
40	B	1432	1432	1432	1412	1299	1183											
	BV																	
50	B	1432	1432	1432	1375	1287	1173	1068	970	880	820	744						
	BV	1432	1432	1432	1432	1319	1209	1096	992		826							
60	B	1400	1371	1324	1269	1211	1145	1058	962	873	815	741	675	607	547			
	BV	1432	1432	1432	1385	1309	1211	1099	995	899	836	757	687	616	556	515	461	414
70	B	1216	1200	1182	1151	1115	1070	1020	949	867	810	736	670	601	543			
	BV	1409	1390	1344	1290	1236	1173	1099	997	901	838	759	688	618	557	508	460	413
80	B	1064	1052	1037	1022	1008	989	959	898	849	798	725	660	594	536			
	BV	1254	1234	1230	1199	1159	1109	1056	981	901	839	759	684	617	558	505	456	408
90	B	942	932	919	908	897	883	870	842	806	772	711	648	583	528			
	BV	1156	1127	1095	1081	1074	1043	1002	936	884	835	748	679	612	554	499	451	404
100	B	839	832	820	812	803	793	782	769	751	729	693	636	572	518			
	BV	1069	1045	1015	988	967	956	942	889	847	810	728	672	606	548	494	447	400
110	B	757	748	739	730	724	715	707	697	684	670	652	622	561	509			
	BV	984	968	947	921	902	877	857	824	804	776	706	665	599	542	489	442	396
120	B	685	679	669	661	656	647	643	633	623	612	599	587	545	499			
	BV	897	889	875	859	843	823	803	759	740	727	681	658	593	536	484	439	393
130	B	626	618	610	601	596	589	585	577	569	559	550	543	519	482			
	BV	824	814	804	794	785	770	754	715	693	674	647	636	584	530	478	435	390
140	B	569	567	558	551	545	538	535	528	520	512	504	499	483	459			
	BV	760	751	739	731	725	716	705	675	656	637	616	603	568	523	474	432	387
150	B	515	519	514	505	501	494	490	484	478	469	463	460	447	436			
	BV	703	696	685	675	670	662	657	637	622	605	586	576	549	514	472	429	385
160	B	463	475	476	467	462	455	452	445	439	431	426	422	412	408			
	BV	652	645	637	627	621	614	609	598	588	573	557	551	527	501	468	426	382
170	B	416	438	440	434	428	421	417	411	405	397	392	390	379	376			
	BV	597	603	592	585	578	570	566	558	551	541	527	522	503	486	458	422	378
180	B	377	399	402	402	398	391	386	380	375	366	360	360	350	348			
	BV	548	562	554	545	541	533	527	521	514	506	498	493	477	466	447	417	374
190	B	348	361	367	374	370	364	359	352	347	339	334	332	323	321			
	BV	502	523	519	511	506	499	494	486	480	472	465	463	450	443	426	409	370
200	B		333	341	346	342	339	335	328	322	315	309	308	298	296			
	BV		477	487	479	475	468	464	456	449	441	435	433	422	418	403	392	362
220	B			279	286	290	294	292	286	280	271	266	265	255	253			
	BV			421	425	421	414	409	403	397	387	381	381	371	368	354	351	337
240	B				246	251	255	256	250	244	237	231	229	219	218			
	BV				367	375	369	364	358	351	344	338	335	325	324	311	309	301
260	B					208	212	212	218	212	206	201	199	189	187			
	BV					322	331	326	319	314	305	300	299	288	286	273	271	264
280	B							181	183	183	180	175	172	163	162			
	BV							291	287	281	272	267	265	256	254	241	238	232
300	B								159	160	158	152	150	140	138			
	BV								259	253	244	238	237	227	225	213	211	204
320	B									138	137	132	130	120	119			
	BV									225	218	214	211	202	199	187	186	180
340	B										118	115	112	103	100			
	BV										192	192	189	180	174	165	163	156
360	B											99	97	87.1	85.1			
	BV											170	170	160	147	145	143	134
380	B													73.6	71.2			
	BV													143	125	128	126	112
400	B														58.7			
	BV														107	112	110	87.8
420	B																	
	BV															97.9	93.5	66
440	B																	
	BV																78.1	48.1
460	B																	
	BV																	36.8



Lifting heights

Hauteurs de levage

SL11DB/BV



Description of symbols

Explication des symboles

	Max. capacity Capacité max.		Weight Poids
	Max. boom length Longueur maxi. de la fleche principale		No. of lines Brins
	Max. boom system length Longueur maxi. du systeme de fleche		No. of sheaves Poulies
	Counterweight Contrepoids		Radius Portée
	Central ballast Contrepoids central		Main boom SL/SL2/SL8/SL9/SL10/SL11 Flèche principale SL/SL2/SL8/SL9/SL10/SL11
	Width crawler chassis Largeur du train de chenilles		Main boom S/S2 Flèche principale S/S2
	Hoist gear Treuil de levage		Derrick system D Système derrick D
	Working speeds Vitesses		Main boom P Flèche principale P
	Max. single line pull Effort au brin maxi.		Main boom SL Flèche principale SL
	Rope diameter Diamètre		Fixed lattice jib F2 Flechette a treillis fixe F2
	Rope length Longueur du câble		Counterweight frame B Palette de lest B
	Slewing speeds Vitesses d'orientation		Suspended ballast V-frame® V-frame® de contrepoids suspendu
	Driving speed Vitesse de translation		Counterweight trailer BW Remorque à contrepoids BW
	Load Forces de levage		Extension of slewing platform ballast Extension de lest de partie tournante
	Hookblock/Capacity Moufle à crochet/Capacité de charge		

Remarks

- | | |
|-----|--|
| 1. | The lifting capacities do not exceed 75 % of the tipping load according to ASME B 30.5. The crane's structural steelwork is in accordance with EN 13000 and ASME B 30.5. |
| 2. | For the calculation of the load charts at least a wind speed of 29 ft/s (9 m/s, 20.1 miles/hour) and regarding the load a sail area of 1 m² per ton load and a wind resistance coefficient of 1.2 on the load have been taken into account. For lifting of loads with large sail areas and/or high wind resistance coefficients the maximum wind speed as stated in the load charts has to be reduced. |
| 3. | The lifting capacities stated are valid for lifting operation only (corresponding with crane classification according to ISO 4301-1, crane group A1). |
| 4. | Lifting capacities are given in kips. |
| 5. | The weight of the hook blocks and hooks is part of the load and therefore it must be deducted from the lifting capacities. |
| 6. | The working radii are measured from the slewing centreline. |
| 7. | The subsoil must be even and of good bearing capacity. |
| 8. | Subject to modification of lifting capacities. |
| 9. | The data of this brochure serves only for general information. All information is provided without warranty. Instructions for the correct commissioning of the crane please take from the operation manual and the load chart book. |
| 10. | The pictures contain also accessories and special equipment not included in the standard scope of delivery. |

Remarques

- | | |
|-----|---|
| 1. | La capacité de charge ne doit pas dépasser 75 % de la charge de basculement conformément à ASME B 30.5. La structure métallique de la grue est conforme à EN 13000 et ASME B 30.5. |
| 2. | Une vitesse de vent de 29 ft/s (9 m/s, 20.1 miles/hour) minimum, une surface de prise au vent de 1 m² par tonne ainsi qu'un coefficient de résistance au vent de la charge 1,2 sont pris en compte pour le calcul des tableaux de charge. Lorsque des charges ayant une surface de prise au vent et/ou un coefficient de résistance au vent plus élevé(e)s sont levées, la vitesse de vent maximale indiquée dans les tableaux de charge doit être réduite. |
| 3. | Forces de levage pour application de grue de montage (correspond à la classification de grues selon ISO 4301-1, groupe de grues A1). |
| 4. | Les charges sont indiquées en kips. |
| 5. | Le poids du crochet de levage resp. de la moufle à crochet est une partie de la charge et doit donc être déduit de la capacité de charge. |
| 6. | Les portées sont prises à partir de l'axe de rotation de la partie tournante. |
| 7. | Le sol doit être plat et résistant. |
| 8. | Charges données sous réserve de modification. |
| 9. | Les données de cette brochure sont données à titre informatif. Ces renseignements sont sans garantie. Les consignes relatives à la bonne mise en service de la grue sont disponibles dans le manuel d'utilisation et le manuel de tableaux de charge. |
| 10. | Les figures contiennent également des accessoires et des équipements spéciaux non inclus de série dans la livraison. |





Customer Service

Personal. Competent. Reliable.
 Personnalisé. Compétent. Fiable.

To ensure your Liebherr remains a Liebherr.

- Commission and training by experienced service technicians
- Worldwide service network with over 80 branches
- 24/7 technical support worldwide
- Fast availability of spare parts
- Attractive packages for maintenance and service

De sorte que votre Liebherr reste une Liebherr.

- Mise en route et formation effectuées par des techniciens qualifiés
- Service-Après-Vente Mondial représenté par plus de 80 correspondants
- Assistance Technique 24/24 et 7/7 jours
- Rapide disponibilité des pièces de rechanges
- Kits d'entretiens pour révisions et maintenances à un prix attractif

Proposition 65



WARNING: This product can expose you to chemicals, including exhaust emissions, including lead and lead compounds, which are known to the State of California to cause cancer, birth defects or other reproductive harm.
 For more information see: www.P65warnings.ca.gov/diesel

Subject to modification · Sous réserve de modifications

Liebherr-Werk Ehingen GmbH · Postfach 1361 · 89582 Ehingen, Germany
 +49 73 91 5 02-0 · www.liebherr.com

Get Your
 Contact



Printed in Germany (2)
 lwe-td-235-02-us02-2021